

A Review on Ficus Racemous Plant

Dhole Pratik.Y¹, Prof. Waidya Kuldeep. P²

Student Samarth Institute of Pharmacy, Belhe, Maharashtra, India¹

Department of Pharmaceutics, Samarth Institute of Pharmacy, Belhe, Maharashtra²

Abstract: *Ficus racemosa* Linn.Syn. *Ficus glomerata*Roxb. (Family - Moraceae) is a large deciduous tree dispersed all over India which is generally known as Gular, Gular fig, Cluster fig or Country fig. It is a sacred tree of Hindus and Buddhists. The common name is 'Audumbar' and 'Umbar' and used in Unani, Ayurveda and Homeopathy. All parts of this plant (leaves, fruits, bark, latex, and sap of the root) are medicinally significant in a variety of treatments such as diabetes, diarrhoea ulcers, stomachache, piles, skin diseases, dysentery and as carminative etc. Among various pharmacological properties, *Ficus Racemosa* Linn imparts vital role as anti-oxidant, anti-cancer, antidiuretic, anti-bacterial, anti-inflammatory, memory enhancing and gastro-protective agent etc

Keywords: Ficus Racemous, Anti-pyretic, Anti-inflammatory, wound healing, Anti- microbial, Stem bark.

REFERENCES

- [1]. Satish A Bhalerao, Deepa R Verma , Nikhil C Teli , Vinodkumar S Didwana and Saurabh S Thakur, *Ficus racemosa* Linn. : A Comprehensive Review Email: drsatishbhalerao@yahoo.com Accepted on 17 th June 2014
- [2]. P.P Joy, J. Thomas, S. Mathew, B.P Skaria, Medicinal Plants. Tropical Horticulture, NayaPrakash, Calcutta, 2001, 2, 123-125.
- [3]. P.M Paarakh, *Ficusracemosa* Linn.-An overview. Nat Prod Radiance. 2009, 8, 84-90.
- [4]. Shah S.K., Garg G., Jhade D and Pandey H (2016); *Ficus racemosa* Linn: its Potentials Food Security and Rural Medicinal Management (review article); J Pharm Sci. & Res.; 8(5);317-322.
- [5]. R. N Chopra, I. C Chopra, K. I Handa, L. D Kapur, Indigenous Drugs of India, U.N. Dhur and Sons Pvt. Ltd, Calcutta, 1958, 674-675.
- [6]. A. Husain, O. P Virmani, S. P Popli, L. N Misra, M. M Gupta, G. N Srivastava, Z Abraham & A. K Singh, Dictionary of Indian Medicinal Plants, CIMAP, Lucknow, India, 1992, 546.
- [7]. A. Suresh, L. Jawakhar and M. Sabir, Chemical examination of the fruits of *Ficus Glomerata*, J Indian Chem Soc, 1979, 56(12), 1269-1270.
- [8]. K. Murti, U. Kumar, M. Panchal, M. Shah, Exploration of preliminary phytochemical studies of roots of *Ficus racemosa*, Marmara Pharm J, 2011, 15, 80-83.
- [9]. J. Bheemachari, K. Ashok, N. H Joshi, D. K Suresh, V. R. M Gupta, Antidiarrhoeal evaluation of *Ficus racemosa* Linn. latex, Acta Pharmaceutica Scientia, 2007, 49, 133 -138.
- [10]. DMP (1982): Wild Edible Plants of Nepal. Bulletin of the Department of Medicinal Plants no. 9. Kathmandu, Nepal, Ministry of Forests and Soil Conservation, p. 285.
- [11]. Joy PP, Thomas J, Mathew S, Skaria BP (2001): Medicinal Plants. Tropical Horticulture Vol. 2. Kolkata, NayaPrakash, pp. 449-632.
- [12]. Kirtikar KR, Basu BD (1975): Indian Medicinal Plants, second edition. Dehra Dun, Bishen Singh & Mahendra Pal Singh, pp. 2327-2328.
- [13]. Aiyegoro OA, Okoh AI, Use of bioactive plant products in combination with standard antibiotics: implications in antimicrobial chemotherapy, J Medicinal Plants, 3, 2009, 1147- 1152
- [14]. Paarakh PM, *Ficusracemosa* Linn.-An overview. Nat. Prod. Radiance, 8, 2009, P 84-90.
- [15]. Chopra RN, Nayar SL, Chopra IC, Glossary of Indian Medicinal Plants, CSIR: New Delhi. 1986, 119-120.
- [16]. Prabhakar YS, Suresh KD, A survey of cardio-active drug formulations from Ayurveda II: porridges, oils, clarified butters, electuaries, pastes, ash preparations and calcined powders, Fitoterapia, 61, 1990, 395-416.

- [17]. Vedavathy S, Rao DN, Herbal folk medicine of Tirumala and Tirupati region of chittoor. District, Anthra Pradesh, Fitoterapia, 66, 1995, 167-171.
- [18]. Bheemachari J, Ashok K, Joshi NH, Suresh DK, Gupta VRM, Antidiarrhoeal evaluation of Ficusracemosa Linn. latex, ActaPharmaceuticaScientia, 49, 2007, 133 -138.
- [19]. Nadkarni AK. Indian MateriaMedica, 3rd ed., 1954, 2571-2575.
- [20]. Sharma SK, Gupta VK, In vitro antioxidant studies of Ficusracemosa Linn. Root, Pharmacognosy Magazine. 4, 2008, 70-74.
- [21]. Mukherjee PK, Saha K, Murugesan T, Mandal SC, Pal M, Saha BP, Screening of anti-diarrhoeal profile of some plant extracts of a specific region of West Bengal, India. J Ethnopharmacol, 60, 1998, 85-89.
- [22]. Sharma SK, Gupta VK, In vitro antioxidant studies of Ficusracemosa Linn. root, Pharmacognosy Magazine, 4, 2008, 70-74.
- [23]. Bheemachari J, Ashok K, Joshi NH, Suresh DK, Gupta VRM. Antidiarrhoeal evaluation of Ficusracemosa Linn. latex, ActaPharmaceuticaScientia, 49, 2007, 133 -138.
- [24]. Chandrashekhar CH, Latha KP, Vagdevi HM, Vaidya VP, Anthelmintic activity of the crude extracts of Ficusracemosa, Int J Green Pharm, 2, 2008, 100-103.
- [25]. Ushir Y.V., Tiwari K.J. and Kare P.T (2015); Cecidological and pharmacognostical study of Ficusracemosaleaf galls; JPP; 4(4); 41-44.
- [26]. Sultana J., Kabir A.S., Hakim A., Abdullah M., Islam N and Reza A (2013); Evaluation of the antioxidant activity of Ficusracemosa plant extracts from north-western district of Bangladesh; J. Life Earth Sci; 8; 93-99.
- [27]. Deep P., Singh A.K., Ansari T and Raghav P (2013); Pharmacological Potentials of Ficusracemosa – A review; Pharm Sci Rev Res; 22(1);29-34.
- [28]. Ahmed F and Urooj A (2010); Traditional uses, medicinal properties, and phytopharmacology of Ficusracemosa: a review; Pharm.Biol; 48(6); 672-681.
- [29]. Ushir Y.V., Tiwari K.J. and Kare P.T (2015); Cecidological and pharmacognostical study of Ficusracemosa leaf galls; JPP; 4(4); 41-44.
- [30]. Biswas TK, Mukherjee B (2003): Plant medicines of Indian origin for wound healing activity: A review. Intl J Lower Extremity Wounds2: 25–39.
- [31]. Chandrashekhar CH, Latha KP, Vagdevi HM, Vaidya VP (2008): Anthelmintic activity of the crude extracts of Ficusracemosa. Intl J Green Pharm 2: 100–103.
- [32]. Deep P., Singh A.K., Ansari T and Raghav P (2013); Pharmacological Potentials of Ficusracemosa – A review; Pharm Sci Rev Res; 22(1);29-34.
- [33]. Ahmed F and Urooj A (2010); Traditional uses, medicinal properties, and phytopharmacology of Ficusracemosa: a review; Pharm.Biol; 48(6); 672-681.
- [34]. Paarakh M.P (2009); Ficusracemosa Linn.-An overview; Nat Prod Rad; 8(1); 84-90.
- [35]. Mandal S.C., Maity T.K., Das J., Saba B.P. and Pal M (2000); Anti-inflammatory evaluation of Ficusracemosa Linn. Leaf extract; J Ethnopharmacol; 72(1-2); 87-92.
- [36]. Zulfiker A.H.M., Rahman M.M., Hossain M.K., Hamid K., Mazumder M.E.H and Rana M.S (2010); In vivo analgesic activity of ethanolic extracts of two medicinal plants- Scopariadulcis L. and Ficusracemosa Linn; Biol Med; 2(2); 42-48.
- [37]. Malairajan P, Gopalakrishnan G, Narasimhan S, Veni JKK (2006): Analgesic activity of some Indian medicinal plants.JEthnopharmacol 106: 425–428.
- [38]. RaoChV, Verma AR, Vijayakumar M, Rastogi S (2008): Gastroprotective effect of standardized extract of Ficusglomerata fruit on experimental gastric ulcers in rats. J Ethnopharmacol 115: 323–326.
- [39]. Sangameswaran B, Balakrishnan BR, Bhaskar VH, Jayakar B (2008): Antiulcerogenic effects of unripe fruits of Ficusracemosa Linn. Asian J Chem 20: 5233–5236.
- [40]. Mishra R. and Tiwari A.K (2013); Phytochemical and chromatographic studies in the latex of Ficusracemosa Linn; pelagia research library; 3(4); 150-154.

- [41]. Rahuman AA, Venkatesan P, Geetha K, Gopalakrishnan G, Bagavan A, Kamaraj C (2008): Mosquito larvicidal activity of gluanol ace-tate, a tetracyclic triterpenes derived from *Ficusracemosa* Linn. *Parasitology Res* 103: 333–339.
- [42]. Rao BR, Anipama K, Swaroop A, Murugesan T, Pal M, Mandal SC (2002a): Evaluation of anti-pyretic potential of *Ficusracemosa* bark. *Phytomedicine* 9: 731–733.
- [43]. Forestieri AM, Monforte MT, Ragusa S, Trovato A, Iauk L (1996): Antiinflammatory, analgesic and antipyretic activity in rodents of plant extracts used in African medicine. *Phytother Res* 10: 100–106.