

Pharmacognosy of Traditional Medicinal plant used for Wound Healing

Walunj Nikita Kundan, Thorat Nikita Rajendra Labade Aishwarya Bhaskar,
Wavhal Payal Rajendra, Pande Harshada Sandip, Waphare Nikita Sudam, R. S. Gaikwad
Samarth Institute of Pharmacy, Belhe, Maharashtra, India

Abstract: *Wound healing is a sophisticated process that results in the repair of damaged tissues. Cutaneous wound healing is the process by which skin repairs itself. In the current times, different types of biopolymers are being researched for developing economical, sustainable, stable, and effective delivery system for the treatment of wound. A wound is a breakage in tissue continuity that can be produced by physical, chemical and thermal damage. It is a generally called as physical injury that cause opening and breaking of skin. Healing of chronic cutaneous wound is a big problem and it involves the restoration of continuity after wounding. Dermal fibroblasts migrate into the wound bed and proliferate, creating "granulation tissue" rich in extracellular matrix proteins and supporting the growth of new blood vessels. Ultimately, this is remodelled over an extended period, returning the injured tissue to a state similar to that before injury. India has a rich tradition of plant-based knowledge on healthcare system. Several herbs and medicinal plants proved to be a wound healers were identified and formulated for treatment and management of wounds. Various herbal products have been used in management and treatment of wounds over the years. The main objective of treating a wound is to either shorten the time required for healing process or to minimize the undue effects. Plants due to presence of various valuable active phytoconstituents have immense potential for management and treatment of wounds over the years.*

Keywords: 3D bioprinting; organ-on-a-chip; bionic tissue; bioink; cell culture

REFERENCES

- [1]. <https://www.hindawi.com/journals/ecam/2019/2684108/>
- [2]. <https://www.frontiersin.org/articles/10.3389/fphar.2018.00945/full>
- [3]. <https://www.frontiersin.org/articles/10.3389/fphar.2018.00945/full>
- [4]. <https://fjps.springeropen.com/articles/10.1186/s43094-021-00202>
- [5]. <https://jddtonline.info/index.php/jddt/article/view/1184>
- [6]. B Kumar M Vinaykumar R Govindarajan P Pushpangadan Ethanopharmacological approaches to wound healing exploring medicinal plants of India J Ethanopharmacology 2007 114 10313
- [7]. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6778887/>
- [8]. <https://pubmed.ncbi.nlm.nih.gov/31662773/>
- [9]. <https://www.hindawi.com/journals/ecam/2019/2684108/>
- [10]. https://link.springer.com/chapter/10.1007/978-981-16-2677-7_6
- [11]. C Shenoy M B Patil Ravikumar Preliminary phytochemical investigation and wound healing activity of Allium Cepalin (Liliaceae) Int J Pharm Pharm Sci 2009 22
- [12]. <https://www.herbazest.com/wellness-articles/5-herbal-supplements-to-speed-up-wound-healing>
- [13]. <https://www.bing.com/search?q=methods+employed+in+pharmacognosy+in+wound+healing&q&qs=n&for m=QBRE&sp=-1&lq=0&pq=methods+employed+in+pharmacognosy+in+wound+healing&sc=0-52&sk=&cvid=697190D873DA43248DD86F10D6217335&ghsh=0&ghacc=0&ghpl=&showconv=1>
- [14]. file:///C:/Users/samarth%20202/Downloads/712_pdf%20(1).pdf
- [15]. <https://fjps.springeropen.com/articles/10.1186/s43094-021-00202-w#:~:text=Traditional%20use%20of%20medicinal%20plants,%2C%20ulcers%2C%20and%20surgical%20wounds>

- [16]. Mukherjee K, Rajesh Kumar M (2003) Evaluation of wound healing activity of some herbal formulations Published online in Wiley. Inter Sci 117:265–268. <https://doi.org/10.1002/ptr.93>
- [17]. https://www.researchgate.net/publication/337853646_Efficacy_and_Mechanism_of_Traditional_Medicinal_Plants_and_Bioactive_Compounds_against_Clinically_Important_Pathogens
- [18]. Garcia-Orue I., Gainza G., Gutierrez F. B., et al. Novel nanofibrous dressings containing rhEGF and Aloe vera for wound healing applications. International Journal of Pharmaceutics. 2017;523(2):556–566. doi: 10.1016/j.ijpharm.2016.11.006. [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [19]. Lawrence R., Tripathi P., Jeyakumar E. Isolation, purification and evaluation of antibacterial agents from Aloe vera. Brazilian Journal of Microbiology. 2009;40(4):906–915. doi: 10.1590/s1517-83822009000400023. [PMC free article] [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [20]. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6778887/>
- [21]. Yang C. S., Chen G., Wu Q. Recent scientific studies of a traditional Chinese medicine, tea, on prevention of chronic diseases. Journal of Traditional and Complementary Medicine. 2014;4(1):17–23. doi: 10.4103/2225-4110.124326. [PMC free article] [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [22]. Er S., Dikmen M. Camellia sinensis increased apoptosis on U2OS osteosarcoma cells and wound healing potential on NIH3T3 fibroblast cells. Cytotechnology. 2017;69(6):901–914. doi: 10.1007/s10616-017-0105-4. [PMC free article] [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [23]. Klass B. R., Branford O. A., Grobbelaar A. O., Rolfe K. J. The effect of epigallocatechin-3-gallate, a constituent of green tea, on transforming growth factor- β 1-stimulated wound contraction. Wound Repair and Regeneration. 2010;18(1):80–88. doi: 10.1111/j.1524-475x.2009.00552.x. [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [24]. Akbik D., Ghadiri M., Chrzanowski W., Rohanizadeh R. Curcumin as a wound healing agent. Life Sciences. 2014;116(1):1–7. doi: 10.1016/j.lfs.2014.08.016. [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [25]. Joe B., Vijaykumar M., Lokesh B. R. Biological properties of curcumin-cellular and molecular mechanisms of action. Critical Reviews in Food Science and Nutrition. 2004;44(2):97–111. doi: 10.1080/10408690490424702. [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [26]. https://www.google.com/search?sca_esv=568414926&q=aloe+vera&tbm=isch&source=lnms&sa=X&ved=2ahUKEwiwuMi00ceBAxWnFPUHHcJQC-gQ0pQJegQICRAB&biw=1366&bih=619&dpr=1#imgrc=kDx7hMTB3DbyTM
- [27]. Adhirajan N., Ravi Kumar T., Shanmugasundaram N., Babu M. In vivo and in vitro evaluation of hair growth potential of Hibiscus rosa-sinensis Linn. Journal of Ethnopharmacology. 2003;88(2-3):235–239. doi: 10.1016/s0378-8741(03)00231-9. [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [28]. Khan Z. A., Naqvi S. A., Mukhtar A., et al. Antioxidant and antibacterial activities of Hibiscus Rosa-sinensis Linn flower extracts. Pakistan Journal of Pharmaceutical Sciences. 2014;27(3):469–474. [PubMed] [Google Scholar] [Ref list]
- [29]. Bhaskar A., Nithya V. Evaluation of the wound-healing activity of Hibiscus rosa sinensis L (Malvaceae) in Wistar albino rats. Indian Journal of Pharmacology. 2012;44(6):694–698. doi: 10.4103/0253-7613.103252. [PMC free article] [PubMed] [CrossRef] [Google Scholar] [Ref list]
- [30]. https://www.google.com/url?sa=i&url=https%3A%2F%2Fwww.hindustantimes.com%2Fweb-stories%2Famazing-health-benefits-of-hibiscus-5508&psig=AOvVaw2iyGnBbzAWE5rO9cK20174&ust=1695796646781000&source=images&cd=vfe&opi=89978449&ved=0CA4QjRxqFwoTCMiyq_rUx4EDFQAAAAAdAAAAABAD
- [31]. <https://www.google.com/url?sa=i&url=https%3A%2F%2Fwww.plantsguru.com%2Fneem&psig=AOvVaw3LRfxsEzQiVUcnCaiS8ZtX&ust=1695796868194000&source=images&cd=vfe&opi=89978449&ved=0CA4QjRxqFwoTCND8heTVx4EDFQAAAAAdAAAAABAD>
- [32]. Paul R, Prasad M, Sah NK. Anticancer biology of Azadirachta indica L (neem): a mini review. Cancer Bio Ther. 2011;12:467–6. [PubMed] [Google Scholar] [Ref list]
- [33]. An overview of medicinal plants as wound healers https://www.japsonline.com/admin/php/uploads/712_pdf.pdf

- [34]. https://www.researchgate.net/publication/237474871_Medicinal_Plants_and_their_Role_in_Wound_Healing
- [35]. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6778887/#sec2title>
- [36]. https://www.ncbi.nlm.nih.gov/core/lw/2.0/html/tileshop_pmc/tileshop_pmc_inline.html?title=Click%20on%20image%20to%20zoom&p=PMC3&id=3118986_ECAM2011-438056.001.jpg
- [37]. Practices in Wound Healing Studies of Plants - PMC - NCBI
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3118986/>