

# An Assessment of Algorithms Utilizing Machine Learning to Classify the Various Stages of Alzheimer's Disease

Jayaprakash Koyyalamudi<sup>1</sup> and Dr. Nisha Abhijeet Auti<sup>2</sup>

Research Scholar, Department of Computer Science & Engineering<sup>1</sup>

Research Guide, Department of Computer Science & Engineering<sup>2</sup>

Sunrise University, Alwar, Rajasthan, India

**Abstract:** *Alzheimer's disease (AD) is a chronic, irreversible illness that causes shrinking of the brain, impairing memory and causing cognitive impairment. Many medical professions make extensive use of machine learning methods. The proper classification of Alzheimer's disease has been the subject of several investigations. Using a variety of machine learning approaches, we have evaluated several papers written by different researchers to provide readers a more thorough picture of the research being done on Alzheimer's disease. The only purpose of this is to assess more sensible and efficient learning approaches for the categorization of Alzheimer's disease. Deep Learning (DL), Support Vector Machines (SVM), and Artificial Neural Networks (ANN) are the three primary machine learning approaches examined.*

**Keywords:** Alzheimer's Disease, Support Vector Machine

## REFERENCES

- [1]. C. Davatzikos, Y. Fan, X. Wu, D. Shen, and S. Resnick, "Detection of prodromal Alzheimer's disease via pattern classification of magnetic resonance imaging", *Neurobiology of Aging*, vol. 29, no. 4, pp. 514-523, 2008. Available: 10.1016/j.neurobiolaging.2006.11.010.
- [2]. P. Lodha, A. Talele and K. Degaonkar, "Diagnosis of Alzheimer's Disease Using Machine Learning," 2018 Fourth International Conference on Computing Communication Control and Automation (ICCUBEA), Pune, India, 2018, pp. 1-4, DOI:10.1109/ICCUBEA.2018.8697386.
- [3]. R. Brookmeyer, E. Johnson, K. Ziegler-Graham and H. Arrighi, "Forecasting the global burden of Alzheimer's disease", *Alzheimer's & Dementia*, vol. 3, no. 3, pp. 186-191, 2007. Available: 10.1016/j.jalz.2007.04.381.
- [4]. E. Moradi, A. Pepe, C. Gaser, H. Huttunen, and J. Tohka, "Machine learning framework for early MRI-based Alzheimer's conversion prediction in MCI subjects", *NeuroImage*, vol. 104, pp. 398-412, 2015. Available: 10.1016/j.neuroimage.2014.10.002.
- [5]. E. Pellegrini, L. Ballerini, M. C. Valdes Hernandez, and F. Chappell, "Machine learning of neuroimaging for the assisted diagnosis of cognitive impairment and dementia: A systematic review", pp. 519 - 535, 2018. Available: <https://doi.org/10.1016/j.dadm.2018.07.004>.
- [6]. M. Termenon, M. Graña, A. Besga, J. Echeveste, and A. Gonzalez-Pinto, "Lattice independent component analysis feature selection on diffusion-weighted imaging for Alzheimer's disease classification", *Neurocomputing*, vol. 114, pp. 132-141, 2013. Available: 10.1016/j.neucom.2012.08.044.
- [7]. H. Bisgin et al., "Comparing SVM and ANN based Machine Learning Methods for Species Identification of Food Contaminating Beetles", *Scientific Reports*, vol. 8, no. 1, 2018. Available: 10.1038/s41598-018-24926-7.
- [8]. L. Mesrob, B. Magnin, O. Colliot, and M. Sarazin, "Identification of Atrophy Patterns in Alzheimer's Disease Based on SVM Feature Selection and Anatomical Parcellation", *Medical Imaging and Augmented Reality*, 2008.

- [9]. D. Veitch, M. Weiner, P. Aisen and L. Beckett, "Understanding disease progression and improving Alzheimer's disease clinical trials: Recent highlights from the Alzheimer's Disease Neuroimaging Initiative", *Alzheimer's Dement*, pp. 106-152, 2019. Available: 10.1016/j.jalz.2018.08.005.
- [10]. A. Abdulkadir, B. Mortamet, P. Vemuri, C. Jack, G. Krueger, and S. Klöppel, "Effects of hardware heterogeneity on the performance of SVM Alzheimer's disease classifier", *NeuroImage*, vol. 58, no. 3, pp. 785-792, 2011. Available: 10.1016/j.neuroimage.2011.06.029.
- [11]. Y. Zhang and S. Wang, "Detection of Alzheimer's disease by displacement field and machine learning", 2015. Available: 10.7717/peerj.1251.
- [12]. X. Guo et al., "Voxel-based assessment of gray and white matter volumes in Alzheimer's disease", *Neuroscience Letters*, vol. 468, no. 2, pp. 146-150, 2010. Available: 10.1016/j.neulet.2009.10.086.
- [13]. S. Kim et al., "Voxel-based morphometric study of brain volume changes in patients with Alzheimer's disease assessed according to the Clinical Dementia Rating score", *Journal of Clinical Neuroscience*, vol. 18, no. 7, pp. 916-921, 2011. Available: 10.1016/j.jocn.2010.12.019.
- [14]. A. Hämäläinen et al., "Voxel-based morphometry to detect brain atrophy in progressive mild cognitive
- [15]. A. Good, I. Johnsrude, J. Ashburner, R. Henson, K. Friston, and R. Frackowiak, "Cerebral Asymmetry and the Effects of Sex and Handedness on Brain Structure: A Voxel-Based Morphometric Analysis of 465 Normal Adult Human Brains", *NeuroImage*, vol. 14, no. 3, pp. 685-700, 2001. Available: 10.1006/nimg.2001.0857.
- [16]. J. Ashburner and K. Friston, "Voxel-Based Morphometry—The Methods", *NeuroImage*, vol. 11, no. 6, pp. 805-821, 2000. Available: 10.1006/nimg.2000.0582.
- [17]. Y. Zhu and X. Zhu, "Early Diagnosis of Alzheimer's Disease by Joint Feature Selection and Classification on Temporally Structured Support Vector Machine", *International Conference on Medical Image Computing and Computer-Assisted Intervention*, pp. 264-272, 2016. Available: 10.1007/978-3-319-46720-7\_31.
- [18]. Sheng et al., "A novel joint HCPMMP method for automatically classifying Alzheimer's and different stage MCI patients", *Behavioural Brain Research*, vol. 365, pp. 210-221, 2019. Available: 10.1016/j.bbr.2019.03.004.
- [19]. Peng, X. Zhu, Y. Wang, L. An, and D. Shen, "Structured sparsity regularized multiple kernel learning for Alzheimer's disease diagnosis", *Pattern Recognition*, vol. 88, pp. 370-382, 2019. Available: 10.1016/j.patcog.2018.11.027.
- [20]. A. Ortiz, J. Munilla, I. Álvarez-Illán, J. Górriz, and J. Ramírez, "Exploratory graphical models of functional and structural connectivity patterns for Alzheimer's Disease diagnosis", *Frontiers in Computational Neuroscience*, vol. 9, 2015. Available: 10.3389/fncom.2015.00132.
- [21]. Y. Zhang and S. Liu, "Individual identification using multi-metric DTI in Alzheimer's disease and mild cognitive impairment", *Chinese Physics B*, vol. 27, no. 8, p. 088702, 2018. Available: 10.1088/1674-1056/27/8/088702.
- [22]. H. Gorji and J. Haddadnia, "A novel method for early diagnosis of Alzheimer's disease based on pseudo-Zernike moment from structural MRI", *Neuroscience*, vol. 305, pp. 361-371, 2015. Available: 10.1016/j.neuroscience.2015.08.013.
- [23]. H. Xia and S. Hoi, "MKBoost: A Framework of Multiple Kernel Boosting", *IEEE Transactions on Knowledge and Data Engineering*, vol. 25, no. 7, pp. 1574-1586, 2013. Available: 10.1109/tkde.2012.89.
- [24]. J. Liu, M. Li, W. Lan, F. Wu, Y. Pan and J. Wang, "Classification of Alzheimer's Disease Using Whole Brain Hierarchical Network", *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, vol. 15, no. 2, pp. 624-632, 2018. Available: 10.1109/tcbb.2016.2635144.
- [25]. B. Cheng, M. Liu, D. Shen, Z. Li and D. Zhang, "Multi-Domain Transfer Learning for Early Diagnosis of Alzheimer's Disease", *Neuroinformatics*, vol. 15,
- [26]. B. Cheng, M. Liu, D. Zhang, and D. Shen, "Robust multi-label transfer feature learning for early diagnosis of Alzheimer's disease", *Brain Imaging and Behavior*, vol. 13, no. 1, pp. 138-153, 2018. Available: 10.1007/s11682-018-9846-8.

- [27]. H. Suk, S. Lee and D. Shen, "Latent feature representation with stacked auto-encoder for AD/MCI diagnosis", *Brain Structure and Function*, vol. 220, no. 2, pp. 841-859, 2013. Available: 10.1007/s00429-013-0687-3.
- [28]. E. Hosseini and M. Ghazal, "Alzheimer's disease diagnostics by a 3D deeply supervised adaptable convolutional network", *Frontiers in Bioscience*, pp. 584-596, 2018.
- [29]. X. Zheng, J. Shi, Y. Li, X. Liu and Q. Zhang, "Multi- modality stacked deep polynomial network-based feature learning for Alzheimer's disease diagnosis," 2016 IEEE 13th International Symposium on Biomedical Imaging (ISBI), Prague, 2016, pp. 851-854, DOI: 10.1109/ISBI.2016.7493399.
- [30]. W. Zheng, Z. Yao, Y. Xie, J. Fan, and B. Hu, "Identification of Alzheimer's Disease and Mild Cognitive Impairment Using Networks Constructed Based on Multiple Morphological Brain Features", *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*, vol. 3, no. 10, pp. 887-897, 2018. Available: 10.1016/j.bpsc.2018.06.004.
- [31]. R. Tibshirani, "Regression Shrinkage and Selection Via the Lasso", *Journal of the Royal Statistical Society: Series B (Methodological)*, vol. 58, no. 1, pp. 267-288, 1996. Available: 10.1111/j.2517-6161.1996.tb02080.x.
- [32]. D. Zhang and D. Shen, "Multi-modal multi-task learning for joint prediction of multiple regression and classification variables in Alzheimer's disease", *NeuroImage*, vol. 59, no. 2, pp. 895-907, 2012. Available: 10.1016/j.neuroimage.2011.09.069.
- [33]. B. Jie, D. Zhang, B. Cheng and D. Shen, "Manifold regularized multitask feature learning for multimodality disease classification", *Human Brain Mapping*, vol. 36, no. 2, pp. 489-507, 2014. Available: 10.1002/hbm.22642.
- [34]. Y. Bengio, P. Lamblin and D. Popovici, "Greedy layer-wise training of deep networks", *Proceedings of the 19th International Conference on Neural Information Processing Systems*, pp. 153-160, 2006.
- [35]. M. Liu, D. Zhang and D. Shen, "Ensemble sparse classification of Alzheimer's disease", *NeuroImage*, vol. 60, no. 2, pp. 1106-1116, 2012. Available: 10.1016/j.neuroimage.2012.01.055.
- [36]. S. Ben-David, J. Blitzer, K. Crammer, A. Kulesza, F. Pereira, and J. Vaughan, "A theory of learning from different domains", *Machine Learning*, vol. 79, no. 1-2, pp. 151-175, 2009. Available: 10.1007/s10994-009-5152-4.
- [37]. B. Fischl, A. Dale, M. Sereno, R. Tootell, and B. Rosen, "A Coordinate System for the Cortical Surface",
- [38]. A. Dale, B. Fischl, and M. Sereno, "Cortical Surface-Based Analysis", *NeuroImage*, vol. 9, no. 2, pp. 179-194, 1999. Available: 10.1006/nimg.1998.0395.
- [39]. A. Fischl, A. Liu, and A. M. Dale, "Automated manifold surgery: constructing geometrically accurate and topologically correct models of the human cerebral cortex," in *IEEE Transactions on Medical Imaging*, vol. 20, no. 1, pp. 70-80, Jan 2001, DOI: 10.1109/42.906426.
- [40]. Hanchuan Peng, Fuhui Long, and C. Ding, "Feature selection based on mutual information criteria of max-dependency, max-relevance, and min- redundancy", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 27, no. 8, pp. 1226- 1238, 2005. Available: 10.1109/tpami.2005.159.
- [41]. I. Guyon, J. Weston, S. Barnhill, and V. Vapnik, "Gene Selection for Cancer Classification using Support Vector Machines", *Machine Learning*, pp. 389-422, 2002. Available: 10.1023/A:1012487302797.
- [42]. S. Mori and J. Zhang, "Principles of Diffusion Tensor Imaging and Its Applications to Basic Neuroscience Research", *Neuron*, vol. 51, no. 5, pp.527-539, 2006. Available: 10.1016/j.neuron.2006.08.012.