



Artificial Intelligent System for Automatic Depression Level Analysis Through Visual and Vocal Expressions

Sarita Pandharinath Tambe¹ and Dr. R. G. Dabhade²

Student, Department of VLSI & Embedded System (E&TC)¹

Professor, Department of VLSI & Embedded System (E&TC)²

Matoshri College of Engineering and Research Centre, Eklhare, Nashik, Maharashtra, India

Abstract: Depression is the most predominant mind-set problem overall essentially affecting prosperity and usefulness, and significant individual, family and cultural impacts. The early and precise discovery of signs identified with despondency could have many advantages for the two clinicians and impacted people. The current work pointed toward creating and clinically testing a technique ready to distinguish visual indications of discouragement and backing clinician choices. Programmed sadness appraisal dependent on obvious signals is a quickly developing examination space. The present thorough survey of existing methodologies as detailed in north of sixty distributions during the most recent ten years centers around picture handling and AI calculations. Visual appearances of sadness, different methodology utilized for information assortment, and existing datasets are summed up. The survey diagrams techniques and calculations for visual component extraction, dimensionality decrease, choice techniques for classification and regression approaches just as various combination systems. A quantitative meta-examination of detailed outcomes, depending on execution measurements hearty to risk, is incorporated, distinguishing general patterns and key irritating issues to be considered in ongoing investigations of programmed sorrow evaluation using viewable prompts alone or in blend with obvious signals. The proposed work also carried out to predict the depression level according to current input of face images using deep learning.

Keywords: Depression

REFERENCES

- [1]. Shaikh Awesh, Gund Suraj, Tipule Pratap, Bhusari Pratiksha , “Depression Detection By Social MediaAnalyzing”, International Research Journal Of Engineering And Technology , 2021
- [2]. Bhushan Parkar, Sahil Lanjekar , Arbaz Mulla, Vivek Patil ,“Depression Detection Using Nlp Algorithm On Youtube Data”, International Research Journal Of Engineering And Technology,2021
- [3]. Meenakshi Garg, Heramb Shankar Patil, “Comparative Study on Ai in Mental Health and Wellbeing – CurrentApplications and Trends”, International Research Journal of Engineering and Technology, 2021
- [4]. Suyash Dabhane, “Depression Detection On Social Media Using Machine Learning Techniques: A Survey”,International Research Journal Of Engineering And Technology, 2020
- [5]. Mrunal Kulkarni, “Depression Prediction System Using Different Methods”, International Research Journal OfEngineering And Technology, 2019
- [6]. R Shilkrot, J Huber, R Boldu, Pmaes and S Nanayakka “FingerReader: A Finger-Worn Assistive Augmentation”Springer Nature Singapore Pte Ltd. 2018
- [7]. Pampouchidou, A., O. Simantiraki, C-M. Vazakopoulou, C. Chatzaki, M. Pediaditis, A. Maridakis, K. Marias et al.” Facial geometry and speech analysis for depression detection.” In Engineering in Medicine and Biology Society (EMBC), 39th Annual International Conference of the IEEE, pp. 1433-1436. IEEE, 2017.

- [8]. Harati, Sahar, Andrea Crowell, Helen Mayberg, Jun Kong, and Shamim Nemati." Discriminating clinical phases of recovery from major depressive disorder using the dynamics of facial expression." In Engineering in Medicine and Biology Society (EMBC), 38th Annual International Conference of the, pp. 2254- 2257. IEEE, 2016.
- [9]. Tasnim, Mashrura, RifatShahriyar, NowshinNahar, and Hossain Mahmud." Intelligent depression detection and support system: Statistical analysis, psychological review and design implication." In e-Health Networking, Applications and Services (Healthcom), 18th International Conference on, pp. 1-6. IEEE, 2016.
- [10]. A. Jan, H. Meng, Y. F. A. Gaus, F. Zhang and S. Turabzadeh, "Automatic depression scale prediction using facial expression dynamics and regression", *Proc. 4th Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 73-80, 2014.
- [11]. H. Meng et al., "Depression recognition based on dynamic facial and vocal expression features using partial least square regression", *Proc. 3rd ACM Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 21-30, 2013.
- [12]. P. Ekman and W. V. Friesen, Facial Action Coding System, Palo Alto, CA, USA:Consulting Psychol. Press, 1978.
- [13]. A. Jan and H. Meng, "Automatic 3D facial expression recognition using geometric and textured feature fusion", *Proc. 11th IEEE Int. Conf. Workshops Autom. Face Gesture Recognit. (FG)*, vol. 5, pp. 1-6, May 2015.
- [14]. M. Kaletsch et al., "Major depressive disorder alters perception of emotional body movements", *Front. Psychiatry*, vol. 5, pp. 4, Jan. 2014.
- [15]. J. Han et al., "Video abstraction based on fMRI-driven visual attention model", *Inf. Sci.*, vol. 281, pp. 781-796, Oct. 2014.
- [16]. J. Han et al., "Learning computational models of video memorability from fMRI brain imaging", *IEEE Trans. Cybern.*, vol. 45, no. 8, pp. 1692-1703, Aug. 2015.
- [17]. M. Valstar et al., "AVEC 2016: Depression mood and emotion recognition workshop and challenge", *Proc. 6th Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 3-10, 2016.
- [18]. M. F. Valstar et al., "AVEC 2014: 3D dimensional affect and depression recognition challenge", *Proc. Int. Conf. ACM Multimedia Audio/Vis. Emotion Challenge Workshop*, pp. 3-10, 2014.
- [19]. J. R. Williamson et al., "Vocal biomarkers of depression based on motor incoordination", *Proc. 3rd ACM Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 41-48, 2013.
- [20]. J. R. Williamson, T. F. Quatieri, B. S. Helper, G. Ciccarelli and D. D. Mehta, "Vocal and facial biomarkers of depression based on motor incoordination and timing", *Proc. 4th ACM Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 41-47, 2013.
- [21]. X. Ma, H. Yang, Q. Chen, D. Huang and Y. Wang, "Depaudionet: An efficient deep model for audio based depression classification", *Proc. 6th Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 35-42, 2016.
- [22]. M. Nasir, A. Jati, P. G. Shivakumar, S. N. Chakravarthula and P. Georgiou, "Multimodal and multiresolution depression detection from speech and facial landmark features", *Proc. 6th Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 43-50, 2016.
- [23]. R. Weber, V. Barrielle, C. Soladié and R. Séguier, "High-level geometry-based features of video modality for emotion prediction", *Proc. 6th Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 51-58, 2016.
- [24]. Y. L. Cun et al., "Handwritten digit recognition with a back-propagation network", *Proc. Adv. Neural Inf. Process. Syst.*, pp. 396-404, 1990.
- [25]. O. M. Parkhi, A. Vedaldi and A. Zisserman, "Deep face recognition", *Proc. Brit. Mach. Vis. Conf.*, pp. 1-12, 2015.
- [26]. K. He, X. Zhang, S. Ren and J. Sun, "Deep residual learning for image recognition", *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR)*, pp. 770-778, 2016.
- [27]. J. Long, E. Shelhamer and T. Darrell, "Fully convolutional networks for semantic segmentation", *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR)*, pp. 3431-3440, 2014.



- [28]. A. Krizhevsky, I. Sutskever and G. E. Hinton, "ImageNet classification with deep convolutional neural networks", *Proc. Adv. Neural Inf. Process. Syst.*, pp. 1097-1105, 2012.
- [29]. K. Simonyan and A. Zisserman, "Very deep convolutional networks for large-scale image recognition", *Proc. ICLR*, pp. 1-14, 2015.
- [30]. P. Wang et al., "Automated video-based facial expression analysis of neuropsychiatric disorders", *J. Neurosci. Methods*, vol. 168, no. 1, pp. 224-238, 2008.
- [31]. Y. Yang, C. Fairbairn and J. F. Cohn, "Detecting depression severity from vocal prosody", *IEEE Trans. Affect. Comput.*, vol. 4, no. 2, pp. 142-150, Apr. 2013.
- [32]. S. Scherer et al., "Automatic behavior descriptors for psychological disorder analysis", *Proc. IEEE Int. Conf. Autom. Face Gesture Recognit.*, pp. 1-8, 2013.
- [33]. J. M. Girard, J. F. Cohn, M. H. Mahoor, S. Mavadati and D. P. Rosenwald, "Social risk and depression: Evidence from manual and automatic facial expression analysis", *Proc. IEEE Int. Conf. Autom. Face Gesture Recognit.*, pp. 1-8, 2013.
- [34]. J. F. Cohn et al., "Detecting depression from facial actions and vocal prosody", *Proc. Int. Conf. Affective Comput. Intell. Interact. Workshops*, pp. 1-7, 2009.
- [35]. L. Yammie, L. Frazier, N. S. Padhye, J. E. Sanner and M. M. Burg, "Two-year prognosis after acute coronary syndrome in younger patients: Association with feeling depressed in the prior year and BDI-II score and Endothelin-1", *J. Psychosom. Res.*, vol. 99, pp. 8-12, Aug. 2017.
- [36]. L. Wen, X. Li, G. Guo and Y. Zhu, "Automated depression diagnosis based on facial dynamic analysis and sparse coding", *IEEE Trans. Inf. Forensics Security*, vol. 10, no. 7, pp. 1432-1441, Jul. 2015.
- [37]. M. Kächele, M. Schels and F. Schwenker, "Inferring depression and affect from application dependent meta knowledge", *Proc. 4th Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 41-48, 2014.
- [38]. M. Senoussaoui, M. Sarria-Paja, J. F. Santos and T. H. Falk, "Model fusion for multimodal depression classification and level detection", *Proc. 4th Int. Workshop Audio/Vis. Emotion Challenge*, pp. 57-63, 2014.
- [39]. H. Pérez Espinosa et al., "Fusing affective dimensions and audio-visual features from segmented video for depression recognition: INAOE-BUAP's participation at AVEC'14 challenge", *Proc. 4th Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 49-55, 2014.
- [40]. V. Mitra et al., "The SRI AVEC-2014 evaluation system", *Proc. ACM Int. Conf. Multimedia*, pp. 93-101, 2014.
- [41]. H. Kaya, F. Çilli and A. A. Salah, "Ensemble CCA for continuous emotion prediction", *Proc. 4th ACM Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 19-26, 2013.
- [42]. R. Gupta et al., "Multimodal prediction of affective dimensions and depression in human-computer interactions categories and subject descriptors", *Proc. 4th ACM Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 33-40, 2014.
- [43]. L. Chao, J. Tao, M. Yang and Y. Li, "Multi task sequence learning for depression scale prediction from video", *Proc. Int. Conf. Affective Comput. Intell. Interact. (ACII)*, pp. 526-531, 2015.
- [44]. V. Jain, J. L. Crowley, A. K. Dey and A. Lux, "Depression estimation using audiovisual features and Fisher vector encoding", *Proc. 4th ACM Int. Workshop Audio/Vis. Emotion Challenge (AVEC)*, pp. 87-91, 2014.
- [45]. T. Ojala, M. M. Pietikäinen and T. Mäenpää, "Multiresolution gray-scale and rotation invariant texture classification with local binary patterns", *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 24, no. 7, pp. 971-987, Jul. 2002.