

# Patient-Centric Approaches to Gastroretentive Floating Tablets: Tailoring for Diverse Clinical Needs

**Adesh Ovhar<sup>1</sup>, Dr. Rahul Radke<sup>2</sup>, Dr. Ajaz Sheikh<sup>3</sup>, Dr. Kailash Biyani<sup>4</sup>**

Anuradha College of Pharmacy, Chikhli, Maharashtra, India

**Abstract:** Gastroretentive tablets have emerged as a promising platform for controlled drug delivery, offering the potential for prolonged gastric residence time and enhanced therapeutic outcomes. This comprehensive review explores the paradigm shift towards patient-centric approaches in the development of gastroretentive tablets. The journey begins with an examination of the historical evolution of gastroretentive technologies, tracing advancements in formulation techniques, materials, and technologies that have paved the way for patient-centric designs.

The review delves into patient-centric formulation strategies tailored for diverse populations, including pediatrics and geriatrics. It highlights the importance of considering patient-specific needs, preferences, and physiological characteristics in optimizing dosage forms. Regulatory considerations and compliance-enhancing features are scrutinized, providing insights into the delicate balance between personalized medicine and regulatory expectations.

Real-world applications are illuminated through case studies, offering success stories across pediatric, geriatric, and personalized medicine contexts. Clinical outcomes, including adherence metrics and patient satisfaction, provide tangible evidence of the impact of patient-centric gastroretentive tablets.

Challenges in formulation development and regulatory implementation are critically examined, with a focus on technical hurdles and strategies for navigating evolving regulatory landscapes. The conclusion distills key findings and outlines implications for future research and clinical practice, emphasizing continued innovation, strategic regulatory engagement, and interdisciplinary collaboration.

This review serves as a comprehensive resource for researchers, clinicians, and regulatory professionals engaged in advancing patient-centric gastroretentive tablets. It offers a roadmap for the integration of innovative technologies into clinical practice, fostering a patient-centered approach in the evolution of controlled drug delivery systems.

**Keywords:** Gastroretentive Tablets, Patient-Centric Approaches, Controlled Drug Delivery, Formulation Strategies, Regulatory Considerations, Real-World Applications, Clinical Outcomes, Interdisciplinary Collaboration.

## REFERENCES

- [1]. Liu, H., Zhao, W., Hu, Q., Zhao, L., Wei, Y., Pi, C., Yang, Y., Yang, X., Yuan, H., Zhang, Y., Qu, K., Shi, X., Huang, Y., & Shi, H. (2019). Gastric floating sustained-release tablet for dihydromyricetin: Development, characterization, and pharmacokinetics study. *Saudi pharmaceutical journal : SPJ : the official publication of the Saudi Pharmaceutical Society*, 27(7), 1000–1008. <https://doi.org/10.1016/j.jps.2019.08.002>
- [2]. Wook Huh, H., Na, Y. G., Kang, H., Kim, M., Han, M., Mai Anh Pham, T., Lee, H., Baek, J. S., Lee, H. K., & Cho, C. W. (2021). Novel self-floating tablet for enhanced oral bioavailability of metformin based on cellulose. *International journal of pharmaceutics*, 592, 120113. <https://doi.org/10.1016/j.ijpharm.2020.120113>
- [3]. Liu, H., Wang, S., Shi, H., Zhang, R., Qu, K., Hu, Y., Qu, X., Gan, C., Chen, J., Shi, X., Zhang, M., & Zeng, W. (2021). Gastric floating tablet improves the bioavailability and reduces the hypokalemia effect of

- gossypol *in vivo*. *Saudi pharmaceutical journal : SPJ : the official publication of the Saudi Pharmaceutical Society*, 29(4), 305–314. <https://doi.org/10.1016/j.jsp.2021.03.001>
- [4]. Elzoghby, A. O., Vranic, B. Z., Samy, W. M., & Elgindy, N. A. (2015). Swellable floating tablet based on spray-dried casein nanoparticles: Near-infrared spectral characterization and floating matrix evaluation. *International journal of pharmaceutics*, 491(1-2), 113–122. <https://doi.org/10.1016/j.ijpharm.2015.06.015>
  - [5]. Abdelbary, A., El-Gazayerly, O. N., El-Gendy, N. A., & Ali, A. A. (2010). Floating tablet of trimetazidine dihydrochloride: an approach for extended release with zero-order kinetics. *AAPS PharmSciTech*, 11(3), 1058–1067. <https://doi.org/10.1208/s12249-010-9468-y>
  - [6]. Zhang, R., Shi, H., Li, S., Zhang, H., Zhang, D., Wu, A., Zhang, C., Li, C., Fu, X., Chen, S., Shi, J., Tian, Y., Wang, S., Wang, Y., & Liu, H. (2023). A double-layered gastric floating tablet for zero-order controlled release of dihydromyricetin: Design, development, and *in vitro/in vivo* evaluation. *International journal of pharmaceutics*, 638, 122929. <https://doi.org/10.1016/j.ijpharm.2023.122929>
  - [7]. Qin, C., Wu, M., Xu, S., Wang, X., Shi, W., Dong, Y., Yang, L., He, W., Han, X., & Yin, L. (2018). Design and optimization of gastro-floating sustained-release tablet of pregabalin: *In vitro* and *in vivo* evaluation. *International journal of pharmaceutics*, 545(1-2), 37–44. <https://doi.org/10.1016/j.ijpharm.2018.04.011>
  - [8]. Patel, M., Shelke, S., Surti, N., Panzade, P., Al-Keridis, L. A., Upadhyay, T. K., Alshammari, N., & Saeed, M. (2023). Design, preparation, and *in vitro* evaluation of gastroretentive floating matrix tablet of mitiglinide. *Frontiers in pharmacology*, 14, 1140351. <https://doi.org/10.3389/fphar.2023.1140351>
  - [9]. Namdev, A., & Jain, D. (2019). Floating Drug Delivery Systems: An Emerging Trend for the Treatment of Peptic Ulcer. *Current drug delivery*, 16(10), 874–886. <https://doi.org/10.2174/156720181666191018163519>
  - [10]. Ullah, G., Nawaz, A., Latif, M. S., Shah, K. U., Ahmad, S., Javed, F., Alfatama, M., Abd Ghafar, S. A., & Lim, V. (2023). Clarithromycin and Pantoprazole Gastro-Retentive Floating Bilayer Tablet for the Treatment of Helicobacter Pylori: Formulation and Characterization. *Gels (Basel, Switzerland)*, 9(1), 43. <https://doi.org/10.3390/gels9010043>
  - [11]. El Nabarawi, M. A., Teaima, M. H., Abd El-Monem, R. A., El Nabarawy, N. A., & Gaber, D. A. (2017). Formulation, release characteristics, and bioavailability study of gastroretentive floating matrix tablet and floating raft system of Mebeverine HCl. *Drug design, development and therapy*, 11, 1081–1093. <https://doi.org/10.2147/DDDT.S131936>
  - [12]. Kim, B., Byun, Y., & Lee, E. H. (2021). DoE-Based Design of a Simple but Efficient Preparation Method for a Non-Effervescent Gastro-Retentive Floating Tablet Containing Metformin HCl. *Pharmaceutics*, 13(8), 1225. <https://doi.org/10.3390/pharmaceutics13081225>
  - [13]. Kesarla, R. S., Vora, P. A., Sridhar, B. K., Patel, G., & Omri, A. (2015). Formulation and evaluation of floating tablet of H2-receptor antagonist. *Drug development and industrial pharmacy*, 41(9), 1499–1511. <https://doi.org/10.3109/03639045.2014.959969>
  - [14]. Maddiboyina, B., Hanumanaik, M., Nakkala, R. K., Jhawat, V., Rawat, P., Alam, A., Foudah, A. I., Alrobaian, M. M., Shukla, R., Singh, S., & Kesharwani, P. (2020). Formulation and evaluation of gastro-retentive floating bilayer tablet for the treatment of hypertension. *Heliyon*, 6(11), e05459. <https://doi.org/10.1016/j.heliyon.2020.e05459>
  - [15]. Nigusse, B., Gebre-Mariam, T., & Belete, A. (2021). Design, development and optimization of sustained release floating, bioadhesive and swellable matrix tablet of ranitidine hydrochloride. *PloS one*, 16(6), e0253391. <https://doi.org/10.1371/journal.pone.0253391>
  - [16]. Bhadouriya, P., Kumar, M., & Pathak, K. (2012). Floating microspheres: to prolong the gastric retention time in stomach. *Current drug delivery*, 9(3), 315–324. <https://doi.org/10.2174/156720112800389061>
  - [17]. Gong, L., Sun, Y., Yu, M., Gao, Y., Zou, M., & Cheng, G. (2018). Development and Evaluation of Compression Coating Gastro-Floating Tablet of Alfuzosin Hydrochloride for Zero-Order Controlled Release. *AAPS PharmSciTech*, 19(7), 3277–3286. <https://doi.org/10.1208/s12249-018-1168-z>

- [18]. Rahamathulla, M., Alam, N., Hani, U., Ibrahim, Q., & Alhamhoom, Y. (2021). Development and in vitro evaluation of effervescent floating matrix tablet of neritinib: An anticancer drug. *Pakistan journal of pharmaceutical sciences*, 34(4), 1297–1303.
- [19]. Zhao, X., Wei, W., Niu, R., Li, Q., Hu, C., & Jiang, S. (2022). 3D Printed Intragastric Floating and Sustained-Release Tablets with Air Chambers. *Journal of pharmaceutical sciences*, 111(1), 116–123. <https://doi.org/10.1016/j.xphs.2021.07.010>
- [20]. Khan, Z. A., Tripathi, R., & Mishra, B. (2011). Floating elementary osmotic pump tablet (FEOPT) for controlled delivery of diethylcarbamazine citrate: a water-soluble drug. *AAPS PharmSciTech*, 12(4), 1312–1323. <https://doi.org/10.1208/s12249-011-9699-6>
- [21]. Naiserová, M., Kubová, K., Vysloužil, J., Bernatoniene, J., Brokalakis, I., & Vetchý, D. (2019). (Meth)acrylate copolymers of Eudragit® type in oral tablet technology. (Meth)akrylátové kopolymeru typu Eudragit® v technologii perorálních tablet. *Ceska a Slovenska farmacie : casopis Ceske farmaceuticke spolecnosti a Slovenske farmaceuticke spolecnosti*, 68(5), 183–197.
- [22]. Alqahtani, A. A., Mohammed, A. A., Fatima, F., & Ahmed, M. M. (2023). Fused Deposition Modelling 3D-Printed Gastro-Retentive Floating Device for Propranolol Hcl Tablets. *Polymers*, 15(17), 3554. <https://doi.org/10.3390/polym15173554>
- [23]. Mangla, B., Jain, A., & Malik, D. S. (2020). Exploring the Potentials of Corn Fiber Gum in Fabricating Mucoadhesive Floating Tablet of Poorly Gastro-retainable Drug. *Recent patents on anti-infective drug discovery*, 10.2174/1574891X15999201111200523. Advance online publication. <https://doi.org/10.2174/1574891X15999201111200523>
- [24]. Wavhule, P., & Devarajan, P. V. (2021). Development and Optimization of Microballoons Assisted Floating Tablets of Baclofen. *AAPS PharmSciTech*, 22(8), 272. <https://doi.org/10.1208/s12249-021-02139-y>
- [25]. PLOS ONE Editors (2022). Correction: Formulation and In Vitro, In Vivo Evaluation of Effervescent Floating Sustained-Release Imatinib Mesylate Tablet. *PloS one*, 17(9), e0275144. <https://doi.org/10.1371/journal.pone.0275144>
- [26]. Ranade, A. N., Wankhede, S. S., Ranpise, N. S., & Mundada, M. S. (2012). Development of bilayer floating tablet of amoxicillin and Aloe vera gel powder for treatment of gastric ulcers. *AAPS PharmSciTech*, 13(4), 1518–1523. <https://doi.org/10.1208/s12249-012-9882-4>
- [27]. Israr, M., Pugliese, N., Farid, A., Ghazanfar, S., Di Cerbo, A., Muzammal, M., Alamri, A. S., Basheeruddin Asdaq, S. M., Ahmad, A., & Khan, K. A. (2022). Preparation and Characterization of Controlled-Release Floating Bilayer Tablets of Esomeprazole and Clarithromycin. *Molecules (Basel, Switzerland)*, 27(10), 3242. <https://doi.org/10.3390/molecules27103242>
- [28]. Yehualaw, A., Tafere, C., Yilma, Z., & Abrha, S. (2023). Formulation and *In Vitro* Evaluation of Furosemide Floating Matrix Tablets Using *Boswellia papyrifera* Resin as Matrix Forming Polymer. *BioMed research international*, 2023, 4322375. <https://doi.org/10.1155/2023/4322375>
- [29]. Rajora, A., & Nagpal, K. (2022). A Critical Review on Floating Tablets as a Tool for Achieving Better Gastric Retention. *Critical reviews in therapeutic drug carrier systems*, 39(1), 65–103. <https://doi.org/10.1615/CritRevTherDrugCarrierSyst.2021038568>
- [30]. Kimura, S. I., Ishikawa, T., Iwao, Y., Itai, S., & Kondo, H. (2019). Fabrication of Zero-Order Sustained-Release Floating Tablets via Fused Depositing Modeling 3D Printer. *Chemical & pharmaceutical bulletin*, 67(9), 992–999. <https://doi.org/10.1248/cpb.c19-00290>
- [31]. Pahwa, R., Saini, N., Kumar, V., & Kohli, K. (2012). Chitosan-based gastroretentive floating drug delivery technology: an updated review. *Expert opinion on drug delivery*, 9(5), 525–539. <https://doi.org/10.1517/17425247.2012.673581>
- [32]. Jafarinejad, M., Ezoddin, M., Lamei, N., Abdi, K., Babhadi-Ashar, N., Pirooznia, N., & Akhgari, M. (2020). Effervescent tablet-assisted demulsified dispersive liquid-liquid microextraction based on solidification of floating organic droplet for determination of methadone in water and biological samples prior to GC-flame ionization and GC-MS. *Journal of separation science*, 43(16), 3266–3274. <https://doi.org/10.1002/jssc.202000078>



- [33]. Eberle, V. A., Häring, A., Schoelkopf, J., Gane, P. A., Huwyler, J., & Puchkov, M. (2016). In silico and in vitro methods to optimize the performance of experimental gastroretentive floating mini-tablets. *Drug development and industrial pharmacy*, 42(5), 808–817. <https://doi.org/10.3109/03639045.2015.1078350>
- [34]. Shehzad, M. Q., Nazir, T., Nazir, S. U., Taha, N., Jamil, T., & Akram, M. A. (2019). Formulation, evaluation and in vitro characterization of gastroretentive floating tablet of diclofenac sodium. *Pakistan journal of pharmaceutical sciences*, 32(6), 2573–2578.
- [35]. Yang, H. S., & Kim, D. W. (2023). Fabrication of Gastro-Floating Famotidine Tablets: Hydroxypropyl Methylcellulose-Based Semisolid Extrusion 3D Printing. *Pharmaceutics*, 15(2), 316. <https://doi.org/10.3390/pharmaceutics15020316>