

Potential of Titanium Dioxide and its Application

R. R. Dubey and W. B. Gurnule

Department of Chemistry, Kamla Nehru Mahavidyalaya, Sakkardara, Nagpur, India

dube.rashmi.rd@gmail.com and wbgurnule@gmail.com

Abstract: Now a day's metal and metal Oxides including titanium dioxide have been widely studied, due to their importance in recent medical therapies, catalysis, photocatalysis, antibacterial agent and also as nano paints. It is an inorganic compound with attractive physical and chemical characteristics based on the size, crystal phase and shape of particle. Utilization of titanium dioxide is natural amicable because of some electrical, optical and morphological properties, TiO_2 nanoparticles were concentrated as photosensitizing specialist in the treatment of harmful growth just as in photodynamic inactivation of anti-microbial opposition microscopic organisms. TiO_2 is also used to mineralized organic compound such as alcohol, carboxylic acid, phenolic derivatives using oxygen as primary oxidant. TiO_2 has been also used as bleaching, opacifying agent and as U.V protector in cosmetics, paints and enamel.

Keywords: Titanium Dioxide**REFERENCES**

- [1]. Zainab N. Jameel, Adawiya J. Haider, Samar Y. Taha, ShubhraGangopadhyay, and Sangho Bok, "Evaluation of hybrid sol-gel incorporated with nanoparticles as nano paint" AIP Conference Proceedings 1758, 020001 (2016); doi: 10.1063/1.4959377.
- [2]. Cathy Rompelberg, Minne B Heringa, Gerda van Donkersgoed, José Drijvers, Agnes Roos, Susanne Westenbrink, Ruud Peters, Greet van Bemmel, Walter Brand, Agnes G Oomen, Oral intake of added titanium dioxide and its nanofraction from food products, food supplements and toothpaste by the Dutch population, 2016 Dec;10(10):1404-1414.
- [3]. Zainab N. Jameel "Synthesis of TiO_2 Nanoparticles by Sol-Gel Method using Laser Ablation for nano paint Application" PhD thesis, University of Baghdad, Physics Department, (2015).
- [4]. https://en.wikipedia.org/wiki/Chloride_process#:~:text=The%20chloride%20process%20is%20used,2%20FeCl3%20%2B%206%20CO
- [5]. Youssef, Z.; Vanderesse, R.; Colombeau, L.; Baros, F.; Roques-Carmes, T.; Frochot, C.; Wahab, H.; Toufaily, J.; Hamieh, T.; Acherar, S.; et al. The application of titanium dioxide, zinc oxide, fullerene, and graphene nanoparticles in photodynamic therapy. Cancer Nanotechnol. 2017, 8, 6.
- [6]. Zohaib Razzaq 1, Awais Khalid 1, Pervaiz Ahmad 2,* , Muhammad Farooq 1, MayeenUddinKhandaker 3, AbdelmoneimSulieman 4, Ibad Ur Rehman 1, SohailShakeel 1 and Ajmal Khan, Photocatalytic and Antibacterial Potency of Titanium Dioxide Nanoparticles: A Cost-Effective and Environmentally Friendly Media for Treatment of Air and Wastewater, Catalysts 2021, 11, 709.
- [7]. Adawiyah J Haider, Zainab and Jameel, Emad H M Ali Husainikama, Titanium dioxide(technology and materials for renewable energy, environment and sustainability, TMREES18 19-21) energy proedia 157 (2019) 17-29.
- [8]. <https://www.britannica.com>
- [9]. Jafari S, Mahyad B, Hashemzadeh H, Janfaza S, Gholikhani T, Tayebi L, Biomedical Applications of TiO_2 Nanostructures: Recent Advances, 14 May 2020 Volume 2020:15 Pages 3447-70
- [10]. Daniel Ziental, BeataCzarczynska-Goslinska, Dariusz T. Mlynarczyk, Arleta Glowacka-Sobotta, BeataStanisz, Tomasz Goslinski, and Lukasz Sobo, Titanium Dioxide Nanoparticles: Prospects and Applications in Medicine Received: 4 January 2020; Accepted: 19 February 2020; Published: 23 February 2020.

- [11]. Nika Veronovski, TiO₂ Applications as a Function of Controlled Surface Treatment, Material for a sustainable Environment, June 27th 2018.
- [12]. Aadarsh Mishra^{1*} ANALYSIS OF TITANIUM DIOXIDE AND ITS APPLICATION IN INDUSTRY , International of Mechanical Engineering and Robotic Research, ISSN 2278 – 0149 Vol. 3, No. 3, July 2014.
- [13]. Jafari S, Mahyad B, Hashemzadeh H, Janfaza S, Gholikhani T, Tayebi L, Biomedical Applications of TiO₂ Nanostructures, 14 May 2020 Volume 2020:15 Pages 3447—3470.
- [14]. Liang-Bin Xiong,^{1,2} Jia-Lin Li,³ Bo Yang,² and Ying Yu Ti??+ in the Surface of Titanium Dioxide: Generation, Properties and Photocatalytic Application, Journal of nano materials, Volume 2012 | Article ID 831524 | <https://doi.org/10.1155/2012/831524>.
- [15]. MeghmalaWaghmode, AparnaGunjal, JavedMulla, NehaPatil, NeeluNawani, Studies on the titanium dioxide nanoparticles: biosynthesis, applications and remediation, SN Applied Sciences, 2019, 1(4) pages 1-9.
- [16]. Ruokolainen, M.; Ollikainen, E.; Sikanen, T.; Kotiaho, T.; Kostiainen, R. Oxidation of TyrosinePhosphopeptides by Titanium Dioxide Photocatalysis. *J. Am. Chem. Soc.* 2016, 138, 7452–7455.
- [17]. Wang, Z.; Srivastava, V.; Wang, S.; Sun, H.; Thangaraj, S.K.; Jänis, J.; Sillanpää, M. UVC-assisted photocatalytic degradation of carbamazepine by Nd-doped Sb₂O₃ /TiO₂ photocatalyst. *J. Colloid Interface Sci.* 2020, 562, 461–469.
- [18]. Ji, Y.; Zhou, L.; Ferronato, C.; Yang, X.; Salvador, A.; Zeng, C.; Chovelon, J.-M. Photocatalytic degradation of atenolol in aqueous titanium dioxide suspensions: Kinetics, intermediates and degradation pathways. *J. Photochem. Photobiol. A Chem.* 2013, 254, 35–44.
- [19]. Osathaphan, K.; Chucherdwatanasak, B.; Rachdawong, P.; Sharma, V.K. Photocatalytic oxidation of cyanide in aqueous titanium dioxide suspensions: Effect of ethylenediaminetetraacetate. *Sol. Energy* 2008, 82, 1031–1036.
- [20]. Koltsakidou, A.; Terzopoulou, Z.; Kyzas, G.; Bikaris, D.; Lambropoulou, D. Biobased Poly(ethylene furanoate) Polyester/TiO₂ Supported Nanocomposites as Effective Photocatalysts for Anti-inflammatory/Analgesic Drugs. *Molecules* 2019, 24, 564.
- [21]. van Geenen, F.A.M.G.; Franssen, M.C.R.; Miikkulainen, V.; Ritala, M.; Zuilhof, H.; Kostiainen, R.; Nielen, M.W.F. TiO₂ Photocatalyzed Oxidation of Drugs Studied by Laser Ablation Electrospray Ionization Mass Spectrometry. *J. Am. Soc. Mass Spectrom.* 2019, 30, 639–646.
- [22]. Rendel, P.M.; Rytwo, G. Degradation kinetics of caffeine in water by UV/H₂O₂ and UV/TiO₂. *Desalin. Water Treat.* 2020, 173, 231–242.
- [23]. Skocaj M, Filipic M, Petkovic J, et al. Titanium dioxide in our everyday life; is it safe? *RadiolOncol.* 2011;45(4):227–247. doi:10.2478/v10019-011-0037-0.
- [24]. Yang, F.; Chang, R.; Webster, T. Atomic Layer Deposition Coating of TiO₂ Nano-Thin Films on Magnesium-Zinc Alloys to Enhance Cytocompatibility for Bioresorbable Vascular Stents. *Int. J. NanoMed.* 2019, 14, 9955–9970.
- [25]. Cuervo-Osorio, G.; Jiménez-Valencia, A.M.; Mosquera-Agualimpia, C.; Escobar-Sierra, D.M. Manufacture of titanium dioxide scaffolds for medical applications. *RevistaFacultad de Ingeniería* 2018, 27, 17–25.
- [26]. Carlander, U.; Li, D.; Jolliet, O.; Emond, C.; Johanson, G. Toward a general physiologically-based pharmacokinetic model for intravenously injected nanoparticles. *Int. J. Nanomed.* 2016, 11, 625.
- [27]. Lin, Z.; Monteiro-Riviere, N.A.; Riviere, J.E. Pharmacokinetics of metallic nanoparticles: Pharmacokinetics of metallic nanoparticles. *WIREs NanoMed. Nanobiotechnol.* 2015, 7, 189–217.
- [28]. Xu, J.; Sun, Y.; Huang, J.; Chen, C.; Liu, G.; Jiang, Y.; Zhao, Y.; Jiang, Z. Photokilling cancer cells using highly cell-specific antibody-TiO₂ bioconjugates and electroporation. *Bioelectrochemistry* 2007, 71, 217–222.
- [29]. Wang, J.; Zhou, G.; Chen, C.; Yu, H.; Wang, T.; Ma, Y.; Jia, G.; Gao, Y.; Li, B.; Sun, J. Acute toxicity and biodistribution of different sized titanium dioxide particles in mice after oral administration. *Toxicol. Lett.* 2007, 168, 176–185.

- [30]. Khalid, A.; Ahmad, P.; Alharthi, A.I.; Muhammad, S.; Khandaker, M.U.; IqbalFaruque, M.R.; Din, I.U.; Alotaibi, M.A. Unmodified Titanium Dioxide Nanoparticles as a Potential Contrast Agent in Photon Emission Computed Tomography. *Crystals* 2021, 11, 171.
- [31]. Akram, M.W.; Raziq, F.; Fakhar-e-Alam, M.; Aziz, M.H.; Alimgeer, K.S.; Atif, M.; Amir, M.; Hanif, A.; Aslam Farooq, W. Tailoring of Au-TiO₂ nanoparticles conjugated with doxorubicin for their synergistic response and photodynamic therapy applications. *J. Photochem. Photobiol. A Chem.* 2019, 384, 112040.
- [32]. Irshad, M.A.; Nawaz, R.; urRehman, M.Z.; Imran, M.; Ahmad, M.J.; Ahmad, S.; Inaam, A.; Razzaq, A.; Rizwan, M.; Ali, S. Synthesis and characterization of titanium dioxide nanoparticles by chemical and green methods and their antifungal activities against wheat rust. *Chemosphere* 2020, 258, 127352.
- [33]. ShadyAbdelnasser, ReemAlSakkaf, Giovanni Palmisano, Environmental and energy applications of TiO₂ photoanodes modified with alkali metals and polymers, *Journal of Environmental Chemical Engineering*, Volume 9, Issue 1, February 2021, 104873.
- [34]. Geraets, L.; Oomen, A.G.; Krystek, P.; Jacobsen, N.R.; Wallin, H.; Laurentie, M.; Verharen, H.W.; Brandon, E.F.; de Jong, W.H. Tissue distribution and elimination after oral and intravenous administration of different titanium dioxide nanoparticles in rats. Part. *Fibre Toxicol.* 2014, 11, 30.
- [35]. Xie, G.; Wang, C.; Sun, J.; Zhong, G. Tissue distribution and excretion of intravenously administered titanium dioxide nanoparticles. *Toxicol. Lett.* 2011, 205, 55–61.
- [36]. Zhao, Q.-E.; Wen, W.; Xia, Y.; Wu, J.-M. Photocatalytic activity of TiO₂ nanorods, nanowires and nanoflowers filled with TiO₂ nanoparticles. *Thin Solid Film.* 2018, 648, 103–107.
- [37]. Yin, J.-J.; Liu, J.; Ehrenshaft, M.; Roberts, J.E.; Fu, P.P.; Mason, R.P.; Zhao, B. Phototoxicity of nano titanium dioxides in HaCaT keratinocytes—Generation of reactive oxygen species and cell damage. *Toxicol. Appl. Pharmacol.* 2012, 263, 81–88.
- [38]. Gerard Vales 1, Laura Rubio, Ricard Marcos, Long-term exposures to low doses of titanium dioxide nanoparticles induce cell transformation, but not genotoxic damage in BEAS-2B cells, *Nanotoxicology*, 2015;9(5):568-78.
- [39]. Vandebriel, R.J.; Vermeulen, J.P.; van Engelen, L.B.; de Jong, B.; Verhagen, L.M.; de la Fonteyne-Blankestijn, L.J.; Hoonakker, M.E.; de Jong, W.H. The crystal structure of titanium dioxide nanoparticles influences immune activity in vitro and in vivo. Part. *Fibre Toxicol.* 2018, 15, 9.
- [40]. Ganguly, D.; Haak, S.; Sisirak, V.; Reizis, B. The role of dendritic cells in autoimmunity. *Nat. Rev. Immunol.* 2013, 13, 566–577.
- [41]. Daniel Ziental, BeataCzarczynska-Goslinska , Dariusz T. Mlynarczyk, Arleta Glowacka-Sobotta , BeataStanisz , Tomasz Goslinski , and Lukasz Sobotta, Titanium Dioxide Nanoparticles: Prospects and Applications in Medicine, *Nanomaterials* 2020, 10, 387
- [42]. Noman, M.T.; Ashraf, M.A.; Ali, A. Synthesis and applications of nano-TiO₂ : A review. *Environ. Sci. Pollut. Res.* 2019, 26, 3262–3291.
- [43]. Saeed, K.; Khan, I.; Gul, T.; Sadiq, M. Efficient photodegradation of methyl violet dye using TiO₂/Pt and TiO₂/Pd photocatalysts. *Appl. Water Sci.* 2017, 7, 3841–3848.
- [44]. Kondratyeva, I.; Orzeł, Ł.; Kobasa, I.; Doroshenko, A.; Macyk, W. Photosensitization of titanium dioxide with 40 -dimethylaminoflavonol. *Mater. Sci. Semicond. Process.* 2016, 42, 62–65.
- [45]. Yuan, R.; Zhou, B.; Hua, D.; Shi, C.; Ma, L. Effect of metal-ion doping on the characteristics and photocatalytic activity of TiO₂ nanotubes for the removal of toluene from water. *Water Sci. Technol.* 2014, 69, 1697–1704.
- [46]. Gupta, N.; Pal, B. Photocatalytic activity of transition metal and metal ions impregnated TiO₂ nanostructures for iodide oxidation to iodine formation. *J. Mol. Catal. A Chem.* 2013, 371, 48–55.
- [47]. Zaleska, A. Doped-TiO₂ : A Review. *Recent Pat. Eng.* 2008, 2, 157–164.
- [48]. Feng, X.; Zhang, S.; Wu, H.; Lou, X. A novel folic acid-conjugated TiO₂ -SiO₂ photosensitizer for cancer targeting in photodynamic therapy. *Colloids Surf. B Biointerfaces* 2015, 125, 197–205.

- [49]. Kubiak, A.; Siwińska-Ciesielczyk, K.; Goscianska, J.; Dobrowolska, A.; Gabała, E.; Czaczzyk, K.; Jesionowski, T. Hydrothermal-assisted synthesis of highly crystalline titania-copper oxide binary systems with enhanced antibacterial properties. *Mater. Sci. Eng. C* 2019, 104, 109839.
- [50]. SivakumarMurugadoss, Frederic Brassinne, NohamSebaihi, Jasmine Petry, Stevan M. Cokic, Kirsten L. Van Landuyt, Lode Godderis, Jan Mast, Dominique Lison, Peter H. Hoet & Sybille van den Brule , Agglomeration of titanium dioxide nanoparticles increases toxicological responses in vitro and in vivo, *Particle and Fibre Toxicology*,2020,17, 10
- [51]. Archana, D.; Singh, B.K.; Dutta, J.; Dutta, P.K. In vivo evaluation of chitosan-PVP-titanium dioxide nanocomposite as wound dressing material. *Carbohydr. Polym.* 2013, 95, 530–539.
- [52]. Kayani, Z.N.; Riaz, S.; Naseem, S. Magnetic and antibacterial studies of sol-gel dip coated Ce doped TiO₂ thin films: Influence of Ce contents. *Ceram. Int.* 2020, 46, 381–390.
- [53]. Shang, H.; Han, D.; Ma, M.; Li, S.; Xue, W.; Zhang, A. Enhancement of the photokilling effect of TiO₂ in photodynamic therapy by conjugating with reduced graphene oxide and its mechanism exploration. *J. Photochem. Photobiol. B Biol.* 2017, 177, 112–123.
- [54]. Ozturk, I.; Tunçel, A.; Ince, M.; Ocakoglu, K.; Ho,sgör-Limoncu, M.; Yurt, F. Antibacterial properties of subphthalocyanine and subphthalocyanine-TiO₂ nanoparticles on *Staphylococcus aureus* and *Escherichia coli*. *J. Porphyr. Phthalocyanines* 2018, 22, 1099–1105.
- [55]. Tunçel, A.; Öztürk, I.; Ince, M.; Ocakoglu, K.; Ho,sgör-Limoncu, M.; Yurt, F. Antimicrobial photodynamic therapy against *Staphylococcus aureus* using zinc phthalocyanine and zinc phthalocyanine-integrated TiO₂ nanoparticles. *J. Porphyr. Phthalocyanines* 2019, 23, 206–212.
- [56]. Mantareva, V.; Eneva, I.; Kussovski, V.; Borisova, E.; Angelov, I. Antimicrobial photodisinfection with Zn(II) phthalocyanine adsorbed on TiO₂ upon UVA and red irradiation. In Proceedings of the 18th International School on Quantum Electronics: Laser Physics and Applications; International Society for Optics and Photonics, Sozopol, Bulgaria, 8 January 2015; Volume 9447, p. 94470.
- [57]. Lopez, T.; Ortiz, E.; Alvarez, M.; Navarrete, J.; Odriozola, J.A.; Martinez-Ortega, F.; Páez-Mozo, E.A.; Escobar, P.; Espinoza, K.A.; Rivero, I.A. Study of the stabilization of zinc phthalocyanine in sol-gel TiO₂ for photodynamic therapy applications. *NanoMed. Nanotechnol. Biol. Med.* 2010, 6, 777–785.
- [58]. Sułek, A.; Pucelik, B.; Kuncewicz, J.; Dubin, G.; Dabrowski, J.M. Sensitization of TiO₂ by halogenated porphyrin derivatives for visible light biomedical and environmental photocatalysis. *Catal. Today* 2019, 335, 538–549.
- [59]. an, X.; Xie, J.; Li, Z.; Chen, M.; Wang, M.; Wang, P.-N.; Chen, L.; Mi, L. Enhancement of the photokilling effect of aluminD cum phthalocyanine in photodynamic therapy by conjugating with nitrogen-doped TiO₂ nanoparticles. *Colloids Surf. B Biointerfaces* 2015, 130, 292–298.
- [60]. Pan, X.; Liang, X.; Yao, L.; Wang, X.; Jing, Y.; Ma, J.; Fei, Y.; Chen, L.; Mi, L. Study of the Photodynamic Activity of N-Doped TiO₂ Nanoparticles Conjugated with Aluminum Phthalocyanine. *Nanomaterials* 2017, 7, 338.
- [61]. Zhao, C.; Rehman, F.U.; Yang, Y.; Li, X.; Zhang, D.; Jiang, H.; Selke, M.; Wang, X.; Liu, C. Bio-imaging and Photodynamic Therapy with Tetra SulphonatophenylPorphyrin (TSPP)-TiO₂ Nanowhiskers: New Approaches in Rheumatoid Arthritis Theranostics. *Sci. Rep.* 2015, 5, 1–11.
- [62]. Rehman, F.; Zhao, C.; Jiang, H.; Selke, M.; Wang, X.D. Photoactivated TiO₂ Nanowhiskers and Tetra Sulphonatophenyl Porphyrin Normoglycemic Effect on Diabetes Mellitus During Photodynamic Therapy. *J. Nanosci. Nanotechnol.* 2016, 16, 12691–12694.
- [63]. Youssef, Z.; Jouan-Hureaux, V.; Colombeau, L.; Arnoux, P.; Moussaron, A.; Baros, F.; Toufaily, J.; Hamieh, T.; Roques-Carmes, T.; Frochot, C. Titania and silica nanoparticles coupled to Chlorin e6 for anti-cancer photodynamic therapy. *PhotodiagnosisPhotodyn. Ther.* 2018, 22, 115–126.
- [64]. Tuchina, E.S.; Tuchin, V.V. TiO₂ nanoparticle enhanced photodynamic inhibition of pathogens. *Laser Phys. Lett.* 2010, 7, 607.

- [65]. Pan, X.; Liang, X.; Yao, L.; Wang, X.; Jing, Y.; Ma, J.; Fei, Y.; Chen, L.; Mi, L. Study of the Photodynamic Activity of N-Doped TiO₂ Nanoparticles Conjugated with Aluminum Phthalocyanine. *Nanomaterials* 2017, 7, 338.
- [66]. Itabashi, T.; Narita, K.; Ono, A.; Wada, K.; Tanaka, T.; Kumagai, G.; Yamauchi, R.; Nakane, A.; Ishibashi, Y. Bactericidal and antimicrobial effects of pure titanium and titanium alloy treated with short-term, low-energy UV irradiation. *Bone Jt. Res.* 2017, 6, 108–112.
- [67]. Tunçel, A.; Öztürk, İ.; Ince, M.; Ocakoglu, K.; Ho,şgör-Limoncu, M.; Yurt, F. Antimicrobial photodynamic therapy against *Staphylococcus aureus* using zinc phthalocyanine and zinc phthalocyanine-integrated TiO₂ nanoparticles. *J. Porphyr. Phthalocyanines* 2019, 23, 206–212.
- [68]. Lai, Y.-K.; Wang, Q.; Huang, J.-Y.; Li, H.-Q.; Chen, Z.; Zhao, A.Z.-J.; Wang, Y.; Zhang, K.-Q.; Sun, H.-T.; Al-Deyab, S.S. TiO₂ nanotube platforms for smart drug delivery: A review. *Int. J. NanoMed.* 2016, 11, 4819–4834.
- [69]. Raja, G.; Cao, S.; Kim, D.-H.; Kim, T.-J. Mechanoregulation of titanium dioxide nanoparticles in cancer therapy. *Mater. Sci. Eng. C* 2020, 107, 110303.
- [70]. Akram, M.W.; Raziq, F.; Fakhar-e-Alam, M.; Aziz, M.H.; Alimgeer, K.S.; Atif, M.; Amir, M.; Hanif, A.; Aslam Farooq, W. Tailoring of Au-TiO₂ nanoparticles conjugated with doxorubicin for their synergistic response and photodynamic therapy applications. *J. Photochem. Photobiol. A Chem.* 2019, 384, 112040.
- [71]. Tong, R.; Lin, H.; Chen, Y.; An, N.; Wang, G.; Pan, X.; Qu, F. Near-infrared mediated chemo/photodynamic synergistic therapy with DOX-UCNPs@mSiO₂/TiO₂-TC nanocomposite. *Mater. Sci. Eng. C* 2017, 78, 998–1005.
- [72]. Zeng, L.; Pan, Y.; Tian, Y.; Wang, X.; Ren, W.; Wang, S.; Lu, G.; Wu, A. Doxorubicin-loaded NaYF₄:Yb/Tm-TiO₂ inorganic photosensitizers for NIR-triggered photodynamic therapy and enhanced chemotherapy in drug-resistant breast cancers. *Biomaterials* 2015, 57, 93–106.
- [73]. Flak, D.; Yate, L.; Nowaczyk, G.; Jurga, S. Hybrid ZnPc@TiO₂ nanostructures for targeted photodynamic therapy, bioimaging and doxorubicin delivery. *Mater. Sci. Eng. C* 2017, 78, 1072–1085.
- [74]. Chen, Y.; Lin, H.; Tong, R.; An, N.; Qu, F. Near-infrared light-mediated DOX-UCNPs@mHTiO₂ nanocomposite for chemo/photodynamic therapy and imaging. *Colloids Surf. B Biointerfaces* 2017, 154, 429–437.
- [75]. Wang, Y.; Wang, Q.; Zhang, C. Synthesis of Diamond-Shaped Mesoporous Titania Nanobricks as pH-Responsive Drug Delivery Vehicles for Cancer Therapy. *ChemistrySelect* 2019, 4, 8225–8228.
- [76]. Xu, J.; Zhou, X.; Gao, Z.; Song, Y.-Y.; Schmuki, P. Visible-Light-Triggered Drug Release from TiO₂ Nanotube Arrays: A Controllable Antibacterial Platform. *Angew. Chem. Int. Ed.* 2016, 55, 593–597.
- [77]. Kurzmann, C.; Verheyen, J.; Coto, M.; Kumar, R.V.; Divitini, G.; Shokoohi-Tabrizi, H.A.; Verheyen, P.; De Moor, R.J.G.; Moritz, A.; Agis, H. In vitro evaluation of experimental light activated gels for tooth bleaching. *Photochem. Photobiol. Sci.* 2019, 18, 1009–1019.
- [78]. Onwubu, S.C.; Mdluli, P.S.; Singh, S.; Tlapana, T. A novel application of nano eggshell/titanium dioxide composite on occluding dentine tubules: An in vitro study. *Braz. Oral Res.* 2019, 33.
- [79]. Ran, Z.; Wang, L.; Fang, Y.; Ma, C.; Li, S. Photocatalytic Degradation of Atenolol by TiO₂ Irradiated with an Ultraviolet Light Emitting Diode: Performance, Kinetics, and Mechanism Insights. *Catalysts* 2019, 9, 876.
- [80]. Zulfiqar, M.; Samsudin, M.F.R.; Sufian, S. Modelling and optimization of photocatalytic degradation of phenol via TiO₂ nanoparticles: An insight into response surface methodology and artificial neural network. *J. Photochem. Photobiol. A Chem.* 2019, 384, 112039.
- [81]. Cuppini, M.; Leitune, V.C.B.; de Souza, M.; Alves, A.K.; Samuel, S.M.W.; Collares, F.M. In vitro evaluation of visible light-activated titanium dioxide photocatalysis for in-office dental bleaching. *Dent. Mater. J.* 2019, 38, 68–74.
- [82]. Sharma, S.; Singh, G.; Singh, A.; Tandon, P.; Nagar, A. A comparison of shear bond strength of orthodontic brackets bonded with four different orthodontic adhesives.

- [83]. Huang, L.; Jing, S.; Zhuo, O.; Meng, X.; Wang, X. Surface Hydrophilicity and Antifungal Properties of TiO₂ Films Coated on a Co-Cr Substrate. BioMed Res. Int. 2017, 2017, 2054723.