IJARSCT



International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 9, June 2025



A Cross-Sectional Study to Assess the Prevalence of Burnout Syndrome among Nurses Working in Critical Care Units of a Quaternary Care Hospital in a Metropolitan City

Lt Col (Dr) Alka Thomas and Lt Col (Dr) Sridevi C Professor, College of Nursing AFMC, Pune

Abstract: This study aims to assess the prevalence of burnout syndrome among nurses working in critical care units. A cross-sectional study to assess the prevalence of burnout syndrome among nurses working in critical care units of a quaternary care hospital in a metropolitan city. The sampling technique used was nonprobability purposive sampling. The tool consists of questionnaires t assess demographic data and a modified Copenhagen burnout inventory which consisted of 20 items. The results related to burnout score were seen that majority of the nurses, 53.3%, were having moderate level of burnout, whereas only 20% were having severe level of burnout and 26.6% had mild burnout. It was seen that there was a significant association of demographic variable, years of experience (p=0.007%) according to chi square test.

Keywords: Burnout syndrome, critical care unit, Nursing, Years of experience

Copyright to IJARSCT www.ijarsct.co.in



