

An Efficient, Green Synthesis of Hemiaminals of Isatins using TBAF under Aqueous Reaction Media

Pramod B Thakur¹ and Rupashri K. Kadu², Ganesh A. Thakur³, Raghunath J. Katkar⁴

Department of Chemistry

Rayat Shikshan Sanstha's, Mahatma Phule Arts, Science & Commerce College, Panvel, Raigad, India

pramod.chem.research@gmail.com¹

Abstract: The synthesis of hemiaminals of isatin derivatives is described by the reaction of isatin with formaldehyde in the presence of TBAF in water at ambient temperature. The procedure is very simple, convenient, and efficient, which provides high yield of product. Additionally the method is applicable for both varieties of substituted isatins derivatives. Moreover, the environmentally benign nature of reaction media makes the procedure attractive alternative over earlier methods.

Keywords: Hemianials, Isatin, TBAF, Water, Green Synthesis

REFERENCES

- [1]. (a) Liou, J. P.; Wu, C. Y.; Hsieh, H. P.; Chang, C. Y.; Chen, C. M.; Kuo, C. C.; Chang, J. Y. *J. Med. Chem.* **2007**, 50, 4548; (b) Kemnitzer, W.; Drewe, J.; Jiang, S.; Zhang, H.; Crogan-Grundy, C.; Labreque, D.; Bubenick, M.; Attardo, G.; Denis, R.; Lamothe, S.; Gourdeau, H.; Tseng, B.; Kasibhatla, S.; Cai, S. X. *J. Med. Chem.* **2008**, 51, 417.
- [2]. Mahfouz, N. M.; Omar, F. A.; Aboul-Fadl, T. *Eur. J. Med. Chem.* **1999**, 34, 551.
- [3]. (a) Smith, M. B.; March, J. *March's Advanced Organic Chemistry*; Wiley- Interscience: New York, 2007. pp 1281–1283; (b) Chudek, J. A.; Foster, R.; Young, D. *J. Chem. Soc., Perkin Trans. 2*, **1985**, 1285.
- [4]. Deguest, G.; Bischoff, L.; Fruit, C.; Marsais, F. *Org. Lett.* **2007**, 9, 1165.
- [5]. (a) Zhu, Z.; Chen, H. G.; Goel, O. P.; Chan, H.; Stilgenbauer, L. A.; Stewart, B. H. *Bioorg. Med. Chem. Lett.* **2000**, 10, 1121; (b) Bundgaard, H. In *Design of Prodrugs*; Bundgaard, H., Ed.; Springer: Amsterdam, 1985; pp 1–92.
- [6]. (a) McFarland, J. M.; Joshi, N. S.; Francis, M. B. *J. Am. Chem. Soc.* **2008**, 130, 7639; (b) Sui, Y.; Liu, L.; Zhao, J. L.; Wang, D.; Chen, Y. *J. Tetrahedron Lett.* **2007**, 48, 3779; (c) Kren, V.; Fiserova, A.; Weignerova, L.; Sibor, I.; Halada, P.; Prikrylova, V.; Sedmera, P.; Pospisil, M. *Bioorg. Med. Chem.* **2002**, 10, 415; (d) Williams, D. M.; Brown, D. M. *J. Chem. Soc., Perkin Trans. 1*, **1995**, 1225; (e) Tupper, D. E.; Pullar, I. A.; Clemens, J. A.; Risius, F. C.; Timms, G. H.; Wedley, S. *J. Med. Chem.* **1993**, 36, 912; (f) Mompon, B.; Vassal, T.; Poirier, P. *J. Nat. Prod.* **1985**, 48, 273; (g) Taggart, M. S.; Richter, G. H. *J. Am. Chem. Soc.* **1934**, 56, 1385.
- [7]. (a) Evans, G. B.; Furneaux, R.; Hutchison, T. L.; Kezar, H. S.; Morris, P. E. Jr.; Schramm, V. L.; Tyler, P. C. *J. Org. Chem.* **2001**, 66, 5723; (b) Hagiwara, H.; Choshi, T.; Nobuhiro, J.; Fujimoto, H.; Hibino, S. *Chem. Pharm. Bull.* **2001**, 49, 881; (c) Macor, J. E.; Forman, J. T.; Post, R. J.; Ryan, K. *Tetrahedron Lett.* **1997**, 38, 1673; (d) de Leon, C. Y.; Ganem, B. *Tetrahedron* **1997**, 53, 7731; (e) Delgado, A.; Clardy, J. *J. Org. Chem.* **1993**, 58, 2862; (f) Dhanak, D.; Reese, C. B. *J. Chem. Soc., Perkin Trans. 1*, **1986**, 2181.
- [8]. (a) Figueroa-Perez, S.; Bennabi, S.; Schirok, H.; Thutewohl, M. *Tetrahedron Lett.* **2006**, 47, 2069; (b) Garg, N. K.; Caspi, D. D.; Stoltz, B. M. *J. Am. Chem. Soc.* **2005**, 127, 5970.
- [9]. He-Chu, H.; Duen-Ren, H. *Tetrahedron Lett.* **2009**, 50, 7169.

- [10]. (a) Baird, C. in *Environmental Chemistry*, New York, 1999; (b) Anastas, P.T.; Heine, L. G. and Williamson, T. C. in *Green Chemical Syntheses and Processes*, Oxford University Press, New York, 2000; (c) Matlack, A. S. in *Introduction to Green Chemistry*, Marcel Dekker, New York, 2001; (d) Lancaster, M. in *Green Chemistry: An Introductory Text*, Royal Society of Chemistry, Cambridge, UK, 2002.
- [11]. (a) Anastas, P. T. and Warner, J. C. in *Green Chemistry: Theory and Practice*, Oxford University Press, Oxford, UK, 1998; (b) Lancaster, M. in *Handbook of Green Chemistry and Technology*, ed. Clark, J. H. and Macquarrie, D. J. Blackwell Publishing, Abingdon, 2002; (c) Bruckmann, A.; Krebs, A. and Bolm, C. *Green Chem.* **2008**, 10, 1131; (d) Horv'ath, I. T. *Green Chem.* **2008**, 10, 1024; (e) *Handbook of Green Chemistry*, Crabtree, R. H. and Anastas, P. T. 2009, Wiley-VCH.
- [12]. Anastas, P. T.; Bartlett, L. B.; Kirchhoff, M. M. and Williamson, T. C. *Catal. Today*, **2000**, 55, 11.
- [13]. For recent reviews on organic reactions in water, see: (a) *Organic Reactions in Water*, Lindstrom, U. M.; Ed.; Blackwell, Oxford, UK, 2007; (b) Herreras, C. I.; Yao, X.; Li, Z. and Li, C. J. *Chem. Rev.*, **2007**, 107, 2546; (c) Li, C. J. *Chem. Rev.* **2005**, 105, 3095; (d) Li, C. J. and Chen, L. *Chem. Soc. Rev.* **2006**, 35, 68; (e) Lindstrom, U. M. *Chem. Rev.* **2002**, 102, 2751.
- [14]. Yadav, J. S.; Swami, T.; Reddy, B. V. S.; Krishna Rao, D. *J. Mol. Catal. A: Chem.* **2007**, 274, 116 and references cited therein.
- [15]. (a) Mori, A.; Kawashima, J.; Shimada, T.; Suguro, M.; Hirabayashi, K.; Nishihara, Y. *Org. Lett.* **2000**, 2, 2935; (b) Barluenga, J.; Andina, F.; Fernandez-Rodriguez, M. A.; Garcia-Garcia, P.; Merino, I.; Aquilar, E. J. *Org. Chem.* **2004**, 69, 7352.
- [16]. Crouch, R. D. *Tetrahedron* **2004**, 60, 5833.
- [17]. (a) Capperucci, A.; Degl'Innocenti, A.; Leriverend, C.; Metzner, P. *J. Org. Chem.* **1996**, 61, 7174; (b) Sirol, S.; Courmarcel, J.; Mostefai, N.; Riant, O. *Org. Lett.* **2001**, 3, 4111; (c) Denmark, S. E.; Sweis, R. F. *J. Am. Chem. Soc.* **2001**, 123, 6439; (d) Mattson, A. E.; Zuhl, A. M.; Reynolds, T. E.; Scheidt, K. A. *J. Am. Chem. Soc.* **2006**, 128, 4932.
- [18]. (a) Albanese, D.; Landini, D.; Penso, M. *J. Org. Chem.* **1998**, 63, 9587; (b) Shellhamer, D. F.; Horney, M. J.; Pettus, B. J.; Pettus, T. L.; Stringer, J. M.; Heasley, V. L.; Syvert, R. G.; Dobrolsky, J. M. Jr. *J. Org. Chem.* **1999**, 64, 1094; (c) Fan, R. H.; Zhou, Y. G.; Zhang, W. X.; Hou, X. L.; Dai, L. X. *J. Org. Chem.* **2004**, 69, 335; (d) Yin, J.; Zarkowsky, D. S.; Thomas, D. W.; Zhao, M. M.; Huffman, M. A. *Org. Lett.* **2004**, 6, 1465; (e) Sun, H.; DiMagno, S. G. *J. Am. Chem. Soc.* **2005**, 127, 2050.
- [19]. (a) Clark, J. H. *Chem. Rev.* **1980**, 80, 429; (b) Pearson, A. J.; Roush, W. R. *Activating Agents and Protecting Groups*, Ed.; J. Wiley and Sons, Chichester, 1999; (c) Ooi, T.; Maruoka, K. *Acc. Chem. Res.* **2004**, 37, 526; (d) Ménand, M.; Dalla, V. *Synlett* **2005**, 1, 95.
- [20]. (a) P. B. Thakur, K. Sirisha, A. V. S. Sarma, J. B. Nanubolu and H. M. Meshram. "Highly regioselective and metal-free γ -addition of β -keto esters to Isatins, catalyzed by DABCO: direct access to novel class of diversely functionalized 3-hydroxy-2-oxindole scaffolds." *Tetrahedron*, vol. 69, pp. 6415-6423, Aug. 2013. (b) H. M. Meshram, P. B. Thakur, M. B. Bejjam and V. M. Bangade, "DMF mediated Henry reaction of Isatins: an efficient synthesis of 3-hydroxy-2-oxindole." *Green Chem. Lett. Rev.* vol. 6, pp. 19-43, Aug. 2013. (c) P. B. Thakur and Meshram, H. M. "On water highly atom economical and rapid synthesis of a novel class of 3-hydroxy-2-oxindole scaffolds under a catalyst-free and column chromatography-free protocol at room temperature." *RSC Adv.* vol. 4, pp. 6019-6026, Dec. 2014. (d) P. B. Thakur and Meshram, H. M. "On water catalyst-free, column chromatography-free and atom economical protocol for highly diastereoselective synthesis of novel class of 3-substituted, 3-hydroxy-2-oxindole scaffolds at room temperature." *RSC Adv.* Vol. 4, pp. 6019-6026, Nov. 2014. (e) P. B. Thakur, J. B. Nanubolu and H. M. Meshram, "DABCO Promoted Regioselective Synthesis of New Diversely Functionalized 3-Hydroxy-2-Oxindole Scaffolds." *Aust. J. Chem.* Vol. 67, pp. 768-776, Jan. 2014. (f) P. B. Thakur and H. M. Meshram, "An exploration of organocatalyst DABCO in the direct regioselective and chemoselective γ -addition of β -keto amide on Isatin to affords structurally diverse molecular frameworks." *Aust. J. Chem.* Vol. 68, pp. 453-460, Sep. 2015. (g) P. B. Thakur, R. K. Kadu and G. A. Thakur, "Rapid Construction of Bioxindole Frameworks Using DABCO Under

- Aqueous Reaction Media.” *JETIR*, vol. 5, pp. 239-244, Nov. 2018. (h) P. B. Thakur, “DABCO catalyzed efficient addition of Acetyl acetone on isatins under neat condition to afford 3-hydroxy-3-((E)-2-hydroxy-4-oxopent-2-enyl)indolin-2-one derivatives.” *IJARSCT*, vol. 12, pp. 126-133, Dec. 2021.
- [21]. H. M. Meshram, P. B. Thakur and M. B. Bejjam, “An efficient synthesis of hemiaminal of indoles by using tetrabutylammonium fluoride (TBAF) in water as a reusable reaction media.” *Green Chem. Lett. Rev.*, vol. 6, pp. 95-100, Jun. 2013.