

Artificial Intelligence in Pharmacy

**Dr Muzaffar Ahmed Farooqui*, Mohammed Shakir Ghose, Arshiya Zulfen Mohd Fahim,
Mir Ashfaq Ali Mir Mushtaq Ali, Quraishi Inshrah Fatema, Shaikh Saniya Mohd Asif**

Aurangabad Pharmacy College, Maharashtra, India

Principal and Associate Professor*

farooqui.muzaffar@gmail.com*

Abstract: Artificial intelligence use in pharmaceutical technology has increased over the years, and the use of technology can save time and money while providing a better understanding of the relationships between different formulations and processes parameters. Artificial intelligence is a branch of the computer science that deals with the problem-solving by the aid of symbolized programming. It has greatly evolved in to a science of problems - solving with the hug applications in business, health care, and engineering. The article is describes the drugs discovery, tools of AI, manufacturing execution systems automated control processes systems ,AI to predict new treatment ,development of novel peptides from natural foods, treatment and management of rare diseases, drug adherence and dosage ,challenges to adoption of AI in pharma.

Keywords: Drug Discovery, tools of AI, MES, ACPS, treatment and management of rare diseases, drug adherence and dosage, challenges to adoption of AI in pharma.

REFERENCES

- [1]. Mak KK, Pichika MR. Artificial intelligence in drug development: Present status and future prospects. *Drug Discov Today*. 2019;24(3):773-80.
- [2]. Hassanzadeh P, Atyabi F, Dinarvand R. The significance of artificial intelligence in drug delivery system design. *Adv Drug Deliv Rev*. 2019;151:169-90.
- [3]. Russel S, Dewey D, Tegmark M. Research priorities for robust and beneficial artificial intelligence. *AI Mag*. 2015;36(4):105-14.
- [4]. Duch W, Setiono R, Zurada JM. Computational intelligence methods for rule- based data understanding. *Proc IEEE*. 2004;92(5):771-805.
- [5]. Dasta JF. Application of artificial intelligence to pharmacy and medicine.
- [6]. Hosp Pharm. 1992;27(4):319-22.
- [7]. Jiang F, Jiang Y, Zhi H. Artificial intelligence in healthcare: Past, present and future. *Stroke Vasc Neurol*. 2017;2(4):230-43.
- [8]. Gobburu JV, Chen EP. Artificial neural networks as a novel approach to integrated pharmacokinetic-pharmacodynamic analysis. *J Pharm Sci*. 1996;85(5):505-10.
- [9]. Sakiyama Y. The use of machine learning and nonlinear statistical tools for ADME prediction. *Expert Opin Drug Metab Toxicol*. 2009;5(2):149-69.
- [10]. Agatonovic-Kustrin S, Beresford R. Basic concepts of artificial neural network(ANN) modeling and its application in pharmaceutical research. *J Pharm Biomed Anal*. 2000;22(5):717-27.
- [11]. Zhang ZH, Wang Y, Wu WF, Zhao X, Sun XC, Wang HQ. Development of glipizide push-pull osmotic pump controlled release tablets by using expert system and artificial neural network. *Yao Xue Xue Bao*. 2012;47(12):1687-95.
- [12]. Ma J, Sheridan RP, Liaw A, Dahl GE, Svetnik V. Deep neural nets as a method for quantitative structure–activity relationships. *J Chem Inf Model*. 2015;55(2):263-74.
- [13]. Mayr A, Klambauer G, Unterthiner T, Hochreither S. Deep Tox: Toxicity prediction using Deep Learning. *Front Environ Sci*. 2016;3:80.
- [14]. Bishop CM. Model-based machine learning. *Philos Trans A Math Phys Eng Sci*. 2013;371(1984):20120222.
- [15]. Merk D, Friedrich L, Grisoni F, Schneider G. De novo design of bioactive
- [16]. small molecules by artificial intelligence. *Mol Inform*. 2018;37(1-2):1-4.

- [17]. Manikiran SS, Prasanthi NL. Artificial Intelligence: Milestones and Role in Pharma and Healthcare Sector. *Pharma Times*. 2019;51(1):10-1.
- [18]. Cherkasov A, Hilpert K, Jenssen H, Fjell CD, Waldbrook M, Mullaly SC, et al. Use of artificial intelligence in the design of small peptide antibiotics effective against a broad spectrum of highly antibiotic resistant superbugs. *ACS ChemBiol*. 2009;4(1):65-74.
- [19]. Haykin S. *Neural Networks: A Comprehensive Foundation*, 1st ed. Prentice- Hall PTR. NJ, United State. 1998.
- [20]. Zupan J, Gasteiger J. Neural nets for mass and vibrational spectra. *J Mol Struct*. 1993;292:141-59.
- [21]. Achanta AS, Kowalski JG, Rhodes CT. Artificial neural networks: Implication for pharmaceutical sciences. *Drug Dev Ind Pharm*. 1995;21(1):119-55.
- [22]. Sakiyama Y. The use of machine learning and nonlinear statistical tools for ADME prediction. *Expert Opin Drug Metab Toxicol*. 2009;5(2):149-69.
- [23]. Sutariya V, Groshev A, Sadana P, Bhatia D, Pathak Y. Artificial neural network in drug delivery and pharmaceutical research. *Open Bioinf J*. 2013;7(1):49-62.
- [24]. Gutiérrez PA, Hervás-Martínez C. *Hybrid Artificial Neural Networks: Models, Algorithms and Data. Advances in Computational Intelligence, Lecture Notes in Computer Science*, Springer, Berlin, Heidelberg. 2011;6692.
- [25]. Taskinen J, Yliruusi J. Prediction of physicochemical properties based on neural network modeling. *Adv Drug Deliv Rev*. 2003;55(9):1163-83.
- [26]. Fleming N. How artificial intelligence is changing drug discovery. *Nature*. 2018;557(7706):S55-7
- [27]. Sun Y, Peng Y, Chen Y, Shukla AJ. Application of artificial neural networks in the design of controlled release drug delivery systems. *Adv Drug Deliv Rev*. 2003;55(9):1201-15.
- [28]. Zadeh LA. Fuzzy sets. *Inform Control*. 1965;8:338-53.
- [29]. Huang JW, Roy RJ. Multiple-drug hemodynamic control using fuzzy decision theory. *IEEE Transact Biomed Eng*. 1998;45(2):213-28.
- [30]. Held CM, Roy RJ. Multiple drug hemodynamic control by means of a supervisory fuzzy rule-based adaptive control system: Validation on a model. *IEEE Trans Biomed Eng*. 1995;42(4):371-85.
- [31]. Fatouros DG, Nielsen FS, Douroumis D, Hadjileontiadis LJ, Mullertz A. In vitro-in vivo correlations of self-emulsifying drug delivery systems combining the dynamic lipolysis model and neuro-fuzzy networks. *Eur J Pharm Biopharm*. 2008;699(3):887-98.
- [32]. Jolliffe IT, Jorge C. Principal component analysis: A review and recent developments. *Phil Trans R Soc A*. 2016;374(2065):20150202.
- [33]. Jolliffe IT. *Principal Component Analysis*” Springer-Verlag, (New York). 2002.
- [34]. Giuliani A. The application of principal component analysis to drug discovery and biomedical data. *Drug Discov Today*. 2017;22(7):1069-76.
- [35]. Burges CJC. A tutorial on support vector machines for pattern recognition. *Data Mining Knowledge Discov*. 1998;2(2):121-67.
- [36]. Heba FE, Darwish A, Hassanien AE, Abraham A. Principle components analysis and support vector machine based intrusion detection system, 10th International Conference on Intelligent Systems Design and Applications, Cairo. 2010;363-7.
- [37]. Heikamp K, Bajorath J. Support vector machines for drug discovery. *Expert Opin Drug Discov*. 2014;9(1):93-104. Maltarollo VG, Kronenberger T, Espinoza GZ, Oliveira PR, Honorio KM. Advances with support vector machines for novel drug discovery. *Expert Opin Drug Discov*. 2019;14(1):23-33.
- [38]. Burbidge R, Trotter M, Buxton B, Holden S. Drug design by machine learning: Support vector machines for pharmaceutical data analysis. *Comput Chem*. 2001;26(1):5-14.
- [39]. Ljung L. Black-box models from input-output measurements. In Proceedings of the 18th IEEE Instrumentation and Measurement Technology Conference. Rediscovering Measurement in the Age of Informatics (Cat. No.01CH37188), Budapest, Hungary. 2001;138–146.21.

- [43]. Patcharaprakiti N, Kirtikara K, Chenvidhya D, Monyakul V, Muenpinij B. Modeling of single phaseinverter of photovoltaic system using system identification. In Proceedings of the 2010 Second International Conference on Computer and Network Technology, Bangkok, Thailand. 2010;462-6.
- [44]. Shokrollahi E, Goldenberg AA, Drake JM, Eastwood KW, Kang M. Application of a nonlinear Hammerstein-Wiener estimator in the development and control of a magnetorheological fluid haptic device for robotic bone biopsy. *Actuators*. 2018;7(4):83.
- [45]. Silver D, Schrittwieser J, Simonyan K. Mastering the game of Go without human knowledge. *Nature*. 2017;550(7676):354-9.
- [46]. Markoff J (2017) On 'Jeopardy' Watson win is all but trivial. *The New York Times*.
- [47]. Bass D (2016) Oicrosoi develops AI to help cancer doctors find the right treatments. *Bloomberg*.
- [48]. [University of California San Fransisco. New UCSF Robotic Pharmacy Aims to Improve Patient Safety. Available from: <https://www.ucsf.edu/news/2011/03/9510/new-ucsf-robotic-pharmacy-aims-improve-patient-safety>. [Last Accessed on 2017 Jun 24]
- [49]. McHugh R, Rascon J. Meet MEDi, the Robot Taking Pain Out of Kids" Hospital Visits. Available from: <http://www.nbcnews.com/news/us-news/meet-medi-robottaking-pain-out-kids-hospital-visits-n363191>. [Last accessed on 2017 Jun 24]
- [50]. Trynacit K. MEDi Robot to Comfort Patients in Stollery Children"s Hospital. Available from: <http://www.cbc.ca/news/canada/edmonton/medi-robot-to-comfortpatients-in-stollery-children-s-hospital-1.3919867>. [Last accessed on 2017 Jun 24].
- [51]. Eye for Pharma. Artificial intelligence- A Brave New World for Pharma. Available from: <https://www.social.eyeфорpharma.com/clinical/artificial-intelligence-brave-new-world-pharma>. [Last accessed on 2017 Jun 24].
- [52]. McCurry J. Erica, „most intelligent“ Android, Leads Japan"s Robot Revolution. Availablefrom:
- [53]. Aethon. TUG robots. Available from: <http://www.aethon.com/tug/tughealthcare/>. [Last accessed on 2017 Jun].
- [54]. Duch W., Swaminathan K., Meller J., Artificial Intelligence Approaches for Rational DrugDesign and Discovery. *Current Pharmaceutical Design*, 2007;13: 00
- [55]. Siemens. SIMATCSSIMATCS IT for the Pharmaceutical Industry. Available from : <https://www.industry.siemens.com/verticals/global/en/pharma-industries/products-and-services/industrial-software/pages/manufacturing-execution-system.aspx>.[last accessed on 2017Jun 24].
- [56]. Alfred NG IBM"s Watson Gives Proper Diagnosis after Doctor Were Stumped.
- [57]. Melanie M. An introduction to genetic algorithms." A bradford book the MIT press Cambridge, Massachusetts. London, England, 1999, Fifth printing.
- [58]. Hayes C., Gedeon T., Hyperbolicity of the fixed point set for the simple genetic Algorithm.Theoretical Computer Science, 2010; 411:24-29.
- [59]. Chakraborty RC., "Fundamentals of genetic algorithms." AI course 2010, lecture 39-40
- [60]. Goldberg D., Genetic algorithms in search, optimization and machine learning. AddisonWesley.", 1989.
- [61]. Kadurin A, Nikolenko S, Khrabrov K, Aliper A, Zhavoronkov A. druGAN: An advanced generative adversarial autoencoder model for de novo generation of new molecules with desired molecular properties in silico. *Mol Pharm*. 2017;14(9):3098-104.
- [62]. Yildirim O, Gottwald M, Schüler P, Michel MC. Opportunities and challenges for drug development: public-private partnerships, adaptive designs and bigdata. *Front Pharmacol*. 2016;7:461.
- [63]. Shah N, Patel N, Patel KR. A sequential review on intelligent drug delivery system. *J Pharm Sci Biosci Res*. 2013;3(5):158-62.
- [64]. Medarevic DP, Kleinebudde P, Djuris J, Djuric Z, Ibric S. Combined application of mixture experimental design and artificial neural networks in the solid dispersion development. *Drug DevInd Pharm*. 2016;42(3):389-402.
- [65]. Barmpalexis P, Koutsidis I, Karavas E, Louk D. Development of PVP/PEG mixtures as appropriate carriers for the preparation of drug solid dispersions by melt mixing technique and optimization of dissolution using artificial neural networks. *Eur J Pharm Biopharm*. 2013;85(3):1219-31.

- [66]. Kumar KJ, Panpalia GM, Priyadarshini S. Application of artificial neural networks in optimizing the fatty alcohol concentration in the formulation of anO/W emulsion. *Acta Pharm.* 2011;61(2):249-56.
- [67]. Podlogar F, Šibanc R, Gašperlin M. Evolutionary artificial neural networks as tools for predicting the internal structure of microemulsions. *J Pharm Pharmaceut Sci.* 2008;11(1):67-76.
- [68]. Agatonovic-Kustrin S, Glass BD, Wisch MH, Alany RG. Prediction of a stable microemulsion formulation for the oral delivery of a combination of antitubercular drugs using ANN methodology. *Pharm Res.* 2003;20(11):1760-5.
- [69]. Petrovic J, Ibric S, Betz G, Duric Z. Optimization of matrix tablets controlled drug release using Elman dynamic neural networks and decision trees. *Int J Pharm.* 2012;428(1-2):57-67.
- [70]. Mandal U, Gowda V, Ghosh A, Bose A, Bhaumik U, Chatterjee B. Optimization of metformin HCl 500 mg sustained release matrix tablets using artificial neural network (ANN) based on multilayer perceptrons (MLP) model. *Chem Pharm Bull.* 2008;56(2):150-5.
- [71]. Barmpalexis P, Kanaze FI, Kachrimanis K, Georgarakis E. Artificial neural networks in the optimization of a nimodipine controlled release tablet formulation. *Eur J Pharm Biopharm.* 2010;74(2):316-23.
- [72]. Zhang ZH, Wang Y, Wu WF, Zhao X, Sun XC, Wang HQ. Development of glipizide push-pull osmotic pump controlled release tablets by using expert system and artificial neural network. *Yao Xue Xue Bao.* 2012;47(12):1687-95.
- [73]. Patel A, Mehta T, Patel M, Patel K, Patel N. Design porosity osmotic tablet for delivering low and pH- dependent soluble drug using an artificial neural network. *Curr Drug Deliv.* 2012;9(5):459-67.
- [74]. Vaithiyalingam S, Khan MA. Optimization and characterization of controlled release multi-particulate beads formulated with customized cellulose acetate butyrate dispersion. *Int J Pharm.* 2002;234(1- 2):179-93.
- [75]. Sankalia MG, Mashru RC, Sankalia JM, Sutariya VB. Papain entrapment in alginate beads for stability improvement and site-specific delivery: physicochemical characterization and factorial optimization using neural network modeling. *AAPS Pharm Sci Tech.* 2005;6(2):E209-22.
- [76]. Zhang AY, Fan TY. Optimization of calcium alginate floating microspheres loading aspirin by artificial neural networks and response surface methodology. *Beijing Da Xue Xue Bao Yi Xue Ban.* 2010;42(2):197-201.
- [77]. Labouta HI, El-khordagui LK, Molokhia AM, Ghaly GM. Multivariate modelling of encapsulation and release of an ionizable drug from polymer microspheres. *J Pharm Sci.* 2009;98(12):4603-15.
- [78]. Nayak AK, Pal D. Development of pH-sensitive tamarind seed polysaccharide- alginate composite beads for controlled diclofenac sodium delivery using response surface methodology. *Int J Biol Macromol.* 2011;49(4):784-93.
- [79]. Pal D, Nayak AK. Development, optimization and anti-diabetic activity of gliclazide-loaded alginate- methyl cellulose mucoadhesive microcapsules. *AAPS Pharm Sci Tech.* 2011;12(4):1431-41.
- [80]. Malakar J, Nayak AK. Formulation and statistical optimization of multiple-unit ibuprofen-loaded buoyant system using 23-factorial design. *Chem Eng Res Des.* 2012;90(11):1834-46.
- [81]. Baharifar H, Amani A. Size, loading efficiency and cytotoxicity of albumin- loaded chitosan nanoparticles: An artificial neural networks study. *J Pharm Sci.* 2017;106(1):411-7.
- [82]. Asadi H, Rostamizadeh K, Salari D, Hamidi M. Preparation of biodegradable nanoparticles of tri- block PLA-PEG-PLA copolymer and determination of factors controlling the particle size using artificial neural network. *J Microencapsul.* 2011;28(5):406-16.
- [83]. Li Y, Abbaspour MR, Grootendorst PV, Rauth AM, Wu XY. Optimization of controlled release nanoparticle formulation of verapamil hydrochloride using artificial neural networks with genetic algorithm and response surface methodology. *Eur J Pharm Biopharm.* 2015;94:170-9.
- [84]. Rebouh S, Lefnaoui S, Bouhedda M, Yahoum MM, Hanini S. Neuro-fuzzy modeling of ibuprofen- sustained release from tablets based on different cellulose derivatives. *Drug Deliv Transl Res.* 2019;9(1):162-77.
- [85]. Huang Y, Yao Q, Zhu C, Zhang X, Qin L, Wang Q. Comparison of novel granulated pellet-containing tablets and traditional pellet-containing tablets by artificial neural networks. *Pharm Dev Technol.* 2015;20(6):670-5.

- [86]. Moussa HG, Husseini GA, Abel-Jabbar N, Ahmad SE. Use of model predictive control and artificial neural networks to optimize the ultrasonic release of a model drug from liposomes. *IEEE Transact Nanobiosci.* 2017;16(3):149-56.
- [87]. Wang Z, He Z, Zhang L, Zhang H, Zhang M, Wen X. Optimization of a doxycycline hydroxypropyl- β -cyclodextrin inclusion complex based on computational modeling. *Acta Pharm Sin B.* 2013;3(2):130-9.
- [88]. Han R, Yang Y, Li X, Ouyang D. Predicting oral disintegrating tablet formulations by neural network techniques. *Asian J Pharm Sci.* 2018;13(4):336-42.
- [89]. Zaki MR, Varshosaz J, Fathi M. Preparation of agar nanospheres: Comparison of response surface and artificial neural network modeling by a genetic algorithm approach. *Carbohydr Polym.* 2015;122:314-20.
- [90]. Zhao F, Lu J, Jin X, Wang Z, Sun Y, Gao D, et al. Comparison of response surface methodology and artificial neural network to optimize novel ophthalmic flexible nano-liposomes: Characterization, evaluation, in vivo pharmacokinetics and molecular dynamics simulation. *Colloids Surf B Biointerf.* 2018;172:288-97.
- [91]. Güler GK, Eroğlu H. Development and formulation of floating tablet formulation containing rosiglitazone maleate using artificial neural network. *J Drug Deliv Sci Technol.* 2017;29:385-97.
- [92]. Ilić M, Đuriš J, Kovačević I, Ibrić S, Parožić J. In vitro-in silico-in vivo drugabsorption model development based on mechanistic gastrointestinal simulation and artificial neural networks: Nifedipine osmotic release tablets case study. *Eur J Pharm Sci.* 2014;62:212-8.
- [93]. Koletti AE, Tsarouchi E, Kapourani A, Kontogiannopoulos KN, Assimopoulou AN, Barmpalexis P. Gelatinnanoparticles for NSAID systemic administration: Quality by design and artificial neural networks implementation. *Int J Pharm.* 2020;578:1-14.
- [94]. Nayak AK, Laha B, Sen KK. Development of hydroxyapatite-ciprofloxacin bone-implants using >>Quality by Design<<. *Acta Pharm.* 2011;61(1):25-36.
- [95]. Nayak AK, Khatua S, Hasnain MS, Sen KK. Development of alginate-PVP K 30 microbeads for controlled diclofenac sodium delivery using central composite design. *DARU J Pharm Sci.* 2011;19(5):356-66.
- [96]. León BJM, González RPL, Arroyo GCM, Cárdenas Bernal MJ, Calle SM, Canca OD, et al. Artificial neural networks as alternative tool for minimizing error predictions in manufacturing ultradeformable nanoliposome formulations. *Drug Dev Ind Pharm.* 2018;44(1):135-43.
- [97]. Malakar J, Sen SO, Nayak AK, Sen KK. Preparation, optimization and evaluation of transfersomal gel for transdermal insulin delivery. *Saudi Pharm J.* 2012;20(4):355-63.
- [98]. Bhattacharjee A, Das PJ, Dey S, Nayak AK, Roy PK, Chakrabarti S, et al. Development and optimization of besifloxacin hydrochloride loaded liposomal gel prepared by thin film hydration method using 32 full factorial design. *Colloids Surf, A: Physicochem Eng Asp.* 2020;585:124071.
- [99]. Das B, Sen SO, Maji R, Nayak AK, Sen KK. Transfersomal gel for transdermal delivery of risperidone: Formulation optimization and ex vivo permeation. *J Drug Deliv Sci Technol.* 2017;38:59-71.
- [100]. Manda A, Walker RB, Khamanga SMM. An artificial neural network approach to predict the effects of formulation and process variables on prednisone release from a multipartite system. *Pharmaceutics.* 2019;11(3):109.
- [101]. Khan AM, Hanif M, Bukhari NI, Shamim R, Rasool F, Rasul S, et al. Artificial neural network (ANN) approach to predict an optimized pH-dependent mesalamine matrix tablet. *Drug Des Devel Ther.* 2020;14:2435-48.
- [102]. Waghule T, Rapalli VK, Singhvi G, Manchanda P, Hans N, Dubey SK, et al. Voriconazole loaded nanostructured lipid carriers based topical delivery system: QbD based designing, characterization, in-vitro and ex-vivo evaluation. *J Drug Deliv Sci Technol.* 2019;52:303-15.
- [103]. Nayak AK, Das B, Maji R. Calcium alginate/gum Arabic beads containing glibenclamide: Development and in vitro characterization. *Int J Biol Macromol.* 2012;51(5):1070-8.
- [104]. Malakar J, Nayak AK, Das A. Modified starch (cationized)-alginate beads containing aceclofenac: Formulation optimization using central composite design. *Stärke.* 2013;65(7-8):603-12.
- [105]. Guru PR, Nayak AK, Sahu RK. Oil-entrapped sterculia gum-alginate buoyantsystems of aceclofenac: Development and in vitro evaluation. *Colloids Surf B: Biointerf.* 2013;104:268-75.

- [107]. Nayak AK, Hasnain MS, Malakar J. Development and optimization of hydroxyapatite-ofloxacin implants for possible bone-implantable delivery in osteomyelitis treatment. *Curr Drug Deliv.* 2013;10(2):241-50.
- [108]. Nayak AK, Pal D, Hasnain MS. Development, optimization and in vitro-in vivo evaluation of pioglitazone-loaded jackfruit seed starch-alginate beads. *Curr Drug Deliv.* 2013;10(5):608-19.
- [109]. Nayak AK, Pal D. Ionotropically-gelled mucoadhesive beads for oral metformin HCl delivery: Formulation, optimization and antidiabetic evaluation. *J Sci Ind Res.* 2013;72:15-22.
- [110]. Han R, Yang Y, Li X, Ouyang D. Predicting oral disintegrating tablet formulations by neural network techniques. *Asian J Pharm Sci.* 2018;13(4):336-42.
- [111]. Chaibva F, Burton M, Walker RB. Optimization of salbutamol sulfate dissolution from sustained release matrix formulations using an artificialneural network. *Pharmaceutics.* 2010;2(2):182-98.
- [112]. Nayak AK, Pal D. Formulation optimization of jackfruit seed starch-alginate mucoadhesive beads of metformin HCl. *Int J Biol Macromol.* 2013;59:264-72.
- [113]. Nayak AK, Pal D. Blends of jackfruit seed starch-pectin in the development of mucoadhesive beads containing metformin HCl. *Int J Biol Macromol.* 2013;62:137-45.
- [114]. Nayak AK, Pal D, Malakar J. Development, optimization and evaluation of emulsion- gelledfloating beads using natural polysaccharide-blendfor controlled drug release. *Polym Eng Sci.* 2013;53(2):338-50.
- [115]. Nayak AK, Kalia S, Hasnain MS. Optimization of aceclofenac-loaded pectinate-poly (vinyl pyrrolidone) beads by response surface methodology. *Int J Biol Macromol.* 2013;62:194-202.
- [116]. Malakar J, Dutta P, Purokayastha SD, Dey S, Nayak AK. Floating capsules containing alginate- based beads of salbutamol sulfate: In vitro-in vivo evaluations. *Int J Biol Macromol.* 2014;64:181-9.
- [117]. Huang Y, Yao Q, Zhu C, Zhang X, Qin L, Wang Q, et al. Comparison of novel granulated pellet- containing tablets and traditional pellet-containing tablets by artificial neural networks. *Pharm Dev Technol.* 2015;20(6):670-5.
- [118]. Prescott JH, Lipka S, Baldwin S, JrSheppard NF, Maloney JM, Coppeta J, et al. Chronic, programmed polypeptide delivery from an implanted, multireservoir microchip device. *Nature Biotechnol.* 2006;24(4):437-8.