

# **Survey of Dung Beetles in Mahad Tehsil Western Ghats, Raigad District, Maharashtra, India**

**Tingare Babasaheb Pralhad**

Department of Zoology

Dr. Babasaheb Ambedkar College,Mahad, Raigad, Maharashtra, India

**Abstract:** Surveys and collection of dung beetles in Mahad Tehsil of Raigad District, of Western Ghats Maharashtra was carried out from July 2019 March 2020. During the study period, we documented 22 species of dung beetles belonging to 12 genera representing 03 subfamilies namely Aphodiinae, Geotrupinae and Scarabaeinae were reported. Subfamily Scarabaeinae represented 19 species.

**Keywords:** Survey, Dung beetles, Mahad Tehsil, Western Ghats, etc.

## **REFERENCES**

- [1] Aland, S. R., Mamlayya, A. B. and Bhawane, G.P. (2012). Diversity of scarabaeid beetles (Coleoptera: Scarabaeidae) in and around Amba reserved forest of Western Ghats region Kolhapur district, Maharashtra. Indian J.Trop. Biodiv. 20(1): 84-87.
- [2] Arrow, G. J. 1910. The Fauna of British India including Ceylon and Burma, Coleoptera Lamellicornia (Cetoniinae and Dynastinae)-I. Taylor & Francis, London, 322pp.
- [3] Arrow, G. J. 1917. The fauna of British India including Ceylon and Burma (Rutelinae, Desmonychinae and Euchiirinae) [pp. 387], Vol. V-XIII [Col. Lamell II, editor], Taylor & Francis, London, 77 figs.
- [4] Arrow, G. J. 1931. (Coprinae) [pp. 128]. The fauna of British India including Ceylon and Burma, Vol. V-XII [Col. Lamell III, editor], Taylor & Francis, London, 61 figs.
- [5] Balthasar,V. 1963a. Monographic der Scarabaeidae und Aphodiidae der Palaearktischen und Orientalischen Region, Prague, Verl. Tschechosl Akad. Wissensch I, 391 pp., 137 figs. 24 pls.
- [6] Balthasar,V. 1963b. Monographie der Scarabaeidae und Aphodiidae der Palaearktischen und Orientalischen Region Prague, Verl. Tschechosl Akad. Wissensch II, 627 pp., 226 figs., 16 pls.
- [7] Balthasar, V. 1964. Monographie der Scarabaeidae und Aphodiidae der Palaearktischen und Orientalischen Region Prague, Verl. Tschechosl Akad. Wissensch III, pp. 652, 224 figs.
- [8] Bhawane, G. P., Mamlayya, A. B., Wagh, S. R. and chaugule, A. K. (2012). Diversity of white grub beetles and their host range from northern Western Ghats, Kolhapur district (MS), India. The Bioscan 7(4): 589-596, 2012.
- [9] Bhawane, G. P., Bharamal, D. L., Koli, Y. J. and Korgaonkar, D. S. (2014). Scarab (Scarabaeidae) fauna of Sindhudurg district, Maharashtra, India. Biolife. 2(4): 1301-1304.
- [10] Chandra, K. (2000) Inventory of scarabaeid beetles (Coleoptera) from Madhya Pradesh, India. Zoo's Print Journal, 15 (11): 359-362.
- [11] Chandra, K. and S. C. Ahirwar 2005. Scarabaeid beetles of Bandhavgarh National Park, Madhya Pradesh. Zoo's Print Journal 20 (8): 1961-64.
- [12] David, K. and Petr, S. (2013). Aphodiinae (Coleoptera: Scarabaeidae) of the Goa, Maharashtra and Rajasthan (India) with description of Aphodius (Gilletianus) rajawatorum sp. Nov. Acta Entomol. Musei Nat. Pragae. 53(2): 633-648.
- [13] Estrada, A., G. Halffter, R. Coates-Estrada, and D. A. Meritt, Jr. 1993. Dung beetles attracted to mammalian herbivore (*Alouatta palliata*) and omnivore (*Nasua narica*) dung in the tropical rain forest of Los Tuxtlas, Mexico. Journal of Tropical Ecology 9 (1): 45-54.
- [14] Fincher, G. T. 1981. The potential value of dung beetles in pasture system. J. Ga. Ent. Soc. 16 (2): 316-333.
- [15] Jadhav, M.J. & R.M. Sharma (2012). Insecta: Coleoptera: Scarabaeidae:Scarabaeid beetles. Fauna of Maharashtra, State Fauna Series 20 (Part-2): 489–494.

- [16] Kalawate, A. S. 2018. A Preliminary study on the dung beetles of northern Western Ghats, Maharashtra, India. *J.Threatened Taxa* 10 (2): 11316-11331.
- [17] Krikken, J. (2013). Oriental Bolboceras: introducton to the genus and taxonomy of the nigricans group of species (Coleoptera: Geotrupidae: Bolboceratnae). *Tijdschrif voor Entomologie* 156: 35–56; <http://doi.org/10.1163/22119434-00002018>.
- [18] Lolage, G. R. and S. P. Patil, 1988. Survey of white grub species and the host plants of their adults in Konkan region. *J. Maharashtra Agric. Univ.* 13 (1): 26-28.
- [19] Mittal, I. C. (2005). Diversity and conservation status of dung beetle (Lararosticti:Scarabaeidae: Coleoptera) in North India. *Bull. Nat. Inst. Eco.* 15: 43-51.
- [20] New, T. R. 2007. Beetles and Conservation. *J. Insect Conserv.* 11: 1-4.
- [21] Priyadarsanan, D.R. (2006). Insecta: Coleoptera: Scarabaeoidea: Scarabaeidae (Dung Beetles), pp. 91–135. Thirumalai, G. & E. Krishnan (eds.). Fauna of Biligiri Rangaswamy Temple Wildlife Sanctuary, Conservaton Area Series 27. Zoological Survey of India, 263pp.
- [22] Ratcliffe, B.C. (2002). A checklist of the Scarabaeoidea (Coleoptera) of Panama. *Zootaxa* 32: 1–48.
- [23] Sathiandran, N., S.K. Thomas & A.T. Flemming (2015). An illustrated checklist of dung beetles (Coleoptera: Scarabaeinae) from the Periyar Tiger Reserve, Kerala, India. *Journal of Threatened Taxa* 7(15): 8250–8258 <http://doi.org/10.11609/jot.2466.7.15.8250-8258>
- [24] Patule, S.S (2019) Studies on diversity and relative abundance of dung beetles (Coleoptera: scarabaeidae) from Sakri Tahsil, Dist Dhulia (M.S.) India. *Indian j. of applied research Vol.9(10)* : 56-60 pp
- [25] Pinero, F. S. and J. M. Avila 2004. Dung-insect community composition in arid zones of South-Eastern Spain. *Journal of Arid Environments*, 56: 303-327.
- [26] Sabu, T. K.; K. V. Vinod and P. J. Vineesh 2006. Guild structure, diversity and succession of dung beetles associated with Indian elephant dung in South-Western Ghats forests. *Journal of Insect Science* 6: 1-14.
- [27] Veenakumari, K and G.K. Veeresh 1997. Dung beetle (Coleoptera: Scarabaeidae: Scarabaeinae) fauna of Bangalore, Karnataka. *Journal of the Bombay Natural History Society* 94(1).