

## **Pharmacological Review on *Rauwolfia serpentina***

**Dhomase Omkar Bhaskar<sup>1</sup>, Farde Jidnyasa Sakhararam<sup>2</sup>, Gugale Vaishnavi Balasaheb<sup>3</sup>, Gaikwad Pallavi Jitendra<sup>4</sup>, Dhokale Manasvi Avinash<sup>5</sup>, Gadge Shubham C<sup>6</sup>, Datkhile Sachin V<sup>7</sup>**

Student of Samarth Institute of Pharmacy, Belhe, Maharashtra, India<sup>1,2,3,4,5</sup>

Department of Pharmacology, Samarth Institute of Pharmacy Belhe, Maharashtra, India<sup>6</sup>

Department of Pharmaceutics, Samarth Institute of Pharmacy, Belhe, Maharashtra, India<sup>7</sup>

**Abstract:** The existence of significant therapeutic capabilities makes *Rauwolfia serpentina* a prominent medicinal plant in the pharmaceutical sector. Sarpgandha is a blooming plant in the Apocynaceae family that has been utilized in Ayurveda for centuries. *Rauwolfia Serpentina* is a herbal remedy for hypertension that is both safe and efficient. It contains alkaloids, glycosides, resins, phenols, carbohydrates, and other phytoconstituents. The scientific literature on the use of *Rauwolfia* in the treatment of hypertension, mental disorders and some diseases is reviewed by this author. The morphology, chemical composition, pharmacology, mode of action, medicinal uses, dose, side effect, toxicity & drug interaction of *Rauwolfia* alkaloids are all covered in this review. The plant offers clinicians a safe and effective treatment option for a variety of ailments.

**Keywords:** Reserpine, hypertension, sarpgandha, rauwolfia serpentina, alkaloids

### **REFERENCES**

- [1]. Vakil R. J. "Rauwolfia serpentine in the treatment of high blood pressure; review of the literature", circulation, 1955, 12: 220-229.
- [2]. Mollar J. M. schittler E, et al, " reserpine, Der sedative wrirkstoff rauwolfia serpentine (benth) experientia" 1952,8: 338.
- [3]. Fabricant DS, Farnsworth NR, The value of plant used in traditional medicine for drug recovery, environmental health perspective, 109, 2001, 69-75..
- [4]. Verma KC, Verma SK. Alkaloids analysis in root and leaf fractions of sarpaghandha (*Rauwolfia serpentina*) Agric Sci Dig. 2010;30(2):133–135.
- [5]. Leete E. The biogenesis of the *Rauwolfia* alkaloids, I: the incorporation of tryptophan into ajmaline. J Am Chem Soc. 1960;82(24):6338–6342.
- [6]. Woodson RE, Youngken HW, Schlittler E, Schneider JE. *Rauwolfia*: Botany, Pharmacognosy, Chemistry and Pharmacology. Boston, MA: Little, Brown and Company; 1957. pp. 32–33.
- [7]. Panwar GS, Guru SK. Alkaloid profiling and estimation of reserpine in *Rauwolfia serpentina* plant by TLC, HP- TLC and HPLC. Asian J Plant Sci. 2011;10(8):393–400.
- [8]. Schuldiner S, Liu Y, Edwards RH. Reserpine binding to a vesicular amine transporter expressed in Chinese hamster ovary fibroblasts. J Biol Chem. 1993;268(1):29–34.
- [9]. Ray GK, Roy PK, Dasgupta SR, et al. Action of *Rauwolfia serpentina* on vasomotor reflexes, Arch Exp Path U Pharmakol. 1953; 219: 310–14p.
- [10]. Mc Queen EG, Doyle AE, et al. Mechanism of Hypotensive Action of Reserpine, an alkaloid of *Rauwolfia serpentina*, Nature. 1954; 174: 1015p
- [11]. Rustom Jal Vakil, "A clinical trial of *Rauwolfia serpentina* in essential Hypertension", British Heart Journal, 1949, 11(4):350-355.
- [12]. Werner,G., "The central control of the blood pressure", Indian M. Gaz.,1953, 88:111.
- [13]. Hamet R, "Effect intre. Stinaux d' Ajmaline Pure", Compt.rend. Soc.de boil,1940, 134:369.
- [14]. Kapur, R.D., "Pharmacological actions of alkaloids of *Rauwolfia serpentina* Benth. Part I, neo-ajmaline and isoajmaline", Indian J. Med. Res., 1944 32:177
- [15]. Bein, H.J. "Zur Pharmakologie des Reserpine, eines neuen Alk.aus *Rauwolfia serpentina* (Benth)", Experientia, 1953, 9: 1073.

- [16]. Goto, Y., Personal Communication from Tokyo, Japan.
- [17]. Vakil R., "Hypotensive action of other *Rauwolfia serpentina* alkaloids: a clinical report", J. Indian M.A., 1953, 23: 97-102.
- [18]. Shamsi Y, Kumar H, Tamanna SA, Khan EA, Effect of a polyherbal Unani formulation on chronic urticaria, Indian Journal of Traditional Knowledge, 5, 2006, 279-283.
- [19]. Dey A, De JN, *Rauvolfia serpentina* (L). Benth. Ex Kurz. - A Review, Asian Journal of Plant Sciences, 9(6), 2010, 285-298.
- [20]. Macphillamy HB, Drugs from plants, Plant Science Bulletin, 9(2), 1963.
- [21]. Gopalakrishnan A, Sievert M, Ruoho AE. Identification of the substrate binding region of vesicular monoamine transporter-2 (VMAT-2) using iodoaminoflisoprolol as a novel photoprobe. Mol Pharmacol. 2007;72(6):1567–1575.
- [22]. Patyal R, Kumari R, Rajput CS, Sawhney SS. Therapeutic characteristics of *Rauwolfia serpentina*. Int J Pharm Chem Sci 2013;2:1038-42.
- [23]. Rajasree PH, Singh R, Sanskar C. Anti-venom activity of ethanolic extract of *Rauwolfia serpentine* against *Naja naja* (Cobra) venom. Int J Drug Dis Herb Res 2013;3:521-4.
- [24]. James T, Dinesh MD, Uma MS, Vadivelan R, Shreshta A, Meenatchisundaram S, et al. *In vivo* and *in vitro* neutralizing potential of *Rauwolfia serpentina* plant extract against *Daboia russelli* Venom. Adv Biol Res 2013;7:276-81.
- [25]. Qureshi SA, Udani SK. Hypolipidaemic activity of *Rauwolfia serpentine* Benth. Pak J Nutr 2009;8:1103-6.