## **IJARSCT**



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

Volume 2, Issue 1, October 2022

## **Evaluation of Gastro-Protective Activity of Nigella Sativa Seeds Extract in Wistar Rat**

Adil Shaikh<sup>1</sup>, Dr Md Farooq Ahmed<sup>2</sup>, Prof. Rajshekhar Bhande<sup>3</sup>, Dr K. Sreenivas Rao<sup>4</sup>, Dr M. A. Aleem<sup>5</sup>

RRKs Samiti College of Pharmacy, Bidar, India<sup>1,2,3,4</sup> Nizam College of Pharmacy, Hyderabad, India<sup>5</sup>

**Abstract:** Nigella sativa is commonly known as black seed traditionally used in various diseases. In this investigation to find out gastroprotective activity in rats. This paper reports on the investigation of the acute toxicity and gastroprotective effect of the Nigella sativa seed extract on Ibuprofen-induced ulcers. The extract did not show acute toxicity in mice treated with 2 g/kg p.o., but exhibited significant antiulcer activity in rats at doses of 300, and 400mg/kg p.o., with the reference drug omeprazole. The results provide evidence for the usage of Nigella sativa as angastroprotective agent, which has been based previously only on ethnopharmacological claims.

**Keywords:** Nigella sativa, gastroprotective activity, acute toxicity, herbal plants

## REFERENCES

- [1]. Lanas A., Chan F. K. L. Peptic ulcer disease. The Lancet . 2017;390(10094):613–624.
- [2]. Lau J. Y., Sung J., Hill C., Henderson C., Howden C. W., Metz D. C. Systematic review of the epidemiology of complicated peptic ulcer disease: incidence, recurrence, risk factors and mortality. Digestion . 2011;84(2):102–113
- [3]. Oliveira D. R., Quintans-Junior L. J., Albuquerque T. R., et al. Gastroprotective activity of hydroalcoholic extract of the stryphnodendronrotundifolium mart. Mice: Mechanism Actions Assay. Drug Discov. World . 2018;15:316–324.
- [4]. Choi E.-Y., Hwang H.-J., Nam T.-J. Protective effect of a polysaccharide from Hizikiafusiformis against ethanol-induced cytotoxicity in IEC-6 cells. Toxicology in Vitro . 2010;24(1):79–84.
- [5]. Kangwan N., Pintha K., Lekawanvijit S., Suttajit M. Rosmarinic acid enriched fraction from Perillafrutescens leaves strongly protects indomethacin-induced gastric ulcer in rats. BioMed Research International . 2019;2019:13.
- [6]. Bhattacharyya A., Chattopadhyay R., Mitra S., Crowe S. E. Oxidative stress: an essential factor in the pathogenesis of gastrointestinal mucosal diseases. Physiological Reviews . 2014;94(2):329–354.
- [7]. Newman D. J., Cragg G. M. Natural products as sources of new drugs from 1981 to 2014. Journal of Natural Products . 2016;79:629–661.
- [8]. Worthen DR, Ghosheh OA, Crooks PA. The in vitro anti-tumor activity of some crude and purified components of blackseed, Nigella sativa L. Anticancer Res. 1998;18:1527–32.
- [9]. I ik H, Cevikbaş A, Gurer US, Kiran B, Uresin Y. Potential adjuvant effects of Nigella sativa seeds to improve specific immunotherapy in allergic rhinitis patients. Med PrincPract. 2010;19:206–11
- [10]. Winkler C, Schroecksnadel K, Ledochowski M, Schennach H, Houcher B, Fuchs D. In vitro Effects of Nigella sativa Seeds Extracts on Stimulated Peripheral Blood Mononuclear Cells. In vitro. 2008;19:101–6.
- [11]. Mousavi SH, Tayarani-Najaran Z, Asghari M, Sadeghnia HR. Protective effect of Nigella sativa extract and thymoquinone on serum/glucose deprivation-induced PC12 cells death. Cell MolNeurobiol. 2010;30:591–8
- [12]. Mousavi SH, Tayarani-Najaran Z, Asghari M, Sadeghnia HR. Protective effect of Nigella sativa extract and thymoquinone on serum/glucose deprivation-induced PC12 cells death. Cell MolNeurobiol. 2010;30:591–8.
- [13]. Mishra A. P., Bajpai A., Chandro S. A. Comprehensive review on the screening models for the pharmacological assessment of antiulcer drugs. Current Clinical Pharmacology . 2019;14:175–196.

DOI: 10.48175/IJARSCT-7198