

International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

Volume 2, Issue 2, October 2022

# Review on Phytochemical Screening on Leaves Extract of *Achyranthes aspera*

Kokane Snehal M<sup>1</sup>, Mundhe Siddhika S<sup>2</sup>, Shinde Pallavi M<sup>3</sup>, Gadge Shubham C<sup>4</sup>, Datkhile Sachin V<sup>5</sup>

Department of Pharmacy, Samarth Institute of Pharmacy, Belhe, Pune, Maharashtra, India<sup>1,2</sup> Assistant Professor, Samarth Institute of Pharmacy, Belhe, Pune, Maharashtra, India<sup>3</sup> Department of Pharmacology, Samarth Institute of Pharmacy, Belhe, Pune, Maharashtra, India<sup>4</sup>

Department of Pharmaceutics, Samarth Institute of Pharmacy, Belhe, Pune, Maharashtra, India<sup>5</sup>

Abstract: Achyranthes aspera is that the important medicinal herb found as weed throughout the india, It belongs to the family Amaranthaceae. Though most of it's parts are utilized in traditional system of medication, leaves, root and seeds are most vital part which are used medicinaly. The present article gives an account of updated information on it's phytochemical screening. Achyranthes aspera was evaluated in leaves using solvents like Methanol, the preliminary phytochemical screening of leaf extracts of Achyranthes aspera showed the presence of phytochemicals like Alkaloids, Carbohydrates, proteins, tannins, phenols, steroids, glycosides. Achyranthes aspera is widely studied for its medicinal properties wound healing activity, antiinflammatory, antibacterial, antifungal activity Also shows anti-plasmodic anticoagulant, antihelminthic. It is also useful to treat cough, skin rashes, snake bites, inches and skin eruption.

Keywords: Achyranthes aspera, Phytochemical, Solvent

### REFERENCES

- Criagg, G.M. and David, J.N. (2001). Natural product drug discovery in the next millennium. J. Pharm. Biol. 39: 8-17.
- [2]. Veena Sharma, PrachetaJanmeda. Extraction, isolation and Identification of flavonoid from Euphorbia neriifolia leaves Arabian Journal of Chemistry. 2017; 10:509-514.
- [3]. Edwin, S., Edwin, J.E., Deb, L., Jain, A., Kinger, H., Dutt, K.R. and Amal, R.A. (2008). Wound healing and antioxidant activity of Achyranthes aspera. Pharmaceutical Biology, 46(12): 824-828.
- [4]. Lange P. J. de, R. P. Scofield and T. Greene Achyranthes aspera (Amaranthaceae) a new indigenous addition to the flora of the Kermadec Islands group, New Zealand Journal of Botany 42:167–173 (2004).
- [5]. Agharkar S.P, Medicinal plants of Bombay Presidency, Scientific Publication, Jodhpur (India) (1991).
- [6]. Jain S. P, Puri H. S. Ethnomedical plants of Janusar-Bawar hills Uttar-Pradesh, India. J Ethnopharmacol. 12: 213-222 (1984).
- [7]. Jitendra B. Jain, Sheetal C. Kumane, S Bhattacharya. Indian Journal of Traditional Knowledge. 2006, 5(2), 237-242.
- [8]. Anonymous. The Wealth of India Raw Materials, Council of Scientific & Industrial Research, New Delhi, 2005, 55-57.
- [9]. R. Zafar. Medicinal Plants of India. CBS publishers & distributors, 2009, 1-15.
- [10]. R.K. Gupta. Medicinal & Aromatic Plants. CBS publishers & distributors, 2010, 190.
- [11]. Srivastav S, Singh P, Mishra G, Jha KK, Khosa RL. Achyranthes aspera-an important Medicinal plant: A review. Scholars Res Library 2011; 1 (1): 1-14.
- [12]. Sofowara A. Medicinal plants and traditional medicine in Africa. Spectrum Books Ltd, Ibadan, Nigeria 1993; 289.
- [13]. Trease GE and Evans WC. Pharmacognsy. 11<sup>th</sup> ed. BrailliarTiridel Can. Macmillian Publishers: 1989.
- [14]. Prashant Tiwari, Bimlesh Kumar, Mandeep Kaur, Gurpreet Kaur, Harleen Kaur (2011).
- [15]. Phytochemical screening and Extraction: A Review. Internationale Pharmaceutica Sciencia. Vol. 1, Issue 1.

[16]. Briskin, D.P., (2000). Medicinal Plants and Phytomedicines. Linking Plant Biochemistry And Physiology to

## IJARSCT



## International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

#### Volume 2, Issue 2, October 2022

Human Healt, Plant Physiology 124, 507-514.

- [17]. Vetrichelvan T., Jagadeesan M. (2002). Effect of alcoholic extract of Achyranthes Bidentata on acute and subacute inflammation, Indian J Pharmacol. 34, 115-118.
- [18]. Ratra PS and Misra KC (1970). Seasonal variation in chemical composition of A. aspera And A. bidentata. Indian Forester 96: 372-375.
- [19]. Harborne J B (1991). Phytochemical Methods, A Guide to Modern Techniques of Plant Analysis, Chapman and Hall, London, pp. 58, 74, 84, 88, 120, 126, 176-201.
- **[20].** Kokate CK, Khandelwal KR, Pawar AP, and Gohale SB (1995). Pratical Pharmacognosy. Niraliprakshanune, 3<sup>rd</sup> Edition, 137-139.
- [21]. Evans, W.C. (1997): Trease and Evans Pharmacology. 1999, 14<sup>th</sup>Edn. Harcourt Brace And company. Asia. Pvt. Ltd. Singapore.
- [22]. Gibbs R.D. (1974). Chemotaxonomy of Flowering Plants. Vol. 1, McGill Queen's University Press, Montreal and London. 21. Trease, G.E. and Evans, W.C. (1989): Pharmacognosy. 13<sup>th</sup> Ed. ELBS/Bailliere Tindall, London. Pp. 345-6, 535-6, 772-3.
- [23]. Kokate, C.K., (1999). Phytochemical Methods. Phytotherapy 78, 126-129.