

# Rain Water Detection System

Shruti Sunil Pawar, Suchiket Sahebrao Jadhao, Sanika Wasudev Ghawade,  
Tushar Hemant Kawalkar, Snehal Sunilrao Bhumber, Satish Ramesh Ingle,  
Prof. Bhagyashree Sulbhevar

Jagadambha College of Engineering & Technology, Maharashtra, India

**Abstract:** RAIN SENSOR is a switching device activated by rainfall, there are two main applications for rain sensors ,one is for the automatic irrigation system and another is for the automatic mode of windscreen wipers. This paper, is aimed at designing a rain detection system that uses a rain sensor to detect the rain. The rain sensor is used to detect any rainfall falling on it and then it will sense and perform the required actions. Whereas, the movement of the sensor is controlled by using a rain control module. The signal received from the sensor is processed using "Processing Development Environment Software". Processing IDE gives the output.

**Keywords:** Rain sensor, Rain Control Module

## I. INTRODUCTION

RAIN SENSOR is one of the kind of switching device which is used to detect the rainfall. It works like a switch and the working principle of this sensor is, whenever there is rain, the switch will be normally closed. In 1958, the Cadillac Motor Car Division of general motors experimented with a water-sensitive switch that triggered various electric motors to close the convertible top and raise the open windows of a specially-built Eldorado Biarritz model, in case of rain. Raindrop sensor is basically a board on which nickel is coated in the form of lines. It works on the principal of resistance. Rain sensor module allows to measure moisture via analog output pins and it provides a digital output when a threshold of moisture exceeds. The module is based on the LM393 op amp. It includes the electronics module and a printed circuit board that collects the rain drops. As rain drops are collected on the circuit board, they create paths of parallel resistance that are measured via the op amp. The sensor is a resistive dipole that show less resistance when wet and more resistance when dry. When there is no rain drop on board it increases the resistance so we get high voltage according to  $V=IR$ . When rain drop

## II. RELATED WORK

Amado Gutierrez-Gomez made a propagation study of LoRa P2P links for IoT applications , the case of nearsurface measurements over semitropical rivers. Valentina Yakovleva has proposed the Rainfall intensity and quantity estimation method based on Gamma-Dose Rate Monitoring. Xi Shen has designed a Retrieval of raindrop size distribution using Dual-polarized microwave signals from LEO Satellites, a feasibility study through simulations. Mattia Stagnaro performed the use of dynamic calibration to correct drop counter rain gauge measurements. Enrico Chinchella proposed the Investigation of the wind-induced airflow pattern near the this LPM precipitation gauge.

## III. SYSTEM OVERVIEW

The Block diagram of Rain Detection System Using Arduino is as shown in (Figure 1). In this work, the falling of the rainfall is measured through a Rain sensor, and the sensor output is connected to the signal conditioning unit. After that, it is processed through the Arduino microcontroller. The measured results are displayed on the personal computer. The sensor is attached to the rain control module to control the sensitivity and compare and convert the analog values to digital values

#### IV. COMPONENTS REQUIRED

##### Arduino Board UNO Model

Arduino is an open-source computer hardware, open-source software and microcontroller-based device building kit and interactive objects that can sense and control physical devices. Arduino designs and manufactures software, software and software. The project is focused on the design of the microcontrollers. The board contains a combination of digital and analog input / output (I / O) pins, which can connect to specific expansion boards (termed shields)

##### Rain Control Module – LM393 Comparator

The rain control module which is shown below consists of 4 pins to connect to the arduino namely VCC,GND,D0,A0 and two more pins to connect the rain board module. In summary, the rain board module detects the rainwater, and the control board module is used to control the sensitivity and compare and convert the analog values to digital values.

#### V. HARDWARE SYSTEM DESIGN

The interfacing between the PC and the Arduino is done by Type B USB 2.0. The Arduino receives the data from the Rain Sensor Module and process it. In the Arduino software, it is used to calculate the resistance obtained when the rain board is wet. Also, the wetness of the board is calculated from the Arduino program.

#### VI. APPLICATIONS

The rain sensor is mostly used in the agriculture and automobile fields. A. Application in Agriculture Fields This is used for automatically regulating the irrigation process. Also, the continuous rainfall data can help farmers use this smart system to automatically water the crop only when absolutely required. B. Application in Automobiles It is also used in cars for the windshield wipers, which can be made fully automatic by using the rain detection system. C. Application In Home Automation Systems In home, it can be used for detecting the rain and automatically closing the windows and also for adjusting the room temperature.

#### VII. CONCLUSION AND FUTURE SCOPE

This paper presents the design and implementation of a simple rain sensor system using Arduino as microcontroller for short range applications. The implemented system detects the rain and measure the resistance. This Short-range rain sensor system is a low cost, a simple device for detection of rainfall. Hence, the device calculates the resistance with suitable accuracy and. The data is converted from analog values to digital values. This rain sensor system can be extended and implemented into anything we wish.

#### REFERENCES

- [1]. Gutiérrez-Gómez, A.; Rangel, V.; Edwards, R.M.; Davis, J.G.; Aquino, R.; López-De la Cruz, J.; MendozaCano, O.; Lopez-Guerrero, M.; Geng, Y. A Propagation Study of LoRa P2P Links for IoT Applications: The Case of Near-Surface Measurements over Semitropical Rivers. *Sensors* 2021, 21, 6872. <https://doi.org/10.3390/s21206872>
- [2]. Yakovleva, Valentina, Grigorii Yakovlev, Roman Parovik, Aleksey Zelinskiy, and Aleksey Kobzev. 2021. "Rainfall Intensity and Quantity Estimation Method Based on Gamma-Dose Rate Monitoring" *Sensors* 21, no. 19: 6411. <https://doi.org/10.3390/s21196411>
- [3]. Shen, Xi, and Defeng D. Huang 2021. "Retrieval of Raindrop Size Distribution Using Dual-Polarized Microwave Signals from LEO Satellites: A Feasibility Study through Simulations" *Sensors* 21, no. 19: 6389. <https://doi.org/10.3390/s21196389>
- [4]. Stagnaro M, Cauteruccio A, Lanza LG, Chan P-W. On the Use of Dynamic Calibration to Correct Drop Counter Rain Gauge Measurements. *Sensors*. 2021; 21(18):6321. <https://doi.org/10.3390/s21186321>
- [5]. Chinchella, Enrico, Arianna Cauteruccio, Mattia Stagnaro, and Luca G. Lanza 2021. "Investigation of the Wind-Induced Airflow Pattern Near the Thies LPM Precipitation Gauge" *Sensors* 21, no. 14: 4880. <https://doi.org/10.3390/s21144880>

- [6]. Kingsley, Kumah K., Ben H.P. Maathuis, Joost C.B. Hoedjes, Donald T. Rwasoka, Bas V. Retsios, and Bob Z. Su. 2021. "Rain Area Detection in South-Western Kenya by Using Multispectral Satellite Data from Meteosat Second Generation" *Sensors* 21, no. 10: 3547. <https://doi.org/10.3390/s21103547>
- [7]. Zheng, Siming, Congzheng Han, Juan Huo, Wenbing Cai, Yinhui Zhang, Peng Li, Gaoyuan Zhang, Baofeng Ji, and Jiafeng Zhou. 2021. "Research on Rainfall Monitoring Based on E-Band Millimeter Wave Link in East China" *Sensors* 21, no. 5: 1670. <https://doi.org/10.3390/s21051670>
- [8]. Song, Kun, Xichuan Liu, and Taichang Gao. 2021. "Real-Time Rainfall Estimation Using Microwave Links: A Case Study in East China during the Plum Rain Season in 2020" *Sensors* 21, no. 3: 858. <https://doi.org/10.3390/s21030858>
- [9]. Giannetti, Filippo, and Ruggero Reggiannini. 2021. "Opportunistic Rain Rate Estimation from Measurements of Satellite Downlink Attenuation: A Survey" *Sensors* 21, no. 17: 5872. <https://doi.org/10.3390/s21175872>