

International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

Volume 5, Issue 2, May 2025

Qualitative Analyses of Soils of Some Medicinal Plants Growing Near Carpet Industries Near Gyanpur Tehsil U.P.

Saumya Mishra¹, Shruti Mishra² and D. R. Misra³

Assistant Professor, Department of Botany, KN Govt. PG College ,Gyanpur, Bhadohi¹ Assistant Professor, Department of Botany, Handia PG College, Handia, Prayagraj².

Professor, Department of Botany, University of Allahabad, Prayagraj³ saumyamishra224@gmail.com and shrutimishra0126@gmail.com

Abstract: The present paper describes for the first time an account of some important medicinal plants growing near carpet factories from Gyanpur tehsil. A total of 20 species belonging to 20 genera under 16 families have been documented with brief notes on salient features of ecology, therapeutic uses and soil profile of each species and conservation. This is an effort to conserve the diminishing wealth of traditional knowledge of Gyanpur tehsil.

Keywords: Gyanpur, Factory, paedological, soil, carpet, medicinal plants, aniline

I. INTRODUCTION

Since the beginning of time, plants have been one of the most significant sources of medicines. Due to its diverse geographical, physiological, and ecological diversity, India is regarded as one of the mega-biodiversity centers. The demand for herbal plants is rising as a result of the flourishing traditional medicine sector. Moreover, the use of high levels of chemical fertilizers decreases the medicinal plant nutrients uptake and induces either stagnation, or decrease inn yields and environmental pollution(Kumar et. al. 2022). Accurately identifying suitable medicinal plant species based on specific soil conditions is crucial for agriculture, horticulture and environmental studies(Thopate et.al. 2023). Sustainable management of the natural habitat is an environmental issue concerning biodiversity protection and the welfare of local communities because of the diminishing availability of such herbal plants and the vanishing local traditional knowledge. The availability of nutrients and organic matter in the soil affects the medicinal plant growth. The soil exhibits spatial variation owing to anthropogenic land use patterns and physical, chemical and biological activity.

STUDY SITES

Bhadohi a "Hub of Carpet Industries" is one of the eastern districts of the Uttar Pradesh (26°32' -27°01' north latitudes, 78°46' -79°45' east longitudes) lies in Indo-Gangetic plains at an average elevation of 133 m above the mean sea level. This district is drained by Ganges, Varuna and Morva rivers. Climate of the area is humid sub-tropical, temperature ranges from 12°C to 47°C and annual rainfall is about 800 mm. It is surrounded by Jaunpur district to the north, Varanasi district to the east, Mirzapur district to the south, and Prayagraj district to the west with an area of 1055.99 km.² This district is divided into three tehsils *viz.*: Aurai, Bhadohi and Gyanpur tehsil with six blocks, Bhadohi, Suriyawan, Gyanpur, Deegh, Abholi and Aurai (Figure -1). Over exploitation of medicinal plants by anthropogenic activities, over grazing and habitat loss leads to depletion of vegetation cover of the area. Authors have tried to study medicinal plants with their soils, of the remote areas of district that would be beneficial in their systematic utilization along with making conservation strategy in the future.

DOI: 10.48175/IJARSCT-26297









International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 2, May 2025

Impact Factor: 7.67

II. MATERIALS AND METHODS

The study was carried out in rural areas of Gyanpur near carpet factories. Local experienced persons and herbal practictoners were consulted to know about the use of various medicinal plants growing in their localities. Frequent field trips were made to the sites by one of the author (Saumya Mishra) and voucher specimens of plants identified as medicinally important were collected. Species identification was achieved by comparison with specimens of Indian herbarium, digital herbaria (e-Floras 2008, WCSP 2012, The Plant List 2013, POWO 2019, GBIF 2020, The Herbarium Catalogue 2021) and perusal of relevant literature. Medicinal values of these plants were compared with various studies especially from among the rural and tribal communities (Tiwari et al. 2012, Mishra et al. 2016, 2017, 2019, 2021; Mishra & Mishra 2017, 2018a,b, 2019, 2023a,b, Mishra et.al.2024.) The voucher specimens have been deposited in the herbarium of Department of Botany, KN Govt. PG College, Gyanpur, Bhadohi, Uttar Pradesh. Soil solution was prepared and tested for various parameters using modern instruments & standard protocols.

III. RESULTS AND DISCUSSION

In the present investigation, 20 medicinal plant species belonging to 20 genera under 16 families were described from Gyanpur, which have been enumerated here, along with their botanical name, vernacular name, family, habit, habitat and pharmacological uses. Qualitative analyses of soil was also provided such as -soil colour, soil type, soil PH ,electrical conductivity of soil, in soil of each species (Table-1,).

Some of the important medicinal plants are described below:

1 Alternanthera sessile (L.)DC. Khakhi weed Amaranthaceae

Habit & habitat-Aquatic, herb, growing near semiaquatic areas, near ponds

Pharmacological uses-Used as diuretic, anti ulcer activity and in memory enhancer

2 Amaranthus spinosus L. Katili chaurai Amaranthaceae

Habit & habitat- Terrestrial,, herb growing near wastelands and roadside

Pharmacological uses-Whole plant is used for snake- bite, burning sensation, gonorrhea and menorrhea

3 Argemone maxicana L. Satyanashi Papaveraceae

Habit& habitat-Terrestrial, shrub,growing near wastelands, grasslands, soil alluvial, light yellowish

Pharmacological uses-The herb is bitter, acrid, appetizer, diuretic, aphrodisiac

4 Barleria prionitis L. kastira Acanthaceae

Habit& habitat-Terrestrial, shrub,occurs near wastelands, fields, soil clayish

Pharmacological uses-Leaves and bark are used in abdominal disorder, fever, cough, toothache

5 Calotropis gigantia (L.)R.Br. Safed madar Asclepiadaceae

Habit& habitat- Terrestrial, shrub,common in wastelands and grasslands, soil alluvial

Pharmacological uses-Plant is used in cure of leprosy, leucoderma, ulcer, tumour, piles and spleen disorders

6 Chenopodium album L. bathua chenopodiaceae

Habit& habitat- Terrestrial, herb, occurs in waste places

Pharmacological uses-Plant is used as tonic, laxative, blood puifier, spleen and liver enlargement

7 Cissus quadrangularis L. harjor vitaceae

Habit& habitat- Terrestrial, succulent twiner, shrub, growing as cultivated plant, occurs in hotter part of the country

Pharmacological uses-Heals bone fracture, cures jaundice, obesity, piles, ulcer, wound healing

8 Curcuma domestica Roxb. haldi zingiberaceae

Habit& habitat- Terrestrial, herb, grown as cultivated plant

Pharmacological uses Rhizome is bitter, stimulant, aromatic, laxative, used in treatment of asthma, bronchitis, bones healing

DOI: 10.48175/IJARSCT-26297

9 Datura strumonium L. dhatura solanaceae

Habit& habitat- Terrestrial, herb, growing near wastelands

Pharmacological uses - Cures asthma, Parkinson disease, whole plant is antispasmodic

10 Eclipta alba (L.) Hassk. bhringraj asteraceae

Habit& habitat- Semiaquatic plant, herb, growing near grasslands

Copyright to IJARSCT www.ijarsct.co.in

ISSN 2581-9429 IJARSCT

764



International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 2, May 2025

Impact Factor: 7.67

Pharmacological uses - Cures hairfall, emetic, purgative, anodyne, cures jaundice, astha, ulcer

11 Euphorbia hirta L. Badhi duddhi euphorbiaceae

Habit& habitat- Terrestrial, herb, common in grasslands

Pharmacological uses -Whole plant cures dysentery, asthma, urinogenital disorders, urinogenital disorders, diarrhoea

12 Evolvulus nummularis (L.)L.Safed shankhpuspi convolvulaceae

Habit& habitat- Terrestrial, herb, growing in unused places, gardens

Pharmacological uses- Roots are used in intermittent fever, bleeding epilepsy insanity, nervine bleeding

13 Madhuca indica J.F. Gmel .mahua Sapotaceae

Habit& habitat- Terrestrial, tree, growing in cultivated gardens

Pharmacological uses- Plant is analgesic, anti ulcer, antidiabetic, anti pyrtic, fertility, wound healing, headache

14 Nicotiana tobaccum L. tambakoo Solanceae

Habit & habitat- Terrestrial, Herb, growing in grasslands, waste places, waste fields

Pharmacological uses- Plant cures urinary disorders, skin diease, rheumatism

15 Papaver somniferum L. Apheem Papaveraceae

Habit & habitat- Terrestrial, Herb, growing in grasslands, waste places

Pharmacological uses- Fruits narcotic, analgesic, hypnotic activity

16 Rauwolfia serpentine (L.)Benth..ex.Kurz. Sarpagandha Apocynaceae

Habit & habitat- Terrestrial, shrub, growinggrasslands and wasteland

Pharmacological uses- Root cures hypertension, sedative. Cns stimulant, dysentery

17 Solanum nigrum L.Makoiva Solanaceae

Habit & habitat- Terrestrial, herb, grasslands, waste places, fields

Pharmacological uses- Berries cures fever, vomiting, asthma, bronchitis, fever

18 Strychnos nux-vomica L.Kuchla Loganiaceae

Habit & habitat- Terrestrial. Tree, occurs in waste places, cultivated in gardens

Pharmacological uses- Root is bitter, leaves used as nervine tonic, antispasmodic, antidysenteric

19 Tinospora cordifolia (Willd.)Hook. F.& Thomas. Gurach Menispermaceae

Habit & habitat- Terrestrial, climber, herb, growing near waste lands, grasslands

Pharmacological uses- Cures cough, jaundice, leprosy, diabetes, bleeding piles

20 Vitex nigundo L.Nirgund Verbenaceae

Habit & habitat- Terrestrial, shrub, growing in grasslands, wastefields

Pharmacological uses- Leaves cures spleen enlargement, leucoderma, stomachic, anthelmintic

IV. CONCLUSION

The unscientific disposal of hazardous waste generated during carpet manufacturing processes, containing residual dyes, mordants, synthetic chemicals, microfibrils, aniline dyes, perflorinated chemicals, antimicrobial and moth proofing chemicals are harmful for an flora and fauna of ecosystem, medicinal crop plants, river streams, soil profile, growth of plants, causing various diseases like dermatitis, respiratory issues, carcinogenic effects, neurological problems, endocrine problems etc, in the soil, water streams poses great threat to local peoples of Gyanpur. Due to lack of medical health facilities in rural areas of Gyanpur areas , financially weak people relying more on natural low cost herbal medicines for combating their health ailments, so one should conserve and do more research on the medico flora of Gyanpur areas.

REFERENCES

- [1]. eFloras-2008. Missouri Botanical Garden, St. Louis, M.O. & Harvard Univ. Herbaria, Cambridge, MA, http://www.efloras.org
- [2]. GBIF 2020. GBIF backbone taxonomy. –https://www.gbif.org/species.

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-26297





International Journal of Advanced Research in Science, Communication and Technology

9001:2015

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 2, May 2025

Impact Factor: 7.67

- [3]. Kumar, A., M. Kumari & S. Sepehya. 2022. Influences of conjoint use of organic and chemical sources of nutrients on soil properties and yield of pea pisum sativum under sub-montane and low hills subtropical zone of Himachal Pradesh. J. Soils and Crops 32(2) 256-262.
- [4]. Mishra, S. & S,.Mishra . 2023a. *Herbal treatment cures Gynaecological Disorders*. Journal of the Andaman Science Association , 28(1): Pgs 107-117.
- [5]. Mishra, S.& S. Mishra . 2023b: *Tree Species Diversity of Bhadohi District, Uttar Pradesh and a note on their conservation*. Journal of the Andaman Science Association 28(1) Pgs.85-91.
- [6]. Mishra, S & S. Mishra, & R.K.Soni, 2019. *On Some Potential Medicinal Plants having natural Diuretic properties*. International Journal of Scientific Research in Science, Engineering and Technology (www.ijsrset.com). Volume 6, Issue 3. ISSN: 2394 4099. pp. 479- 486.
- [7]. Mishra, S. &S. Mishra, 2018a. *Medicinal Plants of Bhadohi district, Uttar Pradesh and a note on their Biodiversity and Conservation*. International Journal of Scientific Research in Science, Engineering and Technology (www.ijsrset.com). Volume 4, Issue 8. ISSN: 2394–4099. Pages: 748–757
- [8]. Mishra, S, S.Mishra,& R.K.Soni 2018b. *Phytomedicodiversity of some Pharmaceuticals Angiosperms having Hepatoprotective Properties*. International Journal of Scientific Research in Science, Engineering and Technology (www.ijsrset.com). Volume 4, Issue 10. ISSN: 2395–602X. Pages-617-623.
- [9]. Mishra, S, S. Mishra, &R.K.Soni . 2017. *Medicinal Plants Curing Respiratory Diseases From Gyanpur region Uttar Pradesh*. International Journal of Scientific Research in Science, Engineering and Technology (www.ijsrset.com). Volume, Issue. ISSN: 2395 6011. Pages- 1031- 1039.
- [10]. Mishra S.,S. Mishra &S. Tiwari 2016. Phytomedicodiversity of Some Plants of Gyanpur Region. Conservation of Medicinal plants Conventional and Modern Approaches, Omega publications New Delhi Pgs 174-180.
- [11]. Mishra S., S. Mishra S. & S. Tiwari, 2017. *Role of Indian women in Agriculture and health care*, Public health in India with special reference to women, children and adolescent, 113-114.
- [12]. Mishra S.S., Mishra S. & S.Tiwari. 2019. *Mahilayo k Jivan Mein Aushidhiya Paudho Ki Upyogita*, Stree Vimarsh Mein Nayapan, Pgs-129–139.
- [13]. Mishra S., S.Mishra S., Tiwari &D.R. Mishra 2021. *On Some Medicinal Plants curing Orthopaedic Ailments*, New Vistas in Indian Flora. Vol. 1, ISBN–978-81-943323-5-0 Pgs. 355-365.
- [14]. Mishra S., S.Mishra L.j.singh &D.R. Mishra 2024. *Ecotaxonomical & pharmacological studies on some medicinal plants of Bhadohi* district.,Uttar Pradesh, Geophytology Vol- 54(2): 221-238.
- [15]. POWO 2019. Plants of the World Online–Facilitated by the R. Bot. Gar. Kew, www.plants of the World Online–Facilitated by the R. Bot. Gar. Kew, www.plants
- [16]. Thopate K., A. Kale, V. Kumawat, S. Kotwal & N. Kulkarni. 2023. Plant prediction system using algorithmic approach based on soil conditions. J. .Soils and Crops. 33(2) 392-396.
- [17]. The Herbarium Catalogue 2021. R. Bot. Gard. Kew & lt;www.kew.org/herbcat>.
- [18]. The Plant List 2013. Version 1.1.http://www.theplantlist.org.
- [19]. WCSP 2012. World Checklist of Selected Plant Families. Facilitated by the Royal Botanic Gardens, Kew. http://wcsp.science.kew.org/

Table-1-Qualitative analyses of soil of medicinal plants growing near carpet industries of Gyanpur, Tehsil of Uttar Pradesh, India

| Serial | Botanical name | Soil colour | Soil type | PH | Electrical conductivity |
|--------|------------------------|-------------|------------|------|-------------------------|
| no. | | | | | |
| 1 | Alternanthera sessiles | Light brown | clayish | 8.0 | 0.40 mmho/sec |
| 2 | Amaranthus spinosus | Dark brown | alluvial | 7.80 | 0.38 mmho/sec |
| 3 | Argemone maxicana | Light brown | Sandy loam | 7.90 | 0.46 mmho/sec |
| | | | | | |

Copyright to IJARSCT www.ijarsct.co.in









International Journal of Advanced Research in Science, Communication and Technology

ISO POOT:2015

 $International\ Open-Access,\ Double-Blind,\ Peer-Reviewed,\ Refereed,\ Multidisciplinary\ Online\ Journal$

Volume 5, Issue 2, May 2025

Impact Factor: 7.67

| 4 | Barleria prionitis | Light brown | Clayish/ loam | 8.90 | 0.28 mmho/sec |
|----|-----------------------|--------------|---------------|------|---------------|
| 5 | Calotropis gigantea | Light brown | clayish | 7.90 | 0.14 mmho/sec |
| 6 | Chenopodium album | Light brown | sandy | 8.0 | 0.79 mmho/sec |
| 7 | Cissus quadrangularis | Light yellow | alluvial | 7.90 | 0.75 mmho/sec |
| 8 | Curcuma domestica | Dark black | alluvial | 8.20 | 0.44 mmho/sec |
| 9 | Datura strumonium | Light brown | sandy | 8.0 | 0.76 mmho/sec |
| 10 | Eclipta alba | Light brown | sandy | 8.0 | 0.42 mmho/sec |
| 11 | Euphorbia hirta | Light brown | alluvial | 8.0 | 0.2 mmho/sec |
| 12 | Evolvulus nummularis | Yellowish | Clayish loam | 7.90 | 0.46 mmho/sec |
| | | brown | | | |
| 13 | Madhuca indica | brown | Silty loam | 7.90 | 0.12 mmho/sec |
| 14 | Nicotiana tobaccum | Dark brown | clayish | 8.30 | 0.24 mmho/sec |
| 15 | Papaver somnifera | Yellowish | clayish | 8.20 | 0.15 mmho/sec |
| | | brown | | | |
| 16 | Rauwolfia serpentina | Dark brown | Sandy loam | 7.7 | 0.65 mmho/sec |
| 17 | Solanum nigrum | Light brown | Clayish/loam | 7.70 | 0.09 mmho/sec |
| 18 | Strchnos nux-vomica | Yellowish | Clayish loam | 6.90 | 0.15 mmho/sec |
| | | brown | | | |
| 19 | Tinospora cordifolia | brown | Clayish loam | 7.90 | 0.29 mmho/sec |
| 20 | Vitex nigundo | Light brown | Clayish loam | 8.80 | 0.24 mmho/sec |





