International Journal of Advanced Research in Science, Communication and Technology



International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal



Volume 5, Issue 11, May 2025

# Formulation and Evaluation of Herbal Soap of Neem and Tulsi

Mr. Rahul Anil Jadhav, Prof. Sameer Deshmukh, Dr. Surwase K. P.

Aditya Institute of Pharmaceuticals, Beed

Abstract: Herbal products have become an item of global importance both medicinally and economically. Although usage of these herbal products has increased, their quality, safety and efficiency are serious concerns in industrialized and developing countries. The present research has been undertaken with the aim to formulate and evaluate the pure herbal formulation. A herbal soap was formulated using the leaf and bark extract of Azadirachta indica, tulsi Ayurvedic cosmetics are also known as the herbal cosmetics the natural contentin the herbs does not have any sideeffect on the human body.Most herbal supplement are based on several botanical ingredients with long histories of traditional or folk medicine usage. Among the numerous botanical ingredients available in the market today. Numerouschemical toxins microorganism present in the atmosphere may cause chemical infection anddamage to skin cosmetics alone are not sufficient to take care of skin and body parts. Neem(Azadirachta indica) tree has attracted worldwide prominance owing to its wide range of medicinal properties, neem leaves and its constituents have been demonstrated to exhibit antiinflammatory, antihyperglycemic, antiulcer antimalarial, antifungal, antibacterial, antimutagenic and anticarcinogenic properties. This study was conducted to evaluate the effect of aqueous ethanolic and ethyl acetate extract from neem leaves.. The physicochemical parameters of formulations (Physical evaluation, pH, Foaming ability and foam stability) were determined. The results showed that formulation have pH level nearly equal to skin pH,Foaming index is excellent.

Keywords: Herbal products

### I. INTRODUCTION

Herbal soap preparation is a medicine or drugs it contain Antibacterial & antifungal agents which e mainly uses of part of plants such as like leaves, stem, roots &fruits to treatment for a injury or disease or to achieve good health.Herbal cosmetics are also known as —Natural cosmetics . Herbal cosmetics are products which are used to purify and beautify the skin. The main advantage for using an herbal cosmetic is that it is pure and does not have any side effects on the human body; instead enrich the body with nutrients and other useful minerals. Soap is a solid product made from oil by means of saponificationIn .Neem leaf and its extractexhibi immunomodulatory anti- inflammatory, antiulcer antimalarial, antifungalant ibacterialantioxidant anticarcinogenic property. Tulsi is called the queen of all herbs, it is used widelyin Ayurvedic and naturopathic medicines which helps in the healing of the human body in anatural manner. Not only do Tulsi leaves benefit people, but their flowers too. Tulsi can helpyou get rid of many health problems ranging from fever to kidney stones.The presentscenario, it seems improbable that herbal soaps , although better in performance and saferthan the synthetic ones, will be popular with the consumers .

Soaps and detergents have been registering steady growth in demand in the country, in tunewith the industrial and economic growth. Herbal soap has generated considerable interest andenthusiasm amongst the consumers in recent times, due to ecofriendly nature of the product. There is good scope for setting up herbal soap projects in the country. While there is noparticular entry barrier from the point of view of technology, adequate market thrust isnecessary to competitively sell the product in the market. The toilet soap consumption inIndia is estimated at 1200000 tonnes per annum. The soap market is growing the rate of about 9% per annum.

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-27288





IJARSCT ISSN: 2581-9429

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, May 2025



#### **II. LITERATURE REVIEW**

Ashlesha Ghanwat\*, Sachin Wayzod and Vanjire Divya ( in year 2020) The plant Azadiricta india, Ocimum tenuiflorum, Sapindus mukorossi and Acacia concinna were extracted using water and subjected to various evaluation test according to previous research the antimicrobial activity of Neem was studied. the prepared formulation when tested for different test gave good results. It does not give any irritancy to skin it was determined by using these soap by few volunteer hence it is proved that soap does not give any irritancy to skin. Furthermore the prepared soap were standardized by evaluating various physico chemical properties such as pH appearance odour in which the exhibit satisfactory effect.

Satish Kumar Sharma1\* and Suruchi Singh (in year 2020) In the prior studies it was noted that Nosocomial infection has been recognized as a crucial issue in the outcome of hospital care, resulting in significant morbidity and mortality. The primary routes of infection transmission to patients are the hands of health-care workers. Many of the antiseptics are sanitizers that dependenton alcohol and can have deleterious effects. Their regular use can cause irritation of the skin. Therefore, herbal hand-wash was prepared using herbal extract T. catappa, C. longa and G. indica. The present results indicate that the ingredients of T. catappa, C. longa and G. indica extracts and their combinatorial compositions are capable of developing better antiseptic hand-wash against skin pathogens than the commercially available preparations. Therefore, a new way, of combating antibiotic drug resistance of pathogenic organisms and healthier living by germ-free aseptic hands can be found. A significant number of microbial load can be reduced by natural, economic and safehandwash. This may serve as the reasonable basis for the preparation of the herbal hand-wash. This has opened new avenues in the production of 'antiseptic hand-wash' replacing the use of chemicalsubstances.

Rakesh K. Sindhu\*1, Mansi Chitkara2, Gagandeep Kaur1, Arashmeet Kaur1, Sandeep Arora1 and

I.S. Sandhu ( in year 2019) The evaluation parameters carried for standardizing the herbal soap by color determination, pH, TFM, ethanol soluble content, Saponification value were carried out. This led to an outcome of the formulation of stable Polyherbal soap possessing potent antimicrobial activity against various micro-organisms such as E. coli and S. aureus. In addition this formulation was found to be used for daily use and did not cause any skin irritation. The blends of various oils in this soap formulation helped in providing specific activity to the formulation possessing potent medicinal properties (Ameh et al., 2013)

### AIM AND OBJECTIVE

Aim :-

To study the formulation development and evaluation of herbal antibacterialsoap of neem (Azadirachta indica) & tulsi (Ocimum tenuiflorum).

#### **Objectives:**

The ultimate aim of this study is to formulate and evaluate the herbal antibacterial soapusing extracts of plant having ethnic and dermatological importance in Ayurveda, namely, Neem Azadirachta indica, and Tulsi Ocimum tenuiflorum To study the evaluative parameters such as :-

- 1) pH
- 2) Foam retention
- 3) Foam height
- 4) Moisture Content
- 5) Cleansing Ability
- 6) Skin Irritation

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-27288






International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, May 2025



Plan Of work:



Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-27288





International Journal of Advanced Research in Science, Communication and Technology

**III. MATERIALS & METHOD** 

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, May 2025



#### NEEM

Monograph :-

- Common Name Neem.
- Scientific Name- AzadirachataIndica.
- Biological Source- Almost all part of plant AzadirachataIndica.
- · Family- Meliaceae, the mahogany family
- Kingdom- plant.



#### Fig: Neem

Neem is an omnipotent tree and a sacred gift of nature. Neem tree is mainly cultivated in the Indian subcontinent. Neem is a member of the mahogany family, Meliaceae. Today it known by the botanical name Azadirachtaindica (A. indica) SarvaRogaNivarini – the curer of all ailments Role of AzadirachtaIndica is as a wonder drug is stressed as far back as 4500 years ago.

Importance of NEEM :-

• Some of its health restoring benefits Effective in skin infection, rahes & pimples.

• Immunity booster, Anti obesity, Blood purifier for beautiful & healthy skin, Anti diabetic, Anti viral, Dispels intestinal worms and parasites, Malaria, Piles, Hair disorder& Oral disorders.

• Neem is rich in fatty acids, including oleic, stearic, palmitic, and linoleic acids.

• Neem is used to treat psoriasis and eczema.

• neem has been used to treat acne, reduce blemishes, and improve skin elasticity neem

• leaf extract accelerates wound healing through an increased inflammatory response and the formation of new blood vessels.

Constituents:-

- a) Flavonoids,
- b) Alkaloids,
- c) Azadirone,
- d) Nimbin,
- e) Nimbidin,
- f) Terpenoids
- g) Steroids,
- h) Margosicacid,
- i) Vanilic acid,
- j) Glycosides,

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-27288





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, May 2025



k) B-sitosterol,l) Nimbectin,m) Kaempeerol,n) Quercursertiare present in Neem Leaf.

### Tulsi :

MONOGRAPH :-

- Common Name Tulsi
- Scientific Name- Ocimum tenuiflorum
- Biological Source- leaves Of Tulsi
- Family- Lamiaceae
- Kingdom- plant



Fig:Tulsi

Tulsi is called the \_Holy Basil<sup>6</sup> in India with reference made to it in the Holy Scriptures. In its native India, it has been cultivated for nearly 2,000 years. Healers call it tulsi, the Queen of Herbs, the "Incomparable One," and it is prominent in Ayurveda and Hinduism for its various therapeutic applications. For skin care, the properties come it's impressiveantioxidant abilities and for how it acts as a stress relieving agent .

Importance of TULSI :-

- · Owing to its healing, antibacterial, antifungal anti-inflammatory properties
- Tulsi benefits the skin by preventing blackheads, acne and relieves skin infections, toname a few.
- Rich in vitamin K and antioxidants
- Tulsi benefits hair by stimulating blood circulation and promoting hair growthamongst others. .
- Tulsi has skin and hair benefits. It contains camphene which works as a natural tonerto remove excess oil in the skin.
- Tulsi neutralizes free radicals and rejuvenates the skin, reviving the youthful glow.

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-27288





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, May 2025



Chemical Constituents Of Tulsi Are:

- 1) Oleanolic acid
- 2) Ursolic acid
- 3) Rosmarinic acid
- 4) Eugenol,
- 5) Carvacrol
- 6) Linalool
- 7) β-caryophyllene
- 8) vitamin A

Benefits of Neem and Tulsi Soap :-

- Natural Soap is Highly Moisturising.
- Better Ingredients Used.
- Cruelty-Free and Animal-Friendly.
- Wider Choice.
- Better for the Environment.
- Rich in Antioxidants.
- Fights Against Free Radicals
- Acts as an antibacterial clearing up skin irritations and acne.
- . It is smooth, soft and gentle without leaving a residue or sticky film
- Rejuvenates the skin, reviving the youthful glow.

A Herbal soap should have the following characteristics:

- It should remove dirt and sweat from your body .
- It should leave your skin feeling clean and refreshed .
- It should nourish and soften your skin .
- It should purify and protect skin from environmental damage
- It should moisturize your skin .
- It should have a pleasant odour

Plant Materials :-

Neem :-

- The Neem leaves were collected from different matured plant.
- Cracked and dry skin can be moisturised and made smooth by using neem.
- It acts as an Antibacterial, Antifungal, Antioxidant agent.
- Neem has been used to treat acne, reduce blemishes, and improve skin elasticity.
- Neem is rich in fatty acids, including oleic, stearic, palmitic, and linoleic acids.

Tulsi :-

• Tulsi is well known for its myriad medicinal properties — antibacterial, antifungal, antipyretic, antioxidant, antiseptic and anticancer. Helps beat stress. Tulsi is a natural herb with anti-stress qualities

- . Tulsi is rich in Vitamin C and zinc , Rich in vitamin K and antioxidants.
- Tulsi benefits the skin by preventing blackheads, acne and relieves skin infections.
- It contains camphene which works as a natural toner to remove excess oil in the skin.
- Tulsi neutralizes free radicals and rejuvenates the skin, reviving the youthful glow.

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-27288





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

#### Volume 5, Issue 11, May 2025



ChemicalsGlycerin :-

- Glycerine is a nontoxic, odorless, and colorless liquid.
- Glycerine is used as a humectant in soap products.
- · Glycerine will make sure that your skin will maintain its own moisture in order toprotect it from damage caused by drvness .
- It can increase skin hydration, relieve dryness, and refresh the skin's surface.
- It's also an emollient, which means it can soften skin.

#### Ethanol :-

- Ethanol is most often used when making glycerin soap.
- Ethanol has the ability to dissolve on a partial level in water and oil.
- It helps in making soap transparent.
- Ethanol can be used as Antiseptic, Antidote and as Medicinal solvent

#### Steric Acid :-

- Stearic Acid helps to harden products, such as candles and soap bars.
- It's usually used as a thickening agent .
- · Stearic acid is an emulsifier, emollient, and lubricant

• Stearic acid is used mostly in the manufacture of soaps, detergents, and severalother cosmetics such as shaving creams and shampoos.

Sodium lauryl sulphate :-

- Sodium lauryl sulfate (SLS) is a surfactant
- sodium lauryl sulfate helps to stabilize and thicken solutions with ingredients of differing solubility.
- It allows products to achieve a more uniform texture for easier, and smootherapplication.

• It makes soap foamier .

### **FORMULATION:**

Formulations of Lye -: Table 1

| Ingredients                   | F1    | F2      | F3   | Use                     |
|-------------------------------|-------|---------|------|-------------------------|
| NAOH                          | 0.8gm | 1.6 gm  | 3gm  | Saponify oils           |
| Propylene glycol              | 9.3ml | 18.7 ml | 15ml | Penetration<br>enhancer |
| Glycerine                     | 3.1ml | 6.25 ml | 8ml  | Humectant               |
| Ethanol                       | 9.5ml | 19 ml   | 12ml | Solvent                 |
| Sodium lauryl <u>sulphate</u> | 7.5gm | 15 gm   | 10gm | Surfactant              |







International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, May 2025



Formulation of Soap :-

| Table 2              |       |       |      |                                   |  |
|----------------------|-------|-------|------|-----------------------------------|--|
| Ingredients          | F1    | F2    | F3   | Uses                              |  |
| Steric acid          | 6.5gm | 8gm   | 10gm | Hardening                         |  |
| Neem extract         | 3ml   | 6ml   | 8ml  | Antimicrobial                     |  |
| <u>Tulsi</u> extract | 2ml   | 4ml   | 6ml  | Antioxidant                       |  |
| Menthol              | 2gm   | 3.4gm | 5gm  | Perfume/ <u>cooli</u><br>ng agent |  |

### Materials -:

| Table 3   |        |  |  |  |
|-----------|--------|--|--|--|
| MATERIALS | SOURCE |  |  |  |
| Neem      | Plant  |  |  |  |
| Tulsi     | plant  |  |  |  |

**T** 11 0

### PROCEDURE :-

Extraction :-

• The Azadirictaindica powder, and Tulsi leaves was extracted with water bydecoction process.

• 9 gm of above stated powder of neem and Tulsi leaves were taken in separate conical flask and extracted with water for 40-60 min with occasional agitation.

• Then filtered .



Fig-Extraction of Neem and Tulsi

Preparation of lye :-

Copyright to IJARSCT www.ijarsct.co.in







International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

#### Volume 5, Issue 11, May 2025



- Lye solution was prepared by mixing 0.8g NaOH and 1.5ml DI H2O in125ml beaker.
- Measure 9.3ml Propylene glycol, 3.2ml Vegetable glycerine
- Add 9.5ml 95% Ethanol solution, 7.5g Sodium lauryl sulfate into250mlbeaker on hot plate with stir bar.
- Heat mixture to 60°C.


Preparation of Soap:-

• 6.5g Stearic acid and heat mixture to 68°C.

• When at temperature slowly add the 50:50 lye solution and mix for 20 minutes while continuously stopping and starting stirring until mixture becomes transparent.

• Further required quantity of Azadirachta indica and Tulsi extract was mixed to the above mixture and volume made up to 100 ml by adding remaining distilled water.

- Let solution sit for 1 hour at 68°C.
- Few crystals of menthol were also added to impart aroma to the prepared soap.
- Let soap solution cool to 62-64°C and pour into soap molde, let cool and harden.



### EVALUATIONS OF HERBAL SOAP :-

The herbal soap formulated was evaluated for the following:

- 1. Physical evaluation:-
- 2. pH :-
- 3. Foam retention :-
- 4. Foam height : -
- 5. Moisture content :-
- 6. Cleansing ability :- 7. Skin irritation test :-

1) Physical evaluation:-

Physssical characteristics such as colour and Appearance where checked by naked eyeOdour was identified by Smelling .

- 1. Colour-Green
- 2. Odour-pleasnt
- 3. Appearance- Good

2) pH

The pH was determined by using pH paper .the pH was found to be basic in nature.

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-27288





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, May 2025





#### 1. Foam retention: -

Foaming ability and foam stability: Cylinder shake method was used to test for the foaming ability. 50 ml of the 1% formulated products solution was placed into a 250 ml graduated cylinder, covered with one hand and shaken for 10 times. After 1 min of shaking, the total volume of the foam content was recorded. Foam stability was valuedby recording the foam volume after 1 min and 4 min of shake test.

#### 2. Foam height :

0.5 g of sample of soap was dispersed in 5 ml distilled water. Then, transferred it into10 ml measuring cylinder. Fiveeight strokes were given and allowed to stand still and the foam height above the aqueous volume was measured.



Fig : - Foam Height

Copyright to IJARSCT www.ijarsct.co.in







International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

#### Volume 5, Issue 11, May 2025



3. Moisture content

The moisture content was used to estimate the percentage of water in the soap by dryingthe soap to a constant weight. The soap was weighed and recorded as —wet weight of sample and was dried from 100 to 115°C using a dryer [21]. The sample was cooled and weighed to find the

-dry weight of sample. The moisture content was determined using the formula.

### 4. Cleansing ability :-

A dirty cloth was soaked In a bucket containing soap solution and rinsed slowly and the dirt removed from the cloth was observed .

% Moisture content= Initial weight-Final weight/Final weight × 100

5. Skin Irritation Test :-

Soap was applied on skin of hands and legs of 5 volunteers and observed .

6. Physical Ability :-

When soap is placed in a hot temperature for more than 10-15 min it enters into gelphaseand the colour becomes vibrant

### DRUG & EXCIPIENT PROFILE Tulsi MONOGRAPH :-

- Common Name Tulsi
- Scientific Name- Ocimum tenuiflorum
- Biological Source- leaves Of Tulsi
- Family- Lamiaceae
- Kingdom- plant

### Neem Monograph :-

- Common Name Neem.
- Scientific Name- AzadirachataIndica.
- Biological Source- Almost all part of plant AzadirachataIndica.
- Family- Meliaceae, the mahogany family
- Kingdom- plant.

### **IV. RESULT AND DISCUSSION**

### **Result :-**

Among all the formulations the formulation f2 in both table 1 and 2 exhibited good result . The physicochemical parameters such as color, odor, appearance, and pH were tested. The pH of the soap was found to be 6.5 with pH strip . Remaining parameters such as foam height, foam retention moisture content, and were also determined . Foam Height was found to be:- 2.7 FoamRetention was found to be:- 5.4 min Moisture Content in soap is:- 6.83%

### **Discussion:-**

The present work is concerned with the formulation of soap using extract of neem and Tulsi. The formulated soap was a dry, stable solid showing no colour change and good appearance and is foamy in nature. It showed good skin compatibility and causes no irritation when tested on 5 volunteers.

Copyright to IJARSCT www.ijarsct.co.in







International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, May 2025





Fig :- Herbal Neem And TulsiSoap

### **V. CONCLUSION**

The formulated soap showed considerable antibacterial activity as the commercial standard and all the other parameters were good.

The plant Neem and Tulsi were extracted using water and subjected to various valuation test according to previous research the antimicrobial activity of Neem wasstudied . the prepared formulation when tested for different test gave good results . It does not give any irritancy to skin it was determined by using these soap by few volunteer hence it is proved that soap does not give any irritancy to skin . Furthermore the prepared soap were standardized by evaluating various physico chemical properties such as pH appearance odour in which the exhibit satisfactory effect. The soap was free from harsh chemicals which are used in commercial soaps .Herbal soap can be used as a promising alternative to commercial chemical containing skin whitening soaps.

#### REFERENCES

- [1]. Cosmetics.(n.d.), Retrieved from: http://en.wikipedia.org/wiki/Cosmetics.
- [2]. pCosmetics. (n.d). Retrieved from www.cosmetics.co.in/cosmetic-products.html
- [3]. Saxton K., Crosby B., & Dunn k.(2013). Formulation of Transparent Melt and Pour Soaps Without Petroleum Derivatives.H-SC Journal of Sciences
- [4]. Kole, P.L. Jadhav, H.R., Thakur , D.P., &Nagappa, A.N. (2005). Cosmetics Potential of Herbal Extracts. Indian Journal of Natural Products and Resources (IJNPR) Formerly Natural Product Radiance (NPR), 4(4), 315-321
- **[5].** Sharma, P.P.(2002). Cosmetic Formulation Manufacturing and Quality Control (3rded., pp. 644-647). Delhi: Bandanas Publication
- [6]. Sudipta, D, Pallab, K.H. and Goutam, P. (2011). International Journal of PharmTechResearch, 3, 140-143
- [7]. Reddy, Y. R. R., Kumari, C. K., Lokanatha, O., Mamatha, S., & Reddy, C. D. (2013). Antimicrobial activity of AzadirachtaIndica (neem) leaf, bark and seed extracts. Int. J. Res. Phytochem. Pharmacol, 3(1), 1-4.
- [8]. Afsar, Z., Khanam, S., &Aamir, S. (2018) Formulation and comparative evaluation of polyherbal preparations for their disinfectant effects, 1 (1), 54-65
- [9]. Joshi, M. G., Kamat, D. V., &Kamat, S. D. (2008). Evaluation of herbal handwash formulation.7 (5), 413-15 [10]. Dhanasekaran, M. (2016) International research journal of pharmacy. 7(2), 31-35.

Copyright to IJARSCT



www.ijarsct.co.in





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

#### Volume 5, Issue 11, May 2025



- [11]. Shivanand, P., Nilam, M., & Viral, D. (2010). Herbs play an important role in the field of cosmetics. International Journal of PharmTech Research, 2(1), 632-639
- [12]. Amit, J., Subodh, D., Alka, G., Pushpendra, K., &Vivek, T. (2010). Potential of herbs as cosmaceuticals. International Journal of Research in Ayurveda and Pharmacy (IJRAP), 1(1), 71-77
- [13]. Kapoor, V. P. (2005). Herbal cosmetics for skin and hair care.4(4). 306-315.
- [14]. Niharika, A., Aquicio, J. M., & Anand, A. (2010). Antifungal properties of neem (Azadirachtaindica) leaves extract to treat hair dandruff. E-ISRJ, 2, 244-52.
- [15]. Kumar, K. P., Bhowmik, D., Tripathi, K. K., &Chandira, M. (2010). Traditional Indian Herbal Plants Tulsi and Its Medicinal Importance. Research Journal of Pharmacognosy and Phytochemistry, 2(2), 93-101.
- [16]. Panda, H. (2011). Herbal soaps & detergents handbook. NIIR Project Consultancy Services.
- [17]. Bandyopadhyay, U., Biswas, K., Sengupta, A., Moitra, P., Dutta, P., Sarkar, D.,..& Banerjee, R. K. (2004). Clinical studies on the effect of Neem (Azadirachtaindica) bark extract on gastric secretion and gastroduodenal ulcer. Life sciences, 75(24), 2867-2878.
- [18]. Sharma, J., Gairola, S., Sharma, Y. P., & Gaur, R. D. (2014). Ethnomedicinal plants used to treat skin diseases by Tharu community of district Udham Singh Nagar, Uttarakhand, India. Journal of ethnopharmacology, 158, 140-206.
- [19]. Holetz, F. B., Ueda-Nakamura, T., Dias-Filho, B. P., Cortez, D. A. G., Mello, J. C. P., & Nakamura, C. V. (2002). Effect of plant extracts used in folk medicine on cell growth and differentiation of Herpetomonassamuelpessoai (Kinetoplastida, Trypanosomatidae) cultivated in defined medium. Actascientiarum, 24(3), 657-662.
- [20]. Proksch E, Brandner JM, Jensen JM. The skin: An indispensable barrier. ExpDermatol 2008;17:1063-72.
- [21]. Sharma K, Joshi N, Goyal C. Critical review of ayurvedicvarnya herbs and their tyrosinase inhibition effect. AncSci Life 2015;35:18-25.
- [22]. Pulok M, Rajarshi B, Akanksha S, Subhadip B, Sayan B, Chandra K. Validation of medicinal herbs for antityrosinase potential. J Herb Med 2018;14:1-16.



