

### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

Volume 5, Issue 1, June 2025

# Formulation and Evaluation of Anti Microbial Cream

Lambe Dipak Jijabapu, Mr A. N. Raut, Dr. Surwase K. P.

Aditya Institute of Pharmaceutical College, Beed

**Abstract**: Herbal products containing essential oil as antimicrobial agent are undoubtedly growing trend. Clove oil is reported to have antimicrobial activity against Staphylococcus aureus, Escherichia coli, Streptococcus pyogenes, Propionibacterium acne, Staphylococcus epidermidis and Candida albicans. One of the most establish property of cinnamon EO is antibacterial activityagainst gram positive and gram-negative bacteria which is responsible for human infectious disease. Cinnamon oil can increase the blood flow to the affected area and fade away the blemishes, helps in lightening the skin. Hence the present study is aims to formulate and develop antimicrobial cream containing clove oil and cinnamon oil. The EO of clove and cinnamon is extracted by hydro-distillation method and formulation were develop with the various concentration of both the oils.

Keywords: Clove, Cinnamon, Antimicrobial

#### I. INTRODUCTION

#### 1. SKIN:

The skin is the largest organ of the human body and serves as a protective barrier between the internal organs and the external environment. It has several important functions and consists of multiple layers, each with its own unique characteristics.

### Structure and Layers:

- a) Epidermis: The epidermis is the outermost layer of the skin and acts as a protective barrier. It is composed of several sublayers, including the stratum corneum, stratum granulosum, stratum spinosum, and stratum Basale. The epidermis contains melanocytes, which produce the pigment melanin responsible for skin coloration.
- b) Dermis: The dermis lies beneath the epidermis and provides support and nourishment to theskin. It contains blood vessels, hair follicles, sweat glands, sebaceous glands, nerve endings, and collagen and elastin fibres that contribute to the skin's strength, elasticity, and flexibility.
- c) Hypodermis (Subcutaneous Tissue): The hypodermis is the deepest layer of the skin and consists mainly of adipose (fat) tissue. It helps insulate the body, store energy, and provide cushioning.[1][2]

### Functions of the Skin:

- I. Protection: The skin acts as a physical barrier, protecting the body from harmful substances, microorganisms, UV radiation, and mechanical injuries.
- II. Sensation: The skin contains numerous nerve endings that detect sensations such as touch temperature, pain, and
- III. Thermoregulation: Through sweat production and dilation or constriction of blood vessels, the skin helps regulate body temperature.
- IV. Synthesis of Vitamin D: The skin plays a crucial role in the synthesis of vitamin D when exposed to sunlight.
- V. Immune Défense: Specialized cells in the skin, such as Langerhans cells and immune system components, help defend against pathogens and initiate immune responses.
- VI. Excretion: Sweat glands in the skin excrete waste products and help maintain fluid balance.[3]



### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 1, June 2025

Impact Factor: 7.67

#### Skin Conditions and Disorders:

- a) Acne: A common skin condition characterized by the formation of pimples, blackheads, andwhiteheads.
- b) Eczema: A chronic inflammatory condition that causes dry, itchy, and inflamed skin.
- c) Psoriasis: A chronic autoimmune condition that leads to the rapid build-up of skin cells, resulting in thick, scaly patches.
- d) Dermatitis: Inflammation of the skin caused by irritants or allergens.
- e) Skin Cancer: Various forms of skin cancer, including melanoma, basal cell carcinoma, andsquamous cell carcinoma, can develop due to excessive sun exposure or genetic factors.

#### Skin Care:

- I. Regular cleansing, moisturizing, and protection from excessive sun exposure are essential for maintaining healthy skin
- II. Adequate hydration, a balanced diet, and a healthy lifestyle contribute to skin health.
- III. Using sunscreen, wearing protective clothing, and avoiding tanning beds can help preventskin damage and reduce the risk of skin cancer.[4]

The skin is a complex and vital organ with numerous functions. Understanding its structure, functions, and common disorders is crucial for maintaining skin health and seeking appropriate are when needed.

### 2. MICROBIAL SKIN INFECTION:

Microbial skin infections, also known as skin infections caused by microorganisms, are common conditions that affect the skin. They are typically caused by bacteria, viruses, fungi, or parasites. Here is some information about different types of microbial skin infections:

a. Bacterial Skin Infections:

Bacteria can cause various skin infections, including:

- i. Impetigo: Commonly affects children and is characterized by red sores that burst and develophoney-colored crusts.
- ii. Cellulitis: A bacterial infection that affects the deeper layers of the skin, causing redness, swelling, and pain.
- iii. Folliculitis: Infection of the hair follicles, resulting in small, inflamed bumps or pustules.
- iv. Boils (Furuncles): Infections that occur in hair follicles or oil glands, leading to painful, pus-filled lumps.
- v. Carbuncles: Clusters of interconnected boils, often accompanied by fever and fatigue.[5]

### b. Viral Skin Infections:

Viruses can cause different types of skin infections, including:

- i. Herpes Simplex: Caused by the herpes simplex virus, it results in painful blisters or coldsores, commonly around the mouth or genitals.
- ii. Varicella-Zoster: Causes chickenpox during the initial infection and later reactivates asshingles, resulting in a painful rash.
- iii. Molluscum Contagiosum: Characterized by small, pink or flesh-colored bumps with acentral indentation caused by the poxvirus.
- iv. Warts: Caused by the human papillomavirus (HPV), resulting in rough, raised growths onthe skin.
- c. Fungal Skin Infections:

Fungi can cause various skin infections, including:

- i. Athlete's Foot (Tinea Pedis): Affects the feet, causing itching, redness, and cracked skin, often between the toes.
- ii. Ringworm (Tinea Corporis): Presents as a ring-shaped, itchy rash with raised edges and aclear centre on the body or scalp.

- iii. Jock Itch (Tinea Cruris): Affects the groin area, resulting in a red, itchy rash.
- iv. Candidiasis: Caused by the Candida fungus, it can lead to diaper rash, oral thrush, or vaginalyeast infections.







### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

Volume 5, Issue 1, June 2025

d. Parasitic Skin Infections:

Parasites can cause skin infections, such as:

- i. Scabies: Caused by tiny mites, it leads to intense itching and a rash that often appears as thin, wavy lines.
- ii. Pediculosis (Lice Infestation): Infestation with lice, resulting in itching and the presence oflice or their eggs (nits) on the hair or body

### 3. TOPICAL DRUG DELIVERY SYSTEM:

Topical drug delivery systems are formulations designed to deliver medication directly to the skin for local or systemic effects. These systems provide a convenient and targeted approach to treat various skin conditions and deliver therapeutic agents, such as drugs, ointments, creams, gels, lotions, and patches.

Applications of Topical Drug Delivery:

- I. Dermatological conditions: Topical systems are widely used to treat skin disorders such as eczema, psoriasis, acne, and fungal infections.
- II. Analgesia: Topical analgesics provide localized pain relief for conditions like arthritis, muscle sprains, and minor injuries.
- III. Hormone replacement therapy: Transdermal patches are employed for systemic delivery of hormones such as oestrogen and testosterone.
- IV. Motion sickness: Transdermal patches can deliver medications to alleviate symptomsof motion sickness.

#### 4. CREAMS:

Creams are a type of topical drug delivery system that consists of a semi-solid emulsion of water and oil. They are widely used in dermatology and other medical fields for their ease of application and ability to deliver medications to the skin. Creams are typically composed of three main components: water, oil, and an emulsifying agent.

### **Classification of Creams:**

- 1) Oil-in-water (O/W) Creams: These creams have water as the continuous phase and oil droplets dispersed within. They are commonly used for hydrating and moisturizing the skin. O/W creams are easy to spread, non-greasy, and can be easily washed off.
- 2) Water-in-oil (W/O) Creams: These creams have oil as the continuous phase and water droplets dispersed within. They provide occlusive effects, forming a protective barrier on the skin and reducing water loss. W/O creams are greasier and are suitable for dry or damaged skin.
- 3) Multiple Emulsion (W/O/W or O/W/O) Creams: These creams contain two sets of emulsion systems, combining the properties of both O/W and W/O creams. They can be used to deliver medications with different solubilities or to provide enhanced drug stability and prolonged release.
- 4) Emulsion-Microemulsion Creams: These creams utilize microemulsion systems, which are thermodynamically stable mixtures of oil, water, surfactants, and co-surfactants. Microemulsion creams improve drug solubility and skin penetration, allowing for effective drug delivery.

Properties and Advantages of Creams:

- I. Creams are easy to spread and apply to the skin, making them patient-friendly.
- II. They provide hydration and moisturization to the skin, improving its barrier function.
- III. Creams can deliver both hydrophilic and lipophilic drugs, offering a broad range of the rapeutic options.
- IV. Creams can be formulated with various active ingredients, including antibiotics, antifungals, corticosteroids, antiinflammatory agents, and moisturizers.

- V. Creams allow for controlled release of drugs, providing prolonged therapeutic effects.
- VI. Creams can be easily removed from the skin by washing.







### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 1, June 2025 Impact Factor: 7.67

### **Applications of Creams:**

- 1. Dermatology: Creams are commonly used to treat skin conditions such as eczema, psoriasis, acne, and dermatitis.
- 2. Wound Healing: Creams can be applied to promote wound healing and prevent infection.
- 3. Cosmetics: Creams are widely used in cosmetic formulations for moisturizing, anti-aging, and skin rejuvenation purposes.
- 4. Sunscreens: Cream-based sunscreens provide protection against UV radiation and preventsunburn.

Antimicrobial creams play a vital role in preventing and treating various types of infections. One such type of cream is the antimicrobial cream containing clove oil and cinnamon oil. This cream is formulated by combining the natural properties of clove oil and cinnamon oil, both of which are well-known for their antimicrobial properties.

### **Clove as an Antimicrobial Agent:**

Clove (Syzygium aromaticum) is a spice that has been used for centuries in traditional medicinedue to its various health benefits. One of its notable properties is its antimicrobial activity. Clove contains several bioactive compounds, including eugenol, which is responsible for its antimicrobial effects. Eugenol acts by disrupting the cell membranes of these microorganisms, inhibiting their growth and ultimately leading to their destruction.

- i. Antibacterial activity: Clove has been found to exhibit antibacterial activity against a wide range of bacteria, including both Gram-positive and Gram-negative strains. It can inhibit the growth of bacteria such as Escherichia coli, Salmonella typhi, Staphylococcus aureus, and Streptococcus mutans, among others.
- ii. Antifungal activity: Clove also demonstrates antifungal properties. It has been shown to beeffective against various fungal strains, including Candida species, Aspergillus species, and dermatophytes.
- iii. Antiviral activity: Studies have indicated that clove possesses antiviral properties. It has shown activity against certain viruses, including herpes simplex virus (HSV) and human immunodeficiency virus (HIV).

### Cinnamon as an Antimicrobial Agent:

Cinnamon is a spice derived from the inner bark of trees from the Cinnamonum genus. It has been widely used for culinary and medicinal purposes, and it also possesses antimicrobial properties. It contains several active compounds, including cinnamaldehyde, which has been shown to possess potent antibacterial and antifungal effects. Cinnamon oil acts by interfering with the microbial cell wall and membrane, impairing their integrity and resulting in the inhibition of bacterial and fungal growth.

- i. Antibacterial activity: Cinnamon has been shown to exhibit antibacterial effects against various bacterial strains. It can inhibit the growth of bacteria such as Escherichia coli, Salmonella, Staphylococcus aureus, and Bacillus cereus.
- ii. Antifungal activity: Cinnamon demonstrates antifungal properties and has been found to be effective against different fungal species. It can inhibit the growth of Candida albicans, Aspergillus niger, and other fungi.
- iii. Antiviral activity: Cinnamon has shown antiviral activity against certain viruses. It has been reported to have inhibitory effects against respiratory syncytial virus (RSV), herpes simplex virus (HSV), and other viruses.

When these two natural oils, clove oil and cinnamon oil, are combined in an antimicrobial cream, their synergistic effects enhance their overall antimicrobial activity.[12] The cream actsas a protective barrier on the skin, allowing the oils to exert their antimicrobial properties on the affected area. This can help in preventing and treating various types of infections, such as cuts, scrapes, minor burns, and fungal infections. It is important to note that while antimicrobial creams containing clove oil and cinnamon oil can be effective in managing minor skin infections, not for severe or systemic infections. In conclusion, antimicrobial creams containingclove oil and cinnamon oil offer a natural and potentially effective option for preventing and treating minor skin infections. Their antimicrobial properties make them valuable additions toskincare routines, promoting the overall health and well-being of skin.

DOI: 10.48175/IJARSCT-27386

#### AIM:

To study the Formulation and Evaluation of an Antimicrobial Cream









### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

Volume 5, Issue 1, June 2025

### **OBJECTIVES:**

- ☐ To prepare and evaluate antimicrobial cream by using clove oil and cinnamon oil.
- ☐ To determine the antimicrobial activity of clove and antibacterial activity of cinnamon.
- ☐ To provide a natural treatment for drug resistant bacteria by avoiding any adverse effect.
- ☐ To provide health benefit.

### **MATERIALS AND METHOD:**

### 1. CLOVE:



Figure 1: Clove buds

Kingdom : Plantae Division : Magnoliophyta Class : Magnoliopsida Order : Myrtales Family : Myrtaceae Genus : Syzygium Species S. aromaticum

### ACTIVE CONSTITUENTS AND THEIR PHARMACOLOGICAL ACTIVITIES:

- a) Eugenol: Eugenol is the primary active compound in cloves, constituting about 70-90% of the essential oil extracted from the buds. It possesses several pharmacological activities, including analgesic (pain-relieving), anti-inflammatory, and antimicrobial properties. Eugenolis also known for its local anaesthetic effects and can be used topically for toothaches and oralpain.
- b) Caryophyllene: Caryophyllene is a sesquiterpene compound found in cloves and other plants. It has antiinflammatory properties and acts as a selective agonist of cannabinoid receptor type 2 (CB2), which is involved in modulating the immune response and reducing inflammation.
- c) Acetyl eugenol: Acetyl eugenol is a derivative of eugenol found in cloves. It exhibits antioxidant and antiinflammatory properties. It has been studied for its potential protective effects against oxidative stress and inflammation-related conditions.
- d) Beta-caryophyllene: Beta-caryophyllene is a bicyclic sesquiterpene found in cloves. It is known for its antiinflammatory and analgesic properties. Beta-caryophyllene selectively activates the CB2 receptor and exhibits potential therapeutic effects in various inflammatory conditions.
- e) Tannins: Cloves contain tannins, which are polyphenolic compounds with astringent properties. Tannins can help alleviate diarrhoea and have antimicrobial effects. They may alsohave antioxidant properties and contribute to the overall medicinal benefits of cloves.
- f) Flavonoids: Cloves contain various flavonoids, including kaempferol, rhamnetin, and quercetin. These compounds possess antioxidant and anti-inflammatory properties and may contribute to the overall health benefits of cloves.

### **IDENTIFICATION TEST**

Appearance: Clear, yellow liquid, which becomes brown when exposed to air. Solubility: Miscible with methylene chloride with toluene and with fatty oils.

Chemical test:

i) A drop of clove oil is dissolved in 5ml alcohol and a drop of ferric chloride solution is added; due to the phenolic OH group of eugenols, a blue colour is seen.

Copyright to IJARSCT www.ijarsct.co.in







### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal



Volume 5, Issue 1, June 2025



Figure 2: Chemical test of clove oil

Relative Density: 1.030 to 1.063 Refractive Index: 1.528 to 1.537 Optical Rotation: 0°to -2°

Fatty oils and resinified essential oil: It comply with the test.

Solubility in alcohol: 1.0ml is soluble in 2.0ml and more of ethanol (70% V/V).

% content: beta-caryophyllene -5% to 14%

Eugenol- 75.0% to 88.0%

Acetyl eugenol – 4.0% to 15.0% [IP]

### 2. CINNAMON:



Figure 3: Cinnamon bark

Kingdom: Plantae Clade: Tracheophytes

Clade: Angiosperms Clade: Magnoliids Order: Laurales Family: Lauraceae Genus: Cinnamom

Species: C. verum

Binomial name: Cinnamomum verum (J. Presl)

### ACTIVE CONSTITUENTS AND THEIR PHARMACOLOGICAL ACTIVITIES:

- a) Cinnamaldehyde: This is the main active compound responsible for the characteristic flavour and aroma of cinnamon. It possesses antioxidant, anti-inflammatory, and antimicrobial properties.
- b) Eugenol: Found in varying amounts in different types of cinnamon, eugenol contributes to the spicyand sweet aroma of the spice. It also has antioxidant and antimicrobial properties.
- c) Coumarin: This compound is present in higher amounts in Cassia cinnamon (Cinnamomum cassia) compared to Ceylon cinnamon (Cinnamomum verum or Cinnamomum zeylanicum). Coumarin is responsible for the sweet aroma of cinnamon but may have adverse effects in highdoses.
- d) Cinnamic acid: Cinnamon contains cinnamic acid and its derivatives, such as caffeic acid and ferulic acid. These compounds possess antioxidant properties and contribute to the overallhealth benefits associated with cinnamon consumption.
- e) Procyanidins: Cinnamon contains oligomeric procyanidins, which are a type of flavonoid compound with antioxidant and anti-inflammatory properties. These compounds may contribute to the potential health benefits of cinnamon.

Copyright to IJARSCT www.ijarsct.co.in







### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

Volume 5, Issue 1, June 2025

In addition to these major constituents, cinnamon also contains trace amounts of essential oils, vitamins, minerals, and other beneficial compounds.

### **IDENTIFICATION TEST:**

Content: minimum 12mg/kg of essential oil Characters: characteristic aromatic odour Chemical test

1] A drop of volatile oil is dissolve in 5ml of alcohol and to it a drop of ferric chloride is added. A pale green colour is produced. (Cinnamic aldehyde gives brown colour with ferric chloride, whereas eugenol gives blue colour.)



Figure 4: Chemical test of cinnamon oil

### 3. BEES WAX:

Beeswax is a tough wax formed from a mixture of several compounds. Beeswax has a relatively low melting point range of 62 to 64 °C (144 to 147 °F).

Category: Pharmaceutical aid (stiffening agent)

Description: Beeswax is a fragrant solid at room temperature. The colours are light yellow, medium yellow, or dark brown and white. If beeswax is heated above 85 °C (185 °F) discoloration occurs. The flash point of beeswax is 204.4 °C (400 °F).

### 4. PARAFFIN OIL:

White mineral oil; liquid petrolatum

Liquid paraffin is a purified mixture of liquid hydrocarbons obtained from petroleum to whichnot more than 10ppm tocopherol or of butylated hydroxytoluene may be added.

Category: laxative; Lubricant.

Description: a transparent, colourless, oily liquid, free from fluorescence by daylight; odourless or almost odourless. [IP]

#### 5. BORAX:

Borax or sodium borate.

Molecular wt. 381.4 g/mol; chemical formula: Na2B4O7-10H2O

Definition: borax contains not less than 99.0% and not more than the equivalent of 103.0% of disodium tetraborate decahydrate.

Description: A white, crystalline powder, colourless crystal or crystalline masses, efflorescent, soluble in water, very soluble in boiling water, freely soluble in glycerol. [IP]

### 6. PROPYL PARABEN:

Propyl paraben is propyl 4-hydroxybenzoate. Chemical formula: C10H12O3; Mol. Wt. 180.2 g/mol.

Propyl paraben contain not less than 98.0% and not more than 102.0% of C10H12O3, calculated on the dried basis.

Category: Pharmaceutical aid (antimicrobial preservative)

Description: a white crystalline powder; odourless.

Copyright to IJARSCT www.ijarsct.co.in







### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

Volume 5, Issue 1, June 2025

### **METHODOLOGY:**

Collection of crude drug and essential oil:

The dried clove buds were collected from Local Market of Aurangabad, Maharashtra, India. And its extract used for the formulation.

The cinnamon bark powder was collected from Local Market of Aurangabad, Maharashtra, India. And its extract used for the formulation.

All the necessary ingredients or chemicals was collected from Pharmaceutics lab of Yash Institute of Pharmacy, Aurangabad.

Extraction of essential oil:

I) Extraction of clove oil: -

100 gm of dried clove sample is taken into 500 mL volumetric flask with 400 mL water and subjected to hydrodistillation for 4–6 hours. Subsequently, the volatile distillate is collected and saturated with sodium chloride following the addition of petroleum ether. Later, hydro andether layers are separated and dehydrated by using anhydrous sodium sulphate.

II) Extraction of cinnamon oil: -

100 gm of cinnamon powder was taken into 500 mL volumetric flask with 300 mL and subjected to hydro-distillation for 4–6 hours. The recovered mixture was allowed to settle andthe oil was withdrawn. After the hydro distillation process, the product was collected and separated using separatory funnel by adding diethyl ether. The essential oils in diethyl ethyl layer of the separatory funnel were separated several times until no oil was left in the separatory funnel. Dry and distil to obtain the oil.[17]

Trial 1 (%w/w) Trial 2 (%w/w) Sr. no. Ingredients Phase A Bees wax 20 16.5 Liquid paraffin 45 50 Phase B Borax 0.10 0.8 32.5 Water 34.5 Propyl paraben q.s. q.s.

Table 1: - Formulation of Cream base

### Procedure:

- 1. All the ingredients of phase A and phase B were taken in separate porcelain dishes.
- 2. Bees wax of oil phase (Phase A) are taken first for melting and then liquid paraffin will be added in order of increasing melting point and heat oil phase up to 75°C in a porcelain dish onwater bath.
- 3. Ingredients of aqueous phase (Phase B) are mixed in predetermined proportion and heated to the same temperature as of oil phase (75°C.)
- 4. At 75°C, add aqueous phase in oil phase slowly.
- 5. All the ingredients are mixed with continuous stirring until a smooth and stable emulsion isformed.
- 6. Then the cream was allowed to cool down to the room temperature and transferred to suitablecontainer. Since, formulation Trial II (C-1) gave a satisfactory product as a cream base; it wasselected as a suitable cream base for incorporation of clove oil and cinnamon oil.
- 7. Two different concentrations of both oils (i.e., 0.5% and 1%) were incorporated in cream base to formulate two formulations of antimicrobial cream (F1, F2) respectively.







### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

### Volume 5, Issue 1, June 2025

Table 2: - Formulation of cream containing clove oil and cinnamon oil

Sr.no.	Ingredients	F1	F2
1	Cream base (C-1)	30 gm	30 gm
2	Clove oil	0.15 ml	0.3 ml
3	Cinnamon oil	0.15 ml	0.3 ml



Figure 5:- Formulation of cream (F1)



Figure 6:- Formulation of cream (F2)









### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

Volume 5, Issue 1, June 2025

### **Evaluation parameter of cream:**

1. Determination of pH: The pH of the formulated cream was measured by using pH paper atroom temperature. It was found to be in range of 6-7.




Figure 7: pH Determination of cream

- 2. Physical appearance: The physical appearance of the cream was observed by its colour, roughness and graded.
- F1: white with consistency and soften in nature.F2: white with consistency and soften in nature.



Figure 8: Physical appearance of cream

3. Spredability: Adequate amount of sample is taken between two glass slides and a weight of 100gm is applied on the slides for 5 minutes. Spreadability can be expressed as,

Where, m = weight applied to upper slide.l = length moved on the glass slide. t = time taken



833



### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

### Volume 5, Issue 1, June 2025



Figure 9: Spreadability test

- 4. Homogeneity: The formulation was tested for the homogeneity by visual appearance and by touch.
- 5. Removal: The ease of removal of the creams applied was examined by washing the applied part with tap water.
- 6. Irritancy study: Mark an area of 1sq.cm on the left-hand dorsal surface. The cream was applied to the specified area and time was noted. Irritancy, erythema, edema was checked.



Figure 10: Skin Irritation Test

- 7. Test for antimicrobial activity:
- (1) Preparation of Nutrient Agar Plates: Nutrient agar medium was prepared according to the manufacturer's instructions and autoclaved for 20 minutes at 20 psi. After autoclaving, the agarmedium was cooled to 40–45°C in a water bath. 60 mL of the cooled agar medium was pouredonto the petri dish.
- (2) Preparation of Inoculum: Soil is source of various types of microorganisms. A standard stock solution of 0.5mg/mL is prepared in distilled water. From this stock, five dilutions of standard are prepared. The median concentration is prepared as per the specification in the monograph.[18][19]
- (3) Inoculation of the Nutrient Agar Plate: To inoculate the nutrient agar plates, the suspension of bacterial inoculum is poured into surface of agar plates. the plate was rotated approximately 60 degrees to ensure even distribution of the inoculum.
- (4) Preparation of Agar Well Diffusion Assay. The dried inoculated nutrient agar plates prepared above were used to perform the agar well diffusion assay. A sterile forceps was used to make the wells by punching holes on the inoculated nutrient agar plates. A desired amount of the formulations was placed into each well. The inoculated agar plate was incubated at 37°C for 48 hours. The zone of inhibition of formulated cream was observed. [20]





### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal



Volume 5, Issue 1, June 2025



Figure 11: Zone of Inhibition of formulated cream

#### RESULT AND DISCUSSION

The antimicrobial cream was observed by changes in parameters like colour, odour, pH, viscosity and particle size under normal conditions and antimicrobial cream was found to be substantially stable. The prepared creams (F1 and F2) were found to be homogeneous and in good appearance and consistency. The pH values of both the formulations were in the close range of (6-7). The formulation was slightly irritating to skin due to the spicy nature of clove and cinnamon. The Spreadability of formulation (F1 and F2) indicates that the cream formulation is easy to apply. The formulation (F1 and F2) was found to be more consistent.

Sr.	Code	Physical	рН	Consistency	Spreadability	Stability
no.		Appearance				
1	F1	White, smooth and	6-7	Satisfactory	Satisfactory	Stable
		homogeneous.				
2	F2	White, Smooth and	6-7	Satisfactory	Satisfactory	Stable
		homogeneous.				

Table 3: - Evaluation result of antimicrobial cream

### III. CONCLUSION

In India there are many medicinal plants which are used from ancient times for skin care. Natural preparation is more acceptable in recent trends which are mostly recommended as having less or no side effect. The idea to be submerging this formulation was its antimicrobial property.

Clove oil and cinnamon oil are both known for their antimicrobial properties. They contain bioactive compounds such as eugenol in clove oil and cinnamaldehyde in cinnamon oil, whichhave been shown to exhibit antibacterial, antifungal, and antiviral activities. These compoundscan inhibit the growth and proliferation of various microorganisms, including bacteria and fungi. The cream shows its effect against certain skin infections, wounds, or other dermatological conditions caused by microorganisms. The antimicrobial properties of the essential oils might help in reducing the microbial load and promoting healing.

This study was undertaken with aim to formulate, develop and evaluate antimicrobial cream by using two different concentrations of clove oil and cinnamon oil. From the results of the present study, it can be concluded that antimicrobial cream containing 0.3ml Clove oil and 0.3ml Cinnamon oil (F2) was acceptable in view of improvement in infectious skin condition and contains all good characters of skin cream.

Copyright to IJARSCT www.ijarsct.co.in







### International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Impact Factor: 7.67

#### Volume 5, Issue 1, June 2025

#### REFERENCES

- 1. Hendriks, F. M., Brokken, D., Oomens, C. W. J., Baaijens, F. P. T., & Horsten, J. B. A. M.(2000). Mechanical properties of different layers of human skin. Internal Poster (http://yp. bmt.tue. nl/pdfs/249. pdf), Department of Biomedical Engineering, Eindhoven University of Technology.
- 2. Honari, G. (2017). Skin structure and function. In Sensitive Skin Syndrome (pp. 16-22). CRC Press.
- 3. Benson, H. A. (2012). Skin structure, function, and permeation. Topical and transdermal drug delivery: Principles and practice, 1-22.
- 4. Esther Boelsma and others, Nutritional skin care: health effects of micronutrients and fatty acids, The American Journal of Clinical Nutrition, Volume 73, Issue 5, May 2001, Pages 853-864, https://doi.org/10.1093/ajcn/73.5.853.
- 5. Katarina Chiller, Bryan A. Selkin, George J. Murakawa, Skin Microflora and Bacterial Infections of the Skin, Journal of Investigative Dermatology Symposium Proceedings, Volume6, Issue 3,2001, Pages 170-174, ISSN 1087-0024, https://doi.org/10.1046/j.0022202x.2001.00043.x.(https://www.sciencedirect.com/science/a rticle/pii/S0022202X15529011).
- 6. Aly R. Microbial Infections of Skin and Nails. In: Medical Microbiology. 4th edition.
- University of Texas Medical Branch at Galveston, Galveston 1996. Available from https://www.ncbi.nlm.nih.gov/books/NBK8301 PMID: 21413322.
- 7. Hay R. J. (1992). Fungal skin infections. Archives of disease in childhood, 67(9), 1065-1067. https://doi.org/10.1136/adc.67.9.1065.
- 8. Sahu T, Patel T, Sahu S, Gidwani B, "Skin Cream as Topical Drug Delivery System: A Review" Journal of Pharmaceutical and Biological Sciences, Published by Atom and Cell Publishers, ISSN: 2320-1924.
- 9. Chauhan, L., & Gupta, S. (2020). Creams: A Review on Classification, Preparation Methods, Evaluation and its Applications. Journal of Drug Delivery and Therapeutics, 10(5-s), 281-289.https://doi.org/10.22270/jddt.v10i5-s.4430.
- 10. K.S. Misar, S.B. Kulkarni, W.B. Gurnule, Formulation and evaluation of antiacne cream by using Clove oil, Volume 29, Part 4,2020, Pages 1251-1258, ISSN 2214-7853, https://doi.org/10.1016/j.matpr.2020.06.106.
- 11. Sha 'at, F.; Pavaloiu, R.-D.; Hlevca, C.; Staras, A.; Rasit, I.; Mati, E.; Voicu, M.; Serban, R.; Pirvu, L. Formulation and Evaluation of an Antimicrobial Cream Containing Cinnamon Oilfor Topical Application. Proceedings 2020, 57, 17.https://doi.org/10.3390/proceedings2020057017.
- 12. Hashemi, S. M. B., & Khodaei, D. (2020). Antimicrobial activity of Satureja KhuzestanicaJamzad and Satureja bachtiarica Bunge essential oils against Shigella flexneri and Escherichiacoli in table cream containing Lactobacillus plantarum LU5. Food Science & Nutrition, 8(11),5907-5915.
- 13.https://media.istockphoto.com/id/1089394678/photo/dried-clove-buds-isolated-on-

white-

- background.jpg?s=612x612&w=0&k=20&c=mVAM9LLewiOz6VIau0XltghuFl3 K-4JltCUvnSfdGk=
- 14.https://media.istockphoto.com/id/1134101282/photo/cinnamon-sticks-on-
- white.jpg?s=612x612&w=0&k=20&c=kRJ8H48luI4NQv4tjHup3MQyjVUI6vezCioODI M kCM=
- 15. Indian Pharmacopoeia, Government of India, Ministry of Health & Family Welfare, TheIndian Pharmacopoeia Commission; Vol. I, 6th ed., 2010,
- 16. https://en.wikipedia.org/wiki/Beeswax
- 17. Wong Y. C, Ahmad-Mudzaqqir M. Y, Wan-Nurdiyana W.A. Extraction of Essential Oil fromCinnamon (Cinnamomum Zeylanicum). Orient J Chem 2014;30(1)
- 18. Practical pharmaceutical microbiology by Prof. Md. Usman, Kiran D,1st edition, S Vikas company 1st edition, 2018.
- 19. Practical pharmaceutical microbiology by Dr. Imtiyaz Wani, PV Publications. 1st edition, pg.no 34 to 41.
- 20. Chen, M. X., Alexander, K. S., & Baki, G. (2016). Formulation and evaluation of antibacterial creams and gels containing metal ions for topical application. Journal of pharmaceutics, 2016.



