

Smart Troubleshooter: Real-Time AI System for Automated Technical Assistance

Sayali Yadav¹ and Rohan Yadav²

Student, Department of Computer Engineering¹

Ajeenkya D. Y. Patil School of Engineering, Lohegaon, Pune, Maharashtra, India¹

Industry Professional, Automotive Software Development Department,

KPIT Technologies, Pune, Maharashtra, India²

sayalishete2104@gmail.com¹, yadavr222@gmail.com²

Abstract: *This paper identifies a novel approach to address the challenges faced by industries which rely on complex machinery, where timely and accurate access to product information and troubleshooting guidance is critical. Traditional methods like referring manuals and seeking human support are often inadequate leading to downtime and hamper productivity. Our project introduces an AI-powered system that takes advantage of a multi-layered approach, combining fine-tuned language models, Retrieval-Augmented Generation (RAG) Fusion, and Corrective Retrieval-Augmented Generation (CRAG) to provide swift and precise responses. This system focuses on offering a solution that is scalable to a large extent for meeting the dynamic needs of modern industries.*

Keywords: Generative AI, RAG Fusion, Large Language Models, LLM Fine-Tuning, Synthetic Dataset Generation.

I. INTRODUCTION

In industries that depend heavily on complex machinery and equipment, ensuring smooth, uninterrupted operations is crucial to maintaining productivity and meeting customer demands[1]. However, when technical issues arise, the process of accessing reliable, accurate, and up-to-date product information can become a significant obstacle[2]. Traditionally, users rely on printed manuals or support from technical staff, which often entails searching through lengthy documents or waiting for human assistance[3]. Such methods are time-consuming and may provide limited guidance, leading to extended downtime and operational inefficiencies[4].

Additionally, with technological advancements occurring at a rapid pace, products and machinery are regularly updated or modified, making it difficult to keep printed manuals current[5]. This results in a growing gap between the information users need and the information available to them, especially when dealing with advanced machinery where technical details are complex[6]. For example, a technician working on an industrial robot might require precise troubleshooting steps or specific maintenance guidelines that may not be readily available in outdated resources[7]. This disconnect can cause delays, increase maintenance costs, and impact overall productivity[8].

To address these challenges, our approach proposes a real-time, AI-powered system designed to deliver precise, context-aware responses for product information and troubleshooting[9]. By leveraging advanced Natural Language Processing (NLP) capabilities, including fine-tuned Large Language models (LLMs) and RAG techniques, this system goes beyond traditional support methods[10]. The goal is to provide users with immediate, relevant assistance, thus reducing downtime, improving operational efficiency, and enhancing user satisfaction.[11]

Our approach integrates a multi-layered AI system that includes RAG Fusion and CRAG[12]. These techniques allow the system to generate accurate responses by combining knowledge from internal resources like product manuals with data from external sources when needed[13]. Through these capabilities, the system not only adapts to various user queries but also remains scalable and resilient, making it ideal for modern industrial environments where machinery, products, and user needs constantly evolve[14].

II. RELATED WORK

Agent Based Work Flow

The AI-Based Agents Workflow (AgWf) paradigm provides a structured approach to enhance process mining applications using LLMs. AgWf combines deterministic tools and non-deterministic AI-based tasks, leveraging the divide-and-conquer principle to decompose complex inquiries into manageable sub-tasks executed by specialized agents[15]. This framework ensures improved task execution and higher quality outcomes by utilizing both traditional process mining techniques and the semantic capabilities of LLMs[16]. The framework supports various task types, such as routing inquiries, evaluating task outputs, and synthesizing insights into coherent results, thereby addressing limitations of existing LLM implementations in complex scenarios [17].

CrewAI

CrewAI is a collaborative AI framework that enables multiple AI agents to work together on complex tasks [18]. Each agent within the system is assigned a specific role, and to ensure accuracy and efficiency, agents are equipped with specialized tools like Serper's API for Google search and the RAG tool to enable RAG for tasks such as content creation, data research, and in-depth analysis [19].

CrewAI organizes agent interactions through various processes, including sequential, hierarchical, and a planned consensual approach that's currently in development[20]. In a sequential process, agents complete tasks one after another, handing over outputs as inputs to the next agent in line[21]. The hierarchical process allows agents to work under a structured order, where tasks are managed and delegated by a lead agent, establishing a clear chain of command and prioritization[22]. The planned consensual process is more collaborative, with agents discussing and agreeing on tasks before execution, pooling resources and insights for decisions to ensure an optimized outcome[23].

Designed to streamline teamwork and improve efficiency, CrewAI's modular framework enables agents to manage complex decision-making seamlessly [24]. The system's adaptability makes it ideal for multi-agent tasks like content generation, data analysis, and email automation, where multiple agents collaborate to achieve goals that would be challenging for a single AI model to accomplish alone[25].

Large Language Models (LLMs)

A Large Language Model (LLM) is an advanced AI system designed to process and generate human-like text by leveraging large-scale neural architectures, primarily Transformers[26]. These models are trained on vast datasets, enabling them to learn complex linguistic patterns, context, and relationships within the text[27]. The size of an LLM, measured in parameters—the adjustable values learned during training—ranges from millions to hundreds of billions, with larger models often yielding superior performance but requiring substantial computational resources[28]. Prominent examples include OpenAI's GPT, Large Language Model Meta AI (LLaMA), and Google DeepMind's Gemini, each excelling in tasks like text generation, summarization, and language translation[29].

The authors in the LLaMa paper [30] demonstrate that LLMs can achieve state-of-the-art performance by training exclusively on publicly available datasets, emphasizing openness and efficiency[31]. LLaMA models, spanning sizes from 7B to 65B parameters, outperform larger counterparts like GPT-3 on several benchmarks despite their smaller scale. These advancements underscore the potential of LLMs in democratizing access to AI technologies while maintaining competitive performance[32].

The paper [33] leveraged the capabilities of LLMs as a component of automated synthetic data generation pipelines[34]. By automating the data generation process, the pipeline reduces reliance on manual data collection, offering a cost-efficient solution for building and refining Machine Learning models[35]. Our approach integrates multiple powerful agents based LLMs to enhance the dataset generation process[36].

In the paper [37], it is demonstrated how LLMs can be employed to generate troubleshooting trees, which are essential for diagnosing and resolving issues in industrial equipment[38]. By leveraging LLMs, the study aims to streamline the

creation of troubleshooting guides, reducing the reliance on manual efforts and enhancing the efficiency of maintenance[39].

The study shown in the paper [40], revolves around multi-round prompt design and enabling LLM to connect the dots between different pieces of information[41]. They allow the LLM to iteratively process information for capturing the complexity of fault diagnosis encouraging the model to refine its understanding with each phase[42].

Fine-Tuning LLMs

Fine-tuning a LLM to serve as a user assistance system involves adapting a pretrained LLM to respond effectively to queries, resolve doubts, and offer step-by-step instructions based on a provided user manual[43]. This customized training equips the LLM to accurately interpret user questions and provide relevant guidance, making it a powerful tool for troubleshooting and instructional support[44].

The fine-tuning process leverages advanced techniques like Quantized Low-Rank Adapters (QLoRA) to reduce computational requirements and optimize performance [45]. These techniques enable the training of large models efficiently on consumer-grade hardware without sacrificing quality:

- **Creating a Specialized Dataset:** The process begins by gathering and structuring a dataset from the user manual. This dataset should cover common troubleshooting scenarios, step-by-step instructions, and detailed explanations of product features[46]. The dataset may also include FAQs, and example queries to train the LLM on the types of questions users might ask[47].
- **Adapting Model Parameters:** Instead of retraining the entire model, small trainable low-rank matrices are added to specific layers, such as attention layers[48]. These matrices focus on targeted fine-tuning for the specific task or domain, significantly reducing computational complexity and memory requirements[49]. This ensures that the LLM efficiently learns to understand the technical terminology, operational procedures, and typical issues covered in the manual, while keeping the base model unchanged[50].
- **Quantization for Efficiency:** Quantization reduces memory usage by converting model weights from a 16-bit floating-point format to a 4-bit format during training[51]. This technique allows large models, such as those with 13 billion or 70 billion parameters, to run on consumer-grade GPUs[52]. It preserves performance by keeping the base model frozen during training, thus avoiding degradation caused by quantization noise (a small error introduced when approximating data using lower precision)[53].
- **Optimizing Performance:** Fine-tuning involves careful adjustment of hyperparameters like learning rate, training duration, and batch size[54]. The goal is to enhance the LLM's ability to provide precise answers without making it overly reliant on the fine-tuning data, allowing it to retain some general language understanding[55]. Techniques like validation on user queries ensure that the model strikes the right balance between specificity and flexibility. The integration of QLoRA makes this process more resource efficient[56].
- **Testing and Refinement:** The fine-tuned model is tested with a set of validation queries that simulate real user interactions. This evaluation phase ensures the LLM can handle diverse questions, ranging from basic operational instructions to complex troubleshooting issues. Feedback from these tests may prompt further adjustments to the training data or model parameters [57].
- **Iterative Improvement:** Once deployed, the LLM-based assistant can continuously improve through user feedback. By periodically fine-tuning the model with new data reflecting common queries or misunderstood concepts, the assistant becomes more reliable and efficient over time[58].

Fine-tuning allows the creation of an effective LLM-based assistant that can interpret and respond accurately to user questions, delivering tailored advice and instructions derived directly from a user manual. This approach minimizes training costs while providing a high-quality support experience for users navigating technical information [59].

The authors of the study [60], address the challenge of hallucinations by incorporating Knowledge Graphs (KGs) and fine-tuning models on industrial datasets[61]. They leverage multimodal data to create more detailed prompts for inference and utilize KGs to facilitate multi-hop reasoning when required[62].

RAG Fusion

Traditional RAG method has certain limitations which RAG Fusion helps overcome [63].

RAG Fusion combines both RAG and reciprocal rank fusion by generating multiple queries, re-ranking them with reciprocal scores and fusing the documents and scores[64].

RAG Vs RAG-Fusion:

Traditional RAG gathers the documents, generates vector embeddings which are stored in a vector database. The 'n' most relevant documents based on vector distance to original query via vector search. Then the query along with the retrieved documents are sent to a LLM to output a response[65].

RAG-Fusion adds a few extra steps[66]. Once the original query is received, the model sends the original query to the LLM to generate a number of new search queries based on the original query[67]. The algorithm then performs vector search to find relevant documents[68]. But instead of doing this the traditional way, it uses the reciprocal rank fusion algorithm in search to assign scores to every document and re rank them according to the scores[69].

The model sends the re-ranked results along with the generated queries and original query to the LLM to produce an output[70].

III. METHODOLOGY

Dataset Generation

Automating the process of generating data plays a crucial role in designing an efficient and accurate language model for domain-specific queries[71]. CrewAI is employed here for simplification of the process by allowing users to feed a product manual, specify the product name (e.g., a vehicle), and optionally mention a specific part or component [72]. The tool then automatically generates a semi-structured dataset in JavaScript Object Notation (JSON) format, consisting of relevant question-answer pairs[73].

This way, the manual effort is reduced in generating training data. The resultant dataset provides the model with the ability to model accurate and contextually appropriate responses related to troubleshooting and product-related queries[74]. This is valuable in large industrial environments where detailed manuals and documentation are common, as it allows for continuous updates as new products or equipment are introduced[75].




Fig 1: Workflow for dataset generation

As seen in Fig 1, the process begins with the Customer Agent, which analyzes the provided document to generate customer queries or questions. These questions are then processed by two Technical Agents, both employing RAG tools to find solutions within the document[76]. The two agents operate with different temperature settings, ensuring diversity in the answers generated[77].

The outputs from the Technical Agents are subsequently passed to the Writer Agent, which synthesizes the responses into a single, coherent, and easily understandable answer[78]. This refined answer is forwarded to the JSON Formatter Agent, which structures the data into a JSON format. The JSON Formatter Agent integrates the original questions generated by the Customer Agent with their respective answers, thereby creating a well-organized dataset[79].

Additionally, the framework allows for the inclusion of specific information, such as vehicle components, within the document. This enables the system to tailor questions accordingly, ensuring relevance and specificity[80]. Through this iterative and systematic process, the CrewAI framework facilitates efficient and high-quality dataset generation for LLM fine-tuning[81].

Fine-Tuned Model Development

We have utilized the pretrained **LLaMA 3** model with 8 billion parameters from Hugging Face and fine-tuned it using **Unsloth** library which is designed to optimize and accelerate the fine-tuning and inferencing of LLMs (in our case training the LLM on custom dataset for car troubleshooting) [82].

To prepare the dataset as mentioned above we have used CrewAI a tool designed to streamline dataset generation from PDFs or documentations of the car manuals along with the conversion of the data into the particular trainable format[83].

Quantized Low-Rank Adapters (QLoRA):

The fine-tuning process leverages combination of two key techniques: Quantization and Low Rank Adaptation (LoRA) [84].-

Quantization:

It reduces memory usage by converting 16-bit floating point number to a 4 bit format while preserving performance[85].

It enables the training and deployment of larger models like 13 billion or 70 billion parameters on consumer grade GPUs[86].

It ensures that the base model is frozen during training, avoiding degradation from quantization noise (a small error introduced when we approximate a continuous data using a limited number of discrete levels (in our case steps) to a reduced lower precision data)[87].

LoRA:

It adds small, trainable low-rank matrices (used to reduce the complexity and computational requirements) (rank = r) to specific parts of a large language model (e.g., attention layers)[88].

This enables targeted fine-tuning for specific tasks, domains, or datasets without retraining the entire model, making the adaptation process efficient and cost-effective[89].

Optimized Gradient Checkpointing:

To further optimize the memory usage during training we utilized Optimized Gradient Checkpointing which recomputes intermediate values when needed instead of storing them saving up to 30% of VRAM [90], [91].

After preparing the dataset a system prompt and the relevant car model is specified to guide the LLMs behavior. This will be the prompt given to the LLM model every time a user asks his/her query making the answer domain-specific and accurate[92].

Along with this we define the steps, learning rate and other hyperparameters[93].

Finally, our LLM gets trained on the dataset we provided[94].

We can also locally store the weights of this trained LLM and then load those weights to get the solutions to our queries[95].

Implementation of Retrieval-Augmented Generation (RAG) Fusion

RAG Fusion extends the capabilities of vanilla RAG [96]. It improves the traditional approach by creating variations from the base query to broaden the search perspective, allowing the system to capture results that may not have been possible with only the base query[97]. The term "fusion" refers to how the system re-ranks these search results by comparing their relevance across multiple versions of the user query. This improves the final result as different interpretations of the query are also used for answer retrieval[98].

In this project, RAG Fusion is used when the initial response from the fine-tuned model isn't quite sufficient, i.e., when the model assigns a low relevance score to the query. Whenever this is encountered, the system generates similar queries to the query prompted by the user to capture different perspectives of the same query (as depicted in the flow diagram's "Generate similar questions" node), which helps to give a better response. The system then performs a vector search within a document database (e.g., a Chroma Vector Database), where documents are stored as high-dimensional vectors for better efficiency while searching[99].

The documents retrieved are ranked using reciprocal rank fusion (as shown in Fig 2), where the relevance of results is calculated across multiple queries[100]. This improves the robustness of the system, making it more likely to retrieve the correct information, even in ambiguous or difficult-to-answer queries. If a highly relevant result is found, it is presented to the user, along with the exact page or section from the product manual for additional context, such as diagrams or tables (as shown in the flow's "High relevance" path leading to "Print Response").

CRAG Approach

When RAG Fusion does not yield a satisfactory result, the system switches to the CRAG approach [101]. CRAG further increases the scope for retrieval of data by using external web sources rather than only internal documents.

CRAG is initiated when RAG Fusion’s results have low relevance (as shown in the flow diagram’s "Low relevance" path). The query is first transformed to allow for a broader search space (seen as the "Transform query" node in the diagram). The transformed query is then used to search the web, and then the collected data is integrated and returned to the user with a disclaimer that web-sourced information may carry a risk of inaccuracy due to its external nature[102].

The CRAG approach helps in scenarios where internal documentation is incomplete or outdated, providing a fallback mechanism that ensures users are still able to receive answers. Although external data is not always as reliable as internal, curated sources, it ensures the system can handle a wide range of queries, even those that go beyond the scope of the available manuals[103]




Fig 2: Flowchart of Workflow

Page Display

The authors have developed a method to locate the page or section containing the most relevant content based on the system’s generated response, following the flow in Fig 3. The steps are as follows:

- **Keyword Generation:** When the LLM generates a response, it provides five associated keywords[104]. Each keyword is assigned a relevance weight based on its importance in the response context. More critical

keywords get higher weights, while supplementary keywords receive lower weights. This weighting system allows the search algorithm to prioritize certain keywords more heavily during matching[105].

- **Semantic Keyword Expansion:** To account for variations in wording, the system performs a semantic expansion on each keyword[106]. This involves generating similar words and phrases that capture the same meaning, such as synonyms or contextually related terms. These expanded terms are also assigned weights based on their similarity to the original keywords[107].
- **Page Matching with Weighted Semantic Search:** The system assigns weights to keywords based on their parts of speech, emphasizing certain types of words that typically hold more relevance in search queries. Using the weighted keywords (and their semantic expansions), the system searches each page and computes a weighted match score for each page. A higher score is given when a page contains the original keywords or highly similar terms. This scoring is adjusted based on the weighted importance of each keyword, allowing more relevant keywords to influence the result heavily.
- **Diagram/Image Analysis:** Among the top 10 pages with the highest match scores, any page containing diagrams or images is further analyzed by examining the captions of these visuals.




Fig 3: Page Display Flowchart
DOI: 10.48175/IJARSCT-29700

- **Caption Matching with Keyword Weights:** Similar to page matching, the system applies weighted semantic search on captions. It calculates a match score for each caption based on the presence of keywords and their expanded terms. The caption with the highest weighted match score is identified, and the page containing this relevant image is selected.
- **Reference Display:** The page with the most relevant content, supported by both text and images, is displayed to the user as a reference. This page includes the visual elements that align with the response, enhancing the user's understanding.

IV. RESULT AND DISCUSSION

- Experimental results indicate that **PARAM Shavak** demonstrates a marginally faster performance compared to **Google Colab**. The time reductions observed for **Llama 3**, **Mistral**, **Gemma**, and **Phi** were 65.3%, 66.2%, 46.5%, and 2.4%, respectively.
- The use of CrewAI for dataset generation from manuals for Fine tuning of LLMs is a novel approach that leverages the power of existing models like Gemini to easily train more specialized LLMs like a troubleshooting Assistant
- Our initial attempts at training a Large Language Model from scratch proved to be computationally expensive, so we looked towards UnSloth for fine-tuning, which provided an easier approach. UnSloth's boilerplate-like methodology simplified the process of fine-tuning a LLM for beginners.
- We have done benchmarking on PARAM Shavak supercomputer in a box solution by Center of Development for Advance Computing (C-DAC) with the following Hardware:
 - Processor: Dual Intel Xeon Gold 6132
 - RAM: 96 GB DDR4 2666 MHz in balanced configuration
 - GPU: RTX A4500 with 20 GB GDDR6 VRAM




Fig 4: Loss Curve of Fine-Tuned LLM Model

- As seen in [Fig 4](#), the Mistral model converged faster. We believe this was due to its training on instruction-based tasks and having 7B parameters, offering an effective balance between performance and computational efficiency.
- The use of provenance tracking to predict the source of generated text proved to be largely effective, leveraging threshold-based page-wise weight calculations. However, an improvement could be made by highlighting the relevant text within the identified page for enhanced interpretability.

Table 1. Comparison of Google Colab and PARAM Shavak for Fine-Tuning Metrics

System	Model	Time Taken (in minutes)	Peak Memory (In Gigabytes (GB))	RAM (In GB)	GPU (In GB)
Google Colab	Llama 3	40.58	11.049		
	Mistral	123.76	13.631		
	Gemma	50.95	8.117	13	15
	Phi	20.89	2.643		
PARAM Shavak	Llama 3	14.09	6.904		
	Mistral	41.87	13.568		
	Gemma	27.25	9.131	93	40
	Phi	20.39	2.74		

As shown in [Table 1](#), the time taken for fine-tuning various models on two different machine configurations varies significantly due to the number of parameters and the hardware capabilities of the systems. Larger models, such as Mistral, with 22 billion parameters and a vocabulary size of 32,768, require considerably more time to fine-tune on both Google Colab and PARAM Shavak. In contrast, smaller models like Phi exhibited similar fine-tuning times on both platforms. However, on PARAM Shavak, which features superior hardware with higher RAM and VRAM, the fine-tuning time was significantly reduced for all models. For instance, Llama 3 being a medium sized model required only 14.09 minutes on PARAM Shavak compared to 40.58 minutes on Colab. This highlights that more powerful computational resources greatly enhance the efficiency of fine-tuning larger models, leading to substantial reductions in processing time.

V. CONCLUSION

In conclusion, our real-time AI-powered product information and troubleshooting system represents a significant advancement in addressing the operational challenges faced by industries reliant on complex machinery. By leveraging fine-tuned language models, RAG Fusion, and CRAG, our system provides a scalable and contextually aware solution that meets the dynamic needs of modern industrial environments. Traditional troubleshooting methods are often inefficient, leading to extended downtimes and increased operational costs. In contrast, our AI-based solution offers swift, precise responses by integrating internal product documentation with external resources when needed. The integration of CrewAI for automated dataset generation, along with LLaMA's fine-tuning and advanced techniques such as Quantized LoRA, enables our system to handle a wide array of user queries with high accuracy and minimal computational overhead. Furthermore, the page display mechanism enhances user experience by presenting the most relevant sections and visuals from the manuals, thus facilitating quick understanding and effective troubleshooting. This system's architecture not only reduces the time required to resolve technical issues but also provides a sustainable framework that can be adapted as machinery and products evolve. Future improvements, such as incorporating additional AI agents or exploring multimodal data sources, could further enhance the system's versatility. Ultimately, this AI-powered approach sets a new benchmark for real-time technical support, paving the way for more efficient and resilient industrial operations.

REFERENCES

- [1]. Geeta Popalghat, Parikshit Mahalle, Gitanjali Shinde, Nilesh P. Sable; Trajectory planning methods for autonomous ground vehicles: A survey. AIP Conf. Proc. 3 October 2025; 3325 (1): 070014. <https://doi.org/10.1063/5.0291891>
- [2]. Sable NP, Shukla VK, Mahalle PN and Khedkar V (2025) Optimizing agricultural yield: a predictive model for profitable crop harvesting based on market dynamics. *Front. Comput. Sci.* 7:1567333. doi: 10.3389/fcomp.2025.1567333
- [3]. Joshi, S., Naidu, M., Kulkarni, A., Kadam, S., Sable, N.P., Pandit, P. (2026). Digitization of Product Manual Using Augmented Reality. In: Senjyu, T., So-In, C., Joshi, A. (eds) *Smart Trends in Computing and Communications. SmartCom 2025. Lecture Notes in Networks and Systems*, vol 1464. Springer, Singapore. https://doi.org/10.1007/978-981-96-7520-3_29
- [4]. Bagate, R. A., Joshi, A. S., Kadam, A., Choubey, C. K., Sable, N., Kumar, A., ... & Nandan, D. (2025). Sarcasm Detection an Explainable AI Approach for Reddit Political Text. *Mathematical Modelling of Engineering Problems*, 12(1).
- [5]. Sable, N., Mahalle, P., Kadam, K., Sule, B., Joshi, R., & Deore, M. (2024). Deep Learning-Based Approach for Monitoring and Controlling Fake Reviews. *Journal of Computational and Cognitive Engineering*, 4(3), 377-386. <https://doi.org/10.47852/bonviewJCCE42023602>
- [6]. Shrirao, S. M., Shinde, G. R., Mahalle, P. N., Sable, N. P., & Deshpande, V. S. (2025). Fundamentals of Wireless Sensor Network. In *Machine Learning for Environmental Monitoring in Wireless Sensor Networks* (pp. 1-26). IGI Global.
- [7]. Deshmukh, A., Dhage, A., Gadapa, R., Butle, S., Yenikar, A., & Sable, N. P. (2024, December). Comparative Analysis of Machine Learning Algorithms for Emotion Classification. In *2024 IEEE Pune Section International Conference (PuneCon)* (pp. 1-6). IEEE.
- [8]. Garware, C. P., Shinde, G. R., Mahalle, P. N., Velankar, M. R., & Sable, N. P. (2024, December). Rhythmic Pattern Recognition-A Review. In *2024 IEEE Pune Section International Conference (PuneCon)* (pp. 1-6). IEEE.
- [9]. Sathe, P., Sabane, V., Undale, C., Uttarkar, A., Chavhan, V., Sable, N. P., & Yenikar, A. (2024, December). Deepfake Image Detection Using Yolov8. In *2024 IEEE Pune Section International Conference (PuneCon)* (pp. 1-5). IEEE.
- [10]. Sable, N. P., Patil, R. V., Deore, M., Bhimanpallewar, R., & Mahalle, P. N. (2024). Machine Learning Based Agricultural Profitability Recommendation Systems: A Paradigm Shift in Crop Cultivation. *International Journal of Interactive Multimedia & Artificial Intelligence*, 9(1).
- [11]. Joshi, H., Golhar, V., Gundawar, J., Gangurde, A., Yenikar, A., & Sable, N. P. (2024). Real-Time Sign Language Recognition and Sentence Generation. Available at SSRN 4992818.
- [12]. Bagal, N., Dingreja, K., Atterkar, A., Bachhav, P., Sable, N. P., Yenikar, A., & Alkunte, R. (2024, October). Drowsy driver detection system using computer vision and transfer learning for preventing road accidents. In *2024 IEEE International Conference on Blockchain and Distributed Systems Security (ICBDS)* (pp. 1-6). IEEE.
- [13]. Deshpande, M., Gangarde, D., Bhardwaj, N., Yadav, A. K., Sable, N. P., & Yenikar, A. (2024, October). Human Pose Estimation Using Machine Learning. In *International Conference on Advancements in Smart Computing and Information Security* (pp. 400-414). Cham: Springer Nature Switzerland.
- [14]. Hese, U. G., Mundhe, S. S., Marathe, N. N., Mane, H. T., Yenikar, A. V., & Sable, N. (2024, August). Deep Ensemble Learning for Cardiovascular Disease Prediction. In *International Conference on Mobile Radio Communications & 5G Networks* (pp. 327-344). Singapore: Springer Nature Singapore.



- [15]. Naidu, M., Kulkarni, A., Kadam, S., Joshi, S., Sable, N. P., & Yenikar, A. (2024, August). Image and video captioning using deep learning and natural language processing. In 2024 8th International Conference on Computing, Communication, Control and Automation (ICCUBEA) (pp. 1-5). IEEE.
- [16]. Mutkule, P. R., Sable, N. P., Mahalle, P. N., & Shinde, G. R. (2024). Explainable Artificial Intelligence in the Healthcare: An Era of Commercialization for AI Solutions. In Data-Centric Artificial Intelligence for Multidisciplinary Applications (pp. 142-158). Chapman and Hall/CRC.
- [17]. Bagade, J., Sable, N. P., & Birare, K. M. (2024). Comparative Analysis of Machine Learning Classification Techniques for Kidney Disease Prediction. In Data-Centric Artificial Intelligence for Multidisciplinary Applications (pp. 88-98). Chapman and Hall/CRC.
- [18]. Bangare, J. L., Sable, N. P., Mahalle, P. N., & Shinde, G. (2024). Privacy-preserving machine learning on non-co-located datasets using federated learning: challenges and opportunities. WSN and IoT, 314-335.
- [19]. Shital M. Shirrao, Gitanjali R. Shinde, Parikshit N. Mahalle, Nilesh P. Sable, Vivek S. Deshpande, "Navigating Congestion in Wireless Sensor Network: A Comprehensive Survey", International Journal of Computer Networks and Applications (IJCNA), 11(4), PP: 428-448, 2024, DOI: 10.22247/ijcna/2024/27.
- [20]. Mane, Dhiraj Kumar, Deshmukh, Shyam, Durgawale, Prakash M., Shirkande, Shrinivas T., Deokate, Sarika T. & Sable, Nilesh P. (2024) Privacy-preserving patient monitoring in healthcare IoT using attribute-based cryptography, Journal of Discrete Mathematical Sciences and Cryptography, 27:2-A, 513-524, DOI: 10.47974/JDMSC-1896
- [21]. Renuse, S., Mahalle, P. N., Shinde, G. R., & Sable, N. P. (2024). Enhancing IoT Security with Activity-Based Attack Modeling and Hybrid Classification Techniques. Panamerican Mathematical Journal, 34(1), 1-13.
- [22]. Deshpande, M., Mehta, P., Sable, N., Baraskar, U., Ingole, I., Shinde, V. (2024). Mental Health Prediction Using Artificial Intelligence. In: Sharma, N., Goje, A.C., Chakrabarti, A., Bruckstein, A.M. (eds) Data Management, Analytics and Innovation. ICDMAI 2024. Lecture Notes in Networks and Systems, vol 998. Springer, Singapore. https://doi.org/10.1007/978-981-97-3245-6_4
- [23]. Dhas, P. C., Mahalle, P. N., Shinde, G. R., & Sable, N. P. (2024). Analyzing the State-of-the-Art in Descriptive Statistics, Storytelling, and Performance Parameter Confirmation for IoT Applications. Advances in Nonlinear Variational Inequalities, 27(4), 161-184. <https://doi.org/10.52783/anvi.v27.1499>
- [24]. Dabade, M. S., Shinde, G., Mahalle, P., Sable, N., & Kharate, N. (2024). Comparative Analysis of Semantic and Syntactic Approaches in Automatic Text Summarization: A Comprehensive Review and Evaluation. Panamerican Mathematical Journal, 34(2), 183-194. <https://doi.org/10.52783/pmj.v34.i2.939>
- [25]. Bhat, P. et al. (2024). Brain Tumor Detection Using CNN. In: Venu Gopal Rao, K., Krishna Prasad, A.V., Vijaya Bhaskar, S.C. (eds) Advances in Computational Intelligence. ICACI 2023. Communications in Computer and Information Science, vol 2164. Springer, Cham. https://doi.org/10.1007/978-3-031-70001-9_2
- [26]. N. P. Sable, A. Yenikar and P. Pandit, "Movie Recommendation System Using Cosine Similarity," 2024 IEEE 9th International Conference for Convergence in Technology (I2CT), Pune, India, 2024, pp. 1-5, doi: 10.1109/I2CT61223.2024.10543873.
- [27]. Shah, H., Borole, T., Dhagude, A., Sable, N.P. (2024). Harmonizing Nature: Bird Species Classification Through Machine Learning-Based Vocal Analysis. In: Senjyu, T., So-In, C., Joshi, A. (eds) Smart Trends in Computing and Communications. SmartCom 2024 2024. Lecture Notes in Networks and Systems, vol 947. Springer, Singapore. https://doi.org/10.1007/978-981-97-1326-4_40
- [28]. V. Kunjir, P. Bhandekar, K. Rothe, R. Kaul and N. P. Sable, "DarkModeNotifier: Automatic Dark Mode Enabler for Smart Phones to Improve User Experience," 2024 Third International Conference on Intelligent Techniques in Control, Optimization and Signal Processing (INCOS), Krishnankoil, Virudhunagar district, Tamil Nadu, India, 2024, pp. 1-6, doi: 10.1109/INCOS59338.2024.10527701.
- [29]. M. Khan, T. Chavan, V. Jain, N. Sable and J. Bagecha, "Multi-Modal Accessibility Enhancement for Diverse User Groups," 2024 IEEE International Conference for Women in Innovation, Technology &



- Entrepreneurship (ICWITE), Bangalore, India, 2024, pp. 440-445, doi: 10.1109/ICWITE59797.2024.10502974.
- [30]. Nilesh P. Sable, E. al. (2023). Navigating Nonlinear Analysis and Artificial Intelligence Frontiers for Revolutionary Technology Solutions. *Advances in Nonlinear Variational Inequalities*, 27(1), 18–33. <https://doi.org/10.52783/anvi.v27.297>
- [31]. Joshi, A. ., Bagate, R. ., Hambir, Y. ., Sapkal, A. ., Sable, N. P. ., & Lonare, M. . (2023). System for Detection of Specific Learning Disabilities Based on Assessment. *International Journal of Intelligent Systems and Applications in Engineering*, 12(9s), 362–368.
- [32]. Sayali Renuse, Parikshit N. Mahalle, Gitanjali Rahul Shinde, and Nilesh P. Sable. 2024. A Comparative Study of Access Control Models for Ubiquitous Computing Systems. In *Proceedings of the 5th International Conference on Information Management & Machine Intelligence (ICIMMI '23)*. Association for Computing Machinery, New York, NY, USA, Article 78, 1–6. <https://doi.org/10.1145/3647444.3647905>
- [33]. S. Khurana, P. Balakumar, N. P. Sable, S. K. Sinha, M. Pandey and V. M. Saravanan, "Analyzing the Use of Machine Learning Models for Enhancing Big Data Retrieval Performance," 2023 IEEE International Conference on Paradigm Shift in Information Technologies with Innovative Applications in Global Scenario (ICPSITIAGS), Indore, India, 2023, pp. 48-52, doi: 10.1109/ICPSITIAGS59213.2023.10527534.
- [34]. A. Kannagi, T. Agrawal, M. K. Singar, K. R. Singh, K. K. Senthilkumar and N. P. Sable, "From Theory to Practice: Analyzing the Feasibility of Augmenting Human Intelligence with AI Technologies," 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kamand, India, 2024, pp. 1-8, doi: 10.1109/ICCCNT61001.2024.10724873.
- [35]. Kulkarni, Varsha G., Vishal Borate, and Yogesh Mali. "An Intelligent Ventilation Bag Featuring Automated Pressure Control and Variable Oxygen Range.", *International Journal of Advanced Research in Science, Communication and Technology*, Volume-6,Issus-2,pp:238-255,2026.
- [36]. Pisote, Anita, Yogesh Mali, and Vishal Borate. "An AI-Driven Framework for Digitized Audiological Reporting Based on Audiogram Analysis." *International Journal of Advanced Research in Science, Communication and Technology*, Volume-6,Issus-2,pp:256-270,2026
- [37]. Lilhare, Shweta G., Vishal Borate, and Yogesh Mali. "An AI & ML based BM25-Driven Methodology for Shortlisting Job Applicant Resumes." *International Journal of Advanced Research in Science, Communication and Technology*, Volume-6,Issus-2,pp:224-237,2026
- [38]. Mali, Yogesh, and Viresh Chapte. "Grid based authentication system." *International Journal* 2, no. 10 (2014).
- [39]. Lokre, Amit, Sangram Thorat, Pranali Patil, Chetan Gadekar, and Yogesh Mali. "Fake image and document detection using machine learning." *International Journal of Scientific Research in Science and Technology (IJSRST)* 5, no. 8 (2020): 104-109
- [40]. Y. K. Mali, S. A. Darekar, S. Sopal, M. Kale, V. Kshatriya and A. Palaskar, "Fault Detection of Underwater Cables by Using Robotic Operating System," 2023 IEEE International Carnahan Conference on Security Technology (ICCST), Pune, India, 2023, pp. 1-6, doi: 10.1109/ICCST59048.2023.10474270.
- [41]. Y. K. Mali, S. Dargad, A. Dixit, N. Tiwari, S. Narkhede and A. Chaudhari, "The Utilization of Block-chain Innovation to Confirm KYC Records," 2023 IEEE International Carnahan Conference on Security Technology (ICCST), Pune, India, 2023, pp. 1-5, doi: 10.1109/ICCST59048.2023.10530513.
- [42]. Lonari, P., Jagdale, S., Khandre, S., Takale, P., & Mali, Y. (2021). Crime awareness and registration system. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT)*, 8(3), 287-298.
- [43]. Asreddy, R., Shingade, A., Vyavhare, N., Rokde, A., & Mali, Y. (2019). A survey on secured data transmission using RSA algorithm and steganography. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT)*, 4(8), 159-162.

- [44]. Pathak, J., Sakore, N., Kapare, R., Kulkarni, A., & Mali, Y. (2019). Mobile rescue robot. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT)*, 4(8), 10-12.
- [45]. Yogesh Mali and Tejal Upadhyay, "Fraud Detection in Online Content Mining Relies on the Random Forest Algorithm," *SWB*, vol. 1, no. 3, pp. 13–20, Jul. 2023, doi: 10.61925/SWB.2023.1302.
- [46]. Chougule, Shivani, Shubham Bhosale, Vrushali Borle, and Vaishnavi Chaugule. "Prof. Yogesh Mali, "Emotion Recognition Based Personal Entertainment Robot Using ML & IP." *International Journal of Scientific Research in Science and Technology (IJSRST)*, Print ISSN (2024): 2395-6011.
- [47]. Mali, Y. (2023). TejalUpadhyay, “. Fraud Detection in Online Content Mining Relies on the Random Forest Algorithm ”, *SWB*, 1 (3), 13–20.
- [48]. Modi, S., Mane, S., Mahadik, S., Kadam, R., Jambhale, R., Mahadik, S., & Mali, Y. (2024). Automated Attendance Monitoring System for Cattle through CCTV. *REDVET-Revista electrónica de Veterinaria*, 25(1), 2024.
- [49]. N. Nadaf, G. Chendke, D. S. Thosar, R. D. Thosar, A. Chaudhari and Y. K. Mali, "Development and Evaluation of RF MEMS Switch Utilizing Bimorph Actuator Technology for Enhanced Ohmic Performance," 2024 International Conference on Control, Computing, Communication and Materials (ICCCCM), Prayagraj, India, 2024, pp. 372-375, doi: 10.1109/ICCCCM61016.2024.11039926.
- [50]. D. Das et al., "Antibiotic susceptibility profiling of *Pseudomonas aeruginosa* in nosocomial infection," 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kamand, India, 2024, pp. 1-5, doi: 10.1109/ICCCNT61001.2024.10723982.
- [51]. Y. K. Mali, L. Sharma, K. Mahajan, F. Kazi, P. Kar and A. Bhogle, "Application of CNN Algorithm on X-Ray Images in COVID-19 Disease Prediction," 2023 IEEE International Carnahan Conference on Security Technology (ICCST), Pune, India, 2023, pp. 1-6, doi: 10.1109/ICCST59048.2023.10726852.
- [52]. Inamdar, Faizan, Dev Ojha, C. J. Ojha, and D. Y. Mali "Job Title Predictor System." *International Journal of Advanced Research in Science, Communication and Technology* (2024): 457–463.
- [53]. Jagdale, Sudarshan, Piyush Takale, Pranav Lonari Shradha, Khandre, and Yogesh Mali. "Crime Awareness and Registration System." *International Journal of Scientific Research in Science and Technology* 5, no. 8 (2020).
- [54]. Mali, Yogesh. "NilaySawant, "Smart Helmet for Coal Mining, ". *International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)* Volume 3.
- [55]. P. Koli, V. Ingale, S. Sonavane, A. Chaudhari, Y. K. Mali and S. Ranpise, "IoT-Based Crop Recommendation Using Deep Learning," 2024 International Conference on Control, Computing, Communication and Materials (ICCCCM), Prayagraj, India, 2024, pp. 391-395, doi: 10.1109/ICCCCM61016.2024.11039888.
- [56]. Mali, Yogesh Kisan. "Marathi sign language recognition methodology using Canny's edge detection." *Sādhanā* 50, no. 4 (2025): 268.
- [57]. Y. K. Mali and A. Mohanpurkar, "Advanced pin entry method by resisting shoulder surfing attacks," 2015 International Conference on Information Processing (ICIP), Pune, India, 2015, pp. 37-42, doi: 10.1109/INFOP.2015.7489347.
- [58]. Hajare, R., Hodage, R., Wangwad, O., Mali, Y., & Bagwan, F. (2021). Data security in cloud. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT)*, 8(3), 240-245.
- [59]. Dhote, D., Rai, P., Deshmukh, S., & Jaiswal, A. Prof. Yogesh Mali," A Survey: Analysis and Estimation of Share Market Scenario. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT)*, ISSN, 2456-3307.

- [60]. T. S. Ruprah, V. S. Kore and Y. K. Mali, "Secure data transfer in android using elliptical curve cryptography," 2017 International Conference on Algorithms, Methodology, Models and Applications in Emerging Technologies (ICAMMAET), Chennai, India, 2017, pp. 1-4, doi: 10.1109/ICAMMAET.2017.8186639.
- [61]. Bhongade, A., Dargad, S., Dixit, A., Mali, Y.K., Kumari, B., Shende, A. (2024). Cyber Threats in Social Metaverse and Mitigation Techniques. In: Somani, A.K., Mundra, A., Gupta, R.K., Bhattacharya, S., Mazumdar, A.P. (eds) Smart Systems: Innovations in Computing. SSIC 2023. Smart Innovation, Systems and Technologies, vol 392. Springer, Singapore. https://doi.org/10.1007/978-981-97-3690-4_34.
- [62]. A. More, S. Khane, D. Jadhav, H. Sahoo and Y. K. Mali, "Auto-shield: Iot based OBD Application for Car Health Monitoring," 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kamand, India, 2024, pp. 1-10, doi: 10.1109/ICCCNT61001.2024.10726186.
- [63]. A. More, O. L. Ramishte, S. K. Shaikh, S. Shinde and Y. K. Mali, "Chain-Checkmate: Chess game using blockchain," 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kamand, India, 2024, pp. 1-7, doi: 10.1109/ICCCNT61001.2024.10725572.
- [64]. P. Shimpi, B. Balinge, T. Golait, S. Parthasarathi, C. J. Arunima and Y. Mali, "Job Crafter - The One-Stop Placement Portal," 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kamand, India, 2024, pp. 1-8, doi: 10.1109/ICCCNT61001.2024.10725010.
- [65]. Mali Y, Upadhyay T (2023) Fraud detection in online content mining relies on the random forest algorithm. SWB 1(3):13–20. <https://doi.org/10.61925/SWB.2023.1302>.
- [66]. N.P. Mankar, P.E. Sakunde, S. Zurange, A. Date, V. Borate, Y.K. Mali, Comparative evaluation of machine learning models for malicious URL detection, in 2024 MIT Art, Design and Technology School of Computing International Conference (MITADTSoCiCon) (Pune, India, 2024), pp. 1–7. <https://doi.org/10.1109/MITADTSoCiCon60330.2024.10575452>.
- [67]. Mali, Yogesh, and Viresh Chapt. "Grid based authentication system." International Journal 2, no. 10 (2014).
- [68]. Roy, N. R., Tanwar, S., & Batra, U. (Eds.). (2024). Cyber Security and Digital Forensics: Select Proceedings of the International Conference, ReDCySec 2023 (Vol. 896). Springer Nature.
- [69]. Dangore, M., et al. "Kisan Borate V (2024) Multi-class investigation of acute lymphoblastic leukemia using optimized deep convolutional neural network on blood smear images." (2024): 1-6.
- [70]. Mali, Yael. Identification of New Protein-protein Interaction of the Amyotrophic Lateral Sclerosis-linked Mutant G93A Human Superoxide Dismutase and Its Functional Implication. Tel Aviv University, 2009.
- [71]. Vaidya, A. O., Dangore, M., Borate, V. K., Raut, N., & Mali, Y. K. (2024). Chaudhari (2024) A deep fake detection for preventing audio and video frauds using advanced deep learning techniques.
- [72]. Mulani, U., V. Nandgaonkar, R. Mulla, S. Sonavane, V. K. Borate, and Y. K. Mali. Smart contract system with blockchain capability for improved supply chain management traceability and transparency [Conference session]. Computing Communication and Networking Technologies (ICCCNT), Kamand, India. 2024.
- [73]. Mali, Y. K. "Mohanpurkar,,". Advanced pin entry method by resist-ing shoulder surfing attacks (2015): 37-42.
- [74]. Koli, Pooja, Vinod Ingale, Sonali Sonavane, Ashvini Chaudhari, and Yogesh Kisan Mali. "ShivamRanpise." IoT-BasedCrop Recommendation Using Deep Learning." In 2024 International Conference on Control, Computing, Communication and Materials (ICCCCM), pp. 391-395.
- [75]. Mahajan, K., Bhangre, S., Gade, P. and Mali, Y., Guardian Shield: Real Time Transaction Security.
- [76]. Mali, Yogesh, Krishnal Mahajan, Sumant Bhangre, and Prajakta Gade. "Guardian Shield: Real Time Transaction Security."
- [77]. Umar Mulani, Dr Vinod Ingale, Rais Mulla, Ankita Avthankar, Yogesh Mali, and Vishal Borate. "Optimizing Pest Classification in Oil Palm Agriculture using Fine-Tuned GoogleNet Deep Learning Models." (2025).



- [78]. Mulani, Umar, Vinod Ingale, Rais Mulla, Ankita Avthankar, Yogesh Mali, and Vishal Borate. "Optimizing Pest Classification in Oil Palm Agriculture using Fine-Tuned GoogleNet Deep Learning Models." *Genze International Journal of Engineering & Technology (GIJET)* 11 (2025).
- [79]. Mali, Yogesh. "Data Security in Cloud." *ijsrseit.com* (2021).
- [80]. Kadam, S., Patil, A., Mali, Y., Gurav, S., Patil, S. M., & More, R. (2026). IMAGE BASED MERN STACK FOR SERVICE DISCOVERY USING METHOD WEB SERVICE. *ShodhKosh: Journal of Visual and Performing Arts*, 7(2s), 389–398. <https://doi.org/10.29121/shodhkosh.v7.i2s.2026.7038>
- [81]. Waghodekar, P. et al. (2025). Security Protecting Confirmation of IoMT in Distributed Cloud Computing. In: Shukla, P.K., Bhatt, A., Mittal, H., Engelbrecht, A. (eds) *Computer Vision and Robotics. CVR 2024. Algorithms for Intelligent Systems*. Springer, Singapore. https://doi.org/10.1007/978-981-97-8868-2_3
- [82]. P. B. More, A. N. Jadhav, I. Khatik, S. Singh, V. K. Borate and Y. K. Mali, "Sign Language Recognition Using Hand Gestures," 2024 3rd International Conference for Advancement in Technology (ICONAT), GOA, India, 2024, pp. 1-5, doi: 10.1109/ICONAT61936.2024.10774685.
- [83]. Sale, D., Khare, N., Kadam, S., Mali, Y.K., Borate, V., Gaur, A. (2025). A Secure Pin Entry Mechanism for Online Banking by Defending Shoulder-Surfing Attacks. In: Kumar, S., Mary Anita, E.A., Kim, J.H., Nagar, A. (eds) *Fifth Congress on Intelligent Systems. CIS 2024. Lecture Notes in Networks and Systems*, vol 1278. Springer, Singapore. https://doi.org/10.1007/978-981-96-2703-5_4.
- [84]. D. R. Naik, V. D. Ghonge, S. M. Thube, A. Khadke, Y. K. Mali and V. K. Borate, "Software-Defined-Storage Performance Testing Using Mininet," 2024 IEEE International Conference on Information Technology, Electronics and Intelligent Communication Systems (ICITEICS), Bangalore, India, 2024, pp. 1-5, doi: 10.1109/ICITEICS61368.2024.10625153.
- [85]. Y. Mali, M. E. Pawar, A. More, S. Shinde, V. Borate and R. Shirbhate, "Improved Pin Entry Method to Prevent Shoulder Surfing Attacks," 2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT), Delhi, India, 2023, pp. 1-6, doi: 10.1109/ICCCNT56998.2023.10306875.
- [86]. V. Borate, Y. Mali, V. Suryawanshi, S. Singh, V. Dhoke and A. Kulkarni, "IoT Based Self Alert Generating Coal Miner Safety Helmets," 2023 International Conference on Computational Intelligence, Networks and Security (ICCINS), Mylavaram, India, 2023, pp. 01-04, doi: 10.1109/ICCINS58907.2023.10450044.
- [87]. S. Modi, Y. K. Mali, V. Borate, A. Khadke, S. Mane and G. Patil, "Skin Impedance Technique to Detect Hand-Glove Rupture," 2023 OITS International Conference on Information Technology (OCIT), Raipur, India, 2023, pp. 309-313, doi: 10.1109/OCIT59427.2023.10430992.
- [88]. V. Ingale, B. Wankar, K. Jadhav, T. Adedoja, V. K. Borate and Y. K. Mali, "Healthcare is being revolutionized by AI-powered solutions and technological integration for easily accessible and efficient medical care," 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kamand, India, 2024, pp. 1-6, doi: 10.1109/ICCCNT61001.2024.10725646.
- [89]. Sawardekar, S., Mulla, R., Sonawane, S., Shinde, A., Borate, V., Mali, Y.K. (2025). Application of Modern Tools in Web 3.0 and Blockchain to Innovate Healthcare System. In: Rawat, S., Kumar, A., Raman, A., Kumar, S., Pathak, P. (eds) *Proceedings of Third International Conference on Computational Electronics for Wireless Communications. ICCWC 2023. Lecture Notes in Networks and Systems*, vol 962. Springer, Singapore. https://doi.org/10.1007/978-981-97-1946-4_2
- [90]. J. Pawar, A. A. Bhosle, P. Gupta, H. Mehta Shiyal, V. K. Borate and Y. K. Mali, "Analyzing Acute Lymphoblastic Leukemia Across Multiple Classes Using an Enhanced Deep Convolutional Neural Network on Blood Smear," 2024 IEEE International Conference on Information Technology, Electronics and Intelligent Communication Systems (ICITEICS), Bangalore, India, 2024, pp. 1-6, doi: 10.1109/ICITEICS61368.2024.10624915.





- [91]. R. Govindwar et al., "Blockchain Powered Skill Verification System," 2023 International Conference for Advancement in Technology (ICONAT), Goa, India, 2023, pp. 1-8, doi: 10.1109/ICONAT57137.2023.10080848.
- [92]. Nilesh P Sable, Omkar Wanve, Anjali Singh, Siddhesh Wable, Yash Hanabar, "Pressure Prediction System in Lung Circuit Using Deep Learning", ICT with Intelligent Applications, Springer, Singapore, 605-615, 2023
- [93]. Railkar, P. N., Mahalle, P. N., Shinde, G. R., & Sable, N. P. (2022). Policy-Aware Distributed and Dynamic Trust Based Access Control Scheme for Internet of Things. *International Journal on Recent and Innovation Trends in Computing and Communication*, 10(1s), 155-6.
- [94]. S. Balwade, D. Mali, S. Mahajan, B. Yele and N. P. Sable, "Real Time Identity Identification using Deep Learning," 2022 2nd International Conference on Intelligent Technologies (CONIT), Hubli, India, 2022, pp. 1-6, doi: 10.1109/CONIT55038.2022.9848262.
- [95]. Parikshit N Mahalle, Nilesh P Sable, Namita P Mahalle, Gitanjali R Shinde, "Data Analytics: COVID-19 Prediction Using Multimodal Data", *Intelligent systems and methods to combat Covid-19*, Page-1-10, Springer, Singapore, 2020.
- [96]. Gadekar, D. P., Sable, N. P., & Raut, A. H. (2019). Exploring Data Security Scheme into Cloud Using Encryption Algorithms. *International Journal of Recent Technology and Engineering (IJRTE)*, Published By: Blue Eyes Intelligence Engineering & Sciences Publication, ISSN, 2277-3878.
- [97]. Mutkule, P. R., Sable, N. P., Mahalle, P. N., & Shinde, G. R. (2023). Predictive Analytics Algorithm for Early Prevention of Brain Tumor using Explainable Artificial Intelligence (XAI): A Systematic Review of the State-of-the-Art. *Industry 4.0 Convergence with AI, IoT, Big Data and Cloud Computing: Fundamentals, Challenges and Applications*, 69.
- [98]. Dhotre, P. S., Pathan, S., & Sable, N. P. (2022). Critical Infrastructure Security: Issues, Challenges and 5G Solutions from an Indian Perspective. In *5G, Cybersecurity and Privacy in Developing Countries* (pp. 75-89). River Publishers.
- [99]. Modi, S., Nalawade, S., Zurange, S., Mulani, U., Borate, V., Mali, Y. (2025). Python-Driven Mapping of Technological Proficiency with AI to Simplify Transfer Applications in Education. In: Saha, A.K., Sharma, H., Prasad, M., Chouhan, L., Chaudhary, N.K. (eds) *Intelligent Vision and Computing. ICIVC 2024*. Studies in Smart Technologies. Springer, Singapore. https://doi.org/10.1007/978-981-96-4722-4_1
- [100]. Mali, Yogesh, Vijay U. Rathod, M. M. Kulkarni, Pranita Mokal, Sarita Patil, Vidya Dhamdhare, and D. R. Birari. "A comparative analysis of machine learning models for soil health prediction and crop selection." *International Journal of Intelligent Systems and Applications in Engineering* 11, no. 10s (2023): 811-828.
- [101]. D. Sengupta, S. A. Nalawade, L. Sharma, M. S. J. Kakade, V. K. Borate and Y. K. Mali, "Enhancing File Security Using Hybrid Cryptography," 2024 15th International Conference on Computing Communication and Networking Technologies (ICCCNT), Kamand, India, 2024, pp. 1-8, doi: 10.1109/ICCCNT61001.2024.10724120.
- [102]. Modi, S., Sale, D., Borate, V., Mali, Y.K. (2025). Enhancing Learning Outcomes Through the Use of Conducive Learning Spaces. In: Majumder, M., Zaman, J.K.M.S.U., Ghosh, M., Chakraborty, S. (eds) *Computational Technologies and Electronics. ICCTE 2023. Communications in Computer and Information Science*, vol 2376. Springer, Cham. https://doi.org/10.1007/978-3-031-81935-3_4
- [103]. Rathod, V., Mali, Y., Sable, N., Ajalkar, D., Bharathi, M., & Padmaja, N. (2023). A Network-Centred Optimization Technique for Operative Target Selection. *Journal of Electrical Systems*, 19(2).
- [104]. Kohad, R., Khare, N., Kadam, S., Nidhi, Borate, V., Mali, Y. (2026). A Novel Approach for Identification of Information Defamation Using Sarcasm Features. In: Sharma, H., Chakravorty, A. (eds) *Proceedings of International Conference on Information Technology and Intelligence. ICITI 2024. Lecture Notes in Networks and Systems*, vol 1341. Springer, Singapore. https://doi.org/10.1007/978-981-96-5126-9_12.





- [105].Modi, S., Mali, Y., Kotwal, R., Kisan Borate, V., Khairnar, P., Pathan, A. (2024). Hand Gesture Recognition and Real-Time Voice Translation for the Deaf and Dumb. In: Jain, S., Mihindukulasooriya, N., Janev, V., Shimizu, C.M. (eds) Semantic Intelligence. ISIC 2023. Lecture Notes in Electrical Engineering, vol 1258. Springer, Singapore. https://doi.org/10.1007/978-981-97-7356-5_35.
- [106].Avthankar, Ankita, Kailash Nath Tripathi, Disha Sengupta, Varsha Dange, Vishal Borate, and Yogesh Mali. "Plant Image Recognition and Disease Prediction using CNN." Grenze International Journal of Engineering & Technology (GIJET) 11 (2025).
- [107].V. U. Rathod, Y. K. Mali, N. P. Sable, R. R. Rathod, M. N. Rathod and N. A. Rathod, "The Use of Blockchain Technology to Verify KYC Documents," 2023 IEEE International Conference on Blockchain and Distributed Systems Security (ICBDS), New Raipur, India, 2023, pp. 1-6, doi: 10.1109/ICBDS58040.2023.10346414.

