

AIRMATH : Third Eye for Blind Ultrasonic Vibrator Glove

Aniket Tondage, Om Kamble, Rohit Borse

Department of Electronics and Telecommunication

Jayawantrao Sawant Polytechnic, Pune, India

anikettondage@gmail.com

Abstract: *The “Third Eye for Blind” is an innovative assistive wearable device designed to enhance mobility and independence for visually impaired individuals. This project presents an ultrasonic vibrator glove that detects obstacles in the user’s path and provides real-time tactile feedback through vibration alerts. The system utilizes ultrasonic sensors to measure the distance between the user and surrounding objects. When an obstacle is detected within a predefined range, the glove activates vibration motors with varying intensity based on proximity, allowing the user to perceive distance through touch.*

The glove is lightweight, portable, and energy-efficient, making it suitable for daily use. It is powered by a microcontroller that processes sensor data and controls the vibration mechanism accordingly. Unlike traditional walking aids, this device offers hands-on environmental awareness, improving safety and navigation in indoor and outdoor environments.

The proposed system aims to provide a cost-effective, user-friendly, and reliable solution to assist visually impaired individuals in avoiding collisions and navigating independently. By converting spatial information into tactile signals, the ultrasonic vibrator glove acts as a “third eye,” enhancing confidence, safety, and quality of life for blind users.

Keywords: Assistive Technology, Ultrasonic Sensor, Vibration Feedback, Smart Glove, Obstacle Detection, Visually Impaired Aid, Wearable Device, Tactile Navigation, Microcontroller-Based System, Mobility Assistance

I. INTRODUCTION

Visual impairment significantly affects an individual’s ability to move independently and safely in daily life. Traditional mobility aids such as white canes and guide dogs provide essential support; however, they have certain limitations in detecting obstacles beyond physical reach or at different heights. To overcome these challenges, assistive technologies are being developed to enhance environmental awareness through innovative and user-friendly solutions.

The “Third Eye for Blind” is a wearable assistive device designed in the form of an ultrasonic vibrator glove. This smart glove helps visually impaired individuals detect obstacles in their surroundings using ultrasonic sensors. The system works by emitting ultrasonic waves that reflect off nearby objects. The reflected signals are processed by a microcontroller, which calculates the distance to the obstacle. Based on the proximity, vibration motors embedded in the glove provide tactile feedback with varying intensity, allowing the user to understand how close an object is without relying on vision.

The main objective of this project is to develop a cost-effective, lightweight, and portable navigation aid that improves the safety and independence of blind users. By converting distance information into vibration signals, the glove acts as a “third eye,” enabling users to sense obstacles in real time. This technology aims to enhance confidence, reduce accidents, and improve overall mobility in both indoor and outdoor environments.



The Third Eye Ultrasonic Vibrator Glove represents a practical step toward smarter assistive devices, combining simplicity, affordability, and efficiency to support visually impaired individuals in leading more independent lives.

• SYSTEM OVERVIEW

The Third Eye for Blind – Ultrasonic Vibrator Glove is a wearable assistive device designed to help visually impaired individuals detect obstacles and navigate safely. The system uses an ultrasonic sensor to emit high-frequency sound waves that reflect off nearby objects. A microcontroller processes the reflected signals to calculate the distance between the user and the obstacle. Based on this distance, vibration motors embedded in the glove provide tactile feedback with varying intensity, allowing the user to understand how close an object is. The glove is lightweight, portable, and powered by a rechargeable battery, making it suitable for everyday use. By converting spatial information into vibration signals, the device acts as a “third eye,” enhancing independence, safety, and confidence for blind users in both indoor and outdoor environments.

• METHODOLOGY

The methodology for the Third Eye for Blind – Ultrasonic Vibrator Glove involves designing, developing, and testing a wearable system that detects obstacles and provides tactile feedback to visually impaired users. The development process is carried out in systematic stages to ensure accuracy, reliability, and user comfort.

First, the system design is planned by selecting suitable components such as an ultrasonic sensor, microcontroller, vibration motors, and a rechargeable battery. The ultrasonic sensor is positioned on the glove to effectively detect obstacles in front of the user. The microcontroller is programmed to measure the time interval between transmitted and received ultrasonic waves to calculate the distance of nearby objects.


Next, hardware integration is performed by connecting the ultrasonic sensor and vibration motors to the microcontroller. The motors are strategically placed inside the glove to ensure that vibrations are clearly felt by the user. Distance thresholds are programmed into the system so that different vibration intensities correspond to different obstacle distances (e.g., strong vibration for close objects and mild vibration for distant objects).

After hardware assembly, software development and programming are carried out. The microcontroller code continuously reads sensor data, processes the distance values, and activates the vibration motors accordingly. The system operates in real time to provide instant feedback.

Finally, testing and calibration are conducted in both indoor and outdoor environments to verify detection accuracy and user comfort. Adjustments are made to improve sensitivity, reduce false detections, and optimize vibration response. Through this structured methodology, the ultrasonic vibrator glove is developed as an efficient, user-friendly, and cost-effective assistive device for visually impaired individuals.



• **CIRCUIT DIAGRAM**



The “Third Eye for Blind with Vibrating Ultrasonic Glove”, is designed to help the blind to overcome the lack of visual sense, by using other senses like sound and touch. It uses audio and vibration signals to notify the user about upcoming hurdle. As the distance between glove and obstacle decreases, frequency of both audio and vibration signals increases. Thus the system helps to ease the navigation process for the needy.

The system uses Atmega-328 microcontroller, which is a high performance 8-bit AVR RISC- based microcontroller. It has 32KB of ISP flash memory with read-while-write capabilities, as well as 1KB EEPROM, 2KB SRAM. It also has features like, 23 general purpose I/O lines, 32 general purpose working registers and three adjustable timer/counters with compare modes. For sensing the distance the system uses a HC-SR04, a Ultrasonic Range Finder Distance Sensor Module. The sensor module is designed to measure the distance using the principle of SONAR or RADAR, of using ultrasonic wave to determine the distance of an object. The system also consist a buzzer to generate an alarm sound and a motor to generate vibration signals.



• **RESULT**



ADVANTAGES

1. Improved Safety: Detects obstacles in advance, reducing the risk of collisions and accidents.
2. Real-Time Feedback: Provides instant vibration alerts, allowing quick response to nearby objects.
3. Hands-Free and Wearable: Designed as a glove, making it comfortable and easy to use without carrying extra equipment.
4. Lightweight and Portable: Compact design ensures convenience for daily use.
5. Cost-Effective Solution: Affordable compared to advanced navigation systems or guide services.



6. Low Power Consumption: Operates efficiently on a rechargeable battery for extended use.
7. Enhanced Independence: Enables visually impaired individuals to move confidently without constant assistance.
8. User-Friendly Operation: Simple working mechanism with minimal training required.
9. Indoor and Outdoor Usability: Effective in different environments such as homes, offices, and public places.
10. Customizable Sensitivity: Distance thresholds and vibration intensity can be adjusted as needed.

• LIMITATION

1. Limited Detection Range: The ultrasonic sensor can only detect objects within a specific distance range, which may not cover long-range obstacles.
2. Environmental Interference: Performance may be affected by environmental factors such as rain, wind, soft surfaces, or sound-absorbing materials.
3. Difficulty with Small or Thin Objects: Very thin objects (like wires or poles) may not reflect ultrasonic waves effectively.
4. Battery Dependency: The device relies on battery power and may stop functioning if the battery is not charged.
5. Single-Direction Detection: If the sensor is positioned only in the forward direction, it may not detect obstacles on the sides or at different heights.
6. Vibration Interpretation: Users need some training to correctly interpret different vibration intensities.
7. No Detailed Object Identification: The system can detect the presence of obstacles but cannot identify the type of object.
8. Possible False Readings: Irregular surfaces or multiple reflections may cause inaccurate distance measurements.

• HARDWARE COMPONENTS LIST

- Atmega Microcontroller
- Ultrasonic Sensor
- Crystal Oscillator
- Resistors
- Capacitors
- Transistors
- Cables and Connectors
- Diodes
- PCB and Breadboards
- LED
- Transformer/Adapter
- Push Buttons
- Switch
- IC
- IC Sockets
- Vibrator Motor
- Gloves

• SOFTWARE

- Arduino Compiler
- Language: C

• FUTURE SCOPE

1. 360-Degree Obstacle Detection: Adding multiple ultrasonic sensors to detect obstacles from all directions.



2. Object Recognition: Integrating camera modules and AI technology to identify objects, not just detect them.
3. GPS Navigation System: Incorporating GPS for real-time location tracking and route guidance.
4. Voice Assistance Feature: Adding audio feedback to provide spoken alerts and navigation instructions.
5. Mobile App Connectivity: Enabling Bluetooth connection for customization and performance monitoring.
6. Improved Battery System: Using long-lasting rechargeable lithium-ion batteries with fast charging capability.
7. Waterproof and Durable Design: Enhancing the glove structure for better durability and weather resistance.
8. Emergency Alert System: Integrating IoT-based alerts to notify caregivers during emergencies.
9. Compact and Ergonomic Design: Making the glove lighter, smaller, and more comfortable for daily wear.
10. Smart Sensor Integration: Combining additional sensors such as infrared or motion sensors for improved accuracy.

II. CONCLUSION

The Third Eye for Blind – Ultrasonic Vibrator Glove is an innovative and practical assistive device designed to improve the mobility and safety of visually impaired individuals. By utilizing ultrasonic sensors to detect obstacles and converting distance information into tactile vibration feedback, the system enables users to sense their surroundings without relying on vision.

The glove is lightweight, portable, cost-effective, and easy to use, making it suitable for everyday applications in both indoor and outdoor environments. It enhances independence, confidence, and overall quality of life by reducing the risk of collisions and providing real-time environmental awareness.

Although the system has certain limitations, it represents a significant step toward smart assistive technology. With further advancements and integration of modern technologies, the Third Eye Ultrasonic Vibrator Glove has the potential to become a more advanced and reliable navigation aid for visually impaired individuals.

ACKNOWLEDGMENT

We would like to express our sincere gratitude to all those who supported and guided us in the successful completion of the project titled “Third Eye for Blind – Ultrasonic Vibrator Glove.”

First, we extend our heartfelt thanks to our project guide and faculty members for their valuable guidance, continuous encouragement, and constructive suggestions throughout the development of this project. Their technical expertise and support helped us overcome challenges and improve the quality of our work.

We are also grateful to our institution for providing the necessary facilities, resources, and a motivating environment to carry out this project successfully.

Finally, we would like to thank our friends and family members for their constant support, motivation, and cooperation during the entire project period. Their encouragement played an important role in completing this work successfully.

REFERENCES

The development of the Third Eye for Blind – Ultrasonic Vibrator Glove is based on research in assistive technology, ultrasonic sensing, and haptic feedback systems. Previous studies such as “Design and Development of Ultrasonic Navigation Stick for Visually Impaired” published in the International Journal of Engineering Research & Technology (IJERT) and “Obstacle Detection System for Visually Impaired Using Ultrasonic Sensor” in the International Journal of Innovative Research in Computer and Communication Engineering highlight the effectiveness of ultrasonic sensors in mobility aids. Research on wearable navigation systems, including “Wearable Ultrasonic Sensor-Based Navigation Aid for Visually Impaired” in the International Journal of Advanced Research in Electronics & Communication Engineering, also supports the use of compact embedded systems for obstacle detection. Additionally, studies on vibrotactile feedback systems published in Sensors and Actuators A: Physical emphasize the importance of haptic signals in assistive devices. Technical documentation from Arduino on ultrasonic sensor interfacing further provides practical guidance for implementation. These references collectively contribute to the conceptual design and development of the ultrasonic vibrator glove system.

