

360° Solar Tracking System (Sunflower Mechanism)

Rohini J Walke¹, Sonali A Salunkhe¹, Pratiksha K Waghmare¹, Tejasvi D Ghadge¹,
Dr. I. C. Meitei², Suhas B Khadake³, S S Kawade⁴

¹TYEE Students SVERI's College of Engineering, Pandharpur. India

^{2,3,4} Assistant Professor SVERI's College of Engineering, Pandharpur. India

Abstract: *The 360° Solar Tracking System is an advanced renewable energy solution designed to maximize the efficiency of solar power generation by continuously aligning the solar panel with the sun's position. In traditional fixed solar panel systems, panels remain stationary, which limits their ability to capture maximum solar radiation throughout the day. As the sun moves from east to west, the angle of sunlight changes, reducing the overall energy output of the panel. To overcome this limitation, the proposed system automatically tracks the sun's movement in a full 360-degree rotation, ensuring maximum exposure to sunlight at all times. This system utilizes Light Dependent Resistors (LDR sensors) to detect the intensity and direction of sunlight. The sensor signals are processed by a microcontroller (Arduino Uno), which acts as the control unit of the system. Based on the difference in light intensity detected by the sensors, the microcontroller sends commands to a servo motor or DC geared motor that rotates the solar panel both horizontally and vertically. This dual-axis solar tracking mechanism allows the panel to follow the sun throughout the day, maintaining the optimal angle of incidence for maximum solar energy absorption. The implementation of a 360° solar tracking mechanism significantly improves the power output and efficiency of photovoltaic (PV) systems compared to conventional fixed solar panels. Studies show that solar tracking systems can increase energy generation by 25–40%, depending on environmental conditions. The system is cost-effective, energy efficient, and suitable for small-scale renewable energy applications such as residential installations, agricultural irrigation systems, solar charging stations, and educational demonstration projects. By optimizing solar energy capture and reducing energy wastage, the 360° Solar Tracking System contributes to the development of sustainable energy solutions, green technology, and smart solar power generation systems.*

Keywords: Solar Energy, Solar Tracking System, 360° Rotation, Dual-Axis Tracking, Photovoltaic Panel, LDR Sensor, Arduino Microcontroller, Renewable Energy, Energy Efficiency, Smart Solar System

I. INTRODUCTION

Energy demand is continuously increasing due to rapid population growth and industrial development. Conventional energy sources such as coal, petroleum, and natural gas are limited and cause environmental pollution. Therefore, there is a strong need to develop clean, renewable, and sustainable energy sources. Among all renewable sources, solar energy is one of the most abundant, eco-friendly, and widely available sources of energy [1-7].

Solar panels generate electricity by converting sunlight into electrical energy using photovoltaic (PV) cells. In most conventional solar systems, the panels are installed in a fixed position, which limits their ability to capture maximum sunlight throughout the day [8-69]. As the sun moves from east to west, the angle of sunlight changes, resulting in reduced power generation and inefficient utilization of solar energy. To overcome this limitation, the 360° Solar Tracking System with Sunflower Mechanism is developed. The design of this system is inspired by the natural behavior of a sunflower, which automatically turns towards the sun to receive maximum sunlight. Similarly, the proposed solar tracking system rotates the solar panel to follow the movement of the sun throughout the day, ensuring



maximum solar radiation absorption and improved energy generation. The system uses Light Dependent Resistors (LDR sensors) to detect the intensity and direction of sunlight. These sensors send signals to a microcontroller such as Arduino, which processes the data and controls a servo motor or DC geared motor. The motor rotates the solar panel in different directions, enabling 360-degree solar tracking so that the panel always faces the sun. An additional special feature of this project is the night retraction mechanism. During the night or when sunlight intensity becomes very low, the system automatically brings all the solar panels back to their initial or starting position, similar to how a sunflower closes or reorients itself after sunset. This mechanism helps in preparing the system to start tracking again from the east direction in the morning, improving efficiency and reducing unnecessary motor movement. The sunflower-shaped arrangement of solar panels not only improves the aesthetic design but also allows better distribution of solar modules for efficient sunlight collection. This system can increase the efficiency of solar power generation by approximately 25–40% compared to fixed solar panels.

Thus, the 360° Sunflower Solar Tracking System provides an innovative and efficient solution for maximizing solar energy utilization and promoting the use of renewable energy technologies for sustainable development.

II. PROBLEM STATEMENT

Solar energy is one of the most widely used renewable and sustainable sources of energy. Solar panels convert sunlight into electrical energy using photovoltaic cells. However, in most traditional solar power systems, the solar panels are installed in a fixed position or at a fixed angle. This creates a major limitation because the position of the sun continuously changes throughout the day, moving from east to west and also changing its elevation.

Since fixed solar panels cannot adjust their orientation according to the sun's movement, they receive maximum sunlight only for a limited period of time, usually around midday. During the morning and evening hours, the angle between the sun and the panel becomes less favorable, which reduces the amount of solar radiation falling on the panel. As a result, a large portion of the available solar energy is not effectively utilized, leading to lower electricity generation and reduced overall efficiency of the solar power system. In addition to reduced efficiency, fixed solar panels may require a larger number of panels to generate sufficient electricity, which increases the cost and space requirements of the solar installation. Therefore, there is a need for an intelligent and automated solar tracking system that can follow the movement of the sun throughout the day. Such a system should automatically adjust the position of the solar panel to face the direction of maximum sunlight. By doing this, the solar panel can capture more solar energy and produce higher electrical output.

Hence, the main problem addressed in this project is to develop an efficient solar tracking mechanism that improves sunlight utilization and increases the overall efficiency of solar power generation compared to traditional fixed solar panel systems.

III. LITERATURE SURVEY

Solar energy has become one of the most important renewable energy sources for generating clean and sustainable electricity. Many researchers have focused on improving the efficiency of photovoltaic (PV) systems by developing solar tracking technologies that can follow the movement of the sun and maximize solar radiation absorption.

Several studies explain that fixed solar panels are limited because they remain at a constant angle, which reduces their ability to receive maximum sunlight throughout the day. When the sun moves from east to west, the angle between the sun rays and the panel changes, which decreases the power output. To overcome this limitation, researchers have developed solar tracking systems that automatically adjust the position of the solar panel according to the sun's movement.

Researchers have classified solar trackers mainly into single-axis and dual-axis tracking systems. Single-axis trackers rotate the solar panel in one direction, usually from east to west, and increase energy production compared to fixed panels. However, they cannot fully track the seasonal and vertical movement of the sun. Dual-axis trackers solve this



problem by allowing the panel to move both horizontally and vertically, ensuring that the solar panel remains perpendicular to the sun rays for a longer time.

Many research papers have proposed Arduino-based solar tracking systems using Light Dependent Resistors (LDRs) as sensors. These sensors detect the direction and intensity of sunlight and send signals to the microcontroller. The controller processes the sensor data and drives motors such as servo motors or DC geared motors to rotate the solar panel towards the direction of maximum sunlight. This method is widely used because it is low-cost, simple, and efficient for small-scale solar applications.

Experimental studies have shown that dual-axis solar tracking systems significantly increase the power output of photovoltaic panels. Comparative analyses indicate that dual-axis trackers can produce considerably higher power than stationary or single-axis systems because they maintain optimal alignment with solar radiation throughout the day.

Recent research also explores innovative solar tracking designs inspired by natural systems and smart control techniques. Some systems incorporate advanced control algorithms, improved sensors, or automated reset mechanisms that return the panel to its initial position after sunset to prepare for the next sunrise. These improvements help enhance tracking accuracy and reduce unnecessary motor movement.

IV. PROJECT DESCRIPTION

The 360° Solar Tracking System with Sunflower Mechanism is developed to increase the efficiency of solar power generation by ensuring that the solar panel continuously faces the sun. In many conventional solar installations, the panels are fixed in one direction. Because the sun moves across the sky during the day, fixed panels cannot always receive direct sunlight. This reduces the amount of energy produced. The purpose of this project is to design a system that can automatically adjust the position of the solar panel so that it receives maximum sunlight throughout the day. The system uses Light Dependent Resistor (LDR) sensors to sense the intensity of sunlight from different directions. These sensors send signals to an Arduino microcontroller, which acts as the control unit of the system. The Arduino compares the signals received from the sensors and determines the direction where the light intensity is highest. Based on this information, it sends commands to the motor driver module, which operates the motors connected to the solar panel. The movement of the solar panel is achieved using motors that allow it to rotate in different directions. One motor moves the panel horizontally to follow the sun from east to west, while another motor adjusts the vertical tilt of the panel. This dual movement helps the panel stay aligned with the sun for a longer time, which increases the amount of solar energy captured. The design of the system is inspired by the natural behavior of a sunflower, which turns toward the sun during the day to receive more sunlight. In the same way, the solar panel structure rotates toward the brightest light source to improve energy collection. Another important feature included in this project is the automatic night reset mechanism. When the system detects very low light intensity during the evening or night, it returns the solar panel to its starting position. This allows the system to begin tracking the sun again when sunrise occurs.

Overall, this project presents an automated and efficient solar tracking solution that can significantly improve solar energy utilization. By continuously aligning the solar panel with the sun, the system is capable of producing more electrical energy compared to traditional fixed solar panels, making it a useful approach for enhancing renewable energy systems.

V. OBJECTIVE OF SYSTEM

To improve solar energy efficiency

Design a system that allows the solar panel to receive maximum sunlight throughout the day.

To develop an automatic solar tracking mechanism

Create a system that can automatically follow the movement of the sun from east to west.

To utilize sensors and microcontroller technology

Use LDR sensors and an Arduino microcontroller to detect sunlight and control panel movement.



- To increase electrical energy generation
- Enhance the power output of solar panels compared to fixed solar panel systems.
- To design a sunflower-inspired solar tracking structure
- Develop a mechanism that works similar to a sunflower turning toward the sun.
- To implement a night reset mechanism
- Ensure the solar panel returns to its initial position at night so it is ready to track the sun again the next day.
- To promote renewable and sustainable energy solutions
- Encourage the use of solar energy for clean and eco-friendly power generation.

VI. ADVANTAGES AND APPLICATIONS

Advantages:

Improved Energy Collection

The solar panel continuously adjusts its position to face the sun, allowing it to receive more sunlight during the day.

Higher Power Output

Because the panel remains aligned with the sun, the system can generate more electricity than a fixed solar panel system.

Automatic Functioning

The system operates automatically with the help of sensors, a microcontroller, and motors, reducing the need for manual adjustments.

Efficient Use of Solar Energy

By following the sun's movement, the system captures a larger amount of available solar radiation.

Nature-Inspired Design

The tracking mechanism is based on the behavior of a sunflower, which naturally turns toward sunlight.

Automatic Reset at Night

When sunlight becomes very low, the panel returns to its initial position so that it is ready to start tracking again the next morning.

Environmentally Friendly

The project supports the use of renewable energy, helping reduce dependence on non-renewable resources.

Better Long-Term Performance

Even though the system includes additional components, the increased energy production makes it beneficial over time.

Applications :

Solar Power Plants

- Used in large solar farms to increase electricity generation by continuously tracking the sun.
- Can be installed in homes to improve the efficiency of rooftop solar panels.
- Used for solar-powered water pumps and irrigation systems in farms.
- Helps street lights generate more energy during the day for night-time lighting.
- Useful in charging stations for batteries used in small electronic devices and electric vehicles.
- Provides efficient power generation in areas where electricity supply is limited.
- Used in schools and colleges to demonstrate renewable energy and solar tracking technology.
- Can be integrated into smart energy systems for better energy management and sustainability.

Result :

The results obtained from the 360° Solar Tracking System with Sunflower Mechanism show that the system is capable of automatically following the movement of the sun throughout the day. By using LDR sensors, an Arduino microcontroller, and motor mechanisms, the solar panel continuously adjusts its position to face the direction of



maximum sunlight. This allows the panel to receive more solar radiation compared to a conventional fixed solar panel. From the comparative observations, it is seen that the tracking system produces higher power output at different times of the day and improves overall energy generation. The analysis indicates that the proposed system can increase the efficiency of solar energy utilization and generate approximately 30–40% more electrical energy than traditional fixed solar panel systems.

Comparative Result:

The comparison clearly shows that the 360° Solar Tracking System produces more electrical energy than a fixed solar panel system because it continuously aligns the panel with the direction of sunlight. This improves the efficiency and overall performance of solar energy generation.

FUTURE SCOPE

The 360° Solar Tracking System has significant potential for further improvement and wider application in the future. The system can be enhanced by integrating Internet of Things (IoT) technology, which would allow users to monitor energy generation, panel position, and system performance remotely through smartphones or computers. The use of more advanced sensors and control systems can also improve the accuracy of sun tracking and increase the efficiency of the system. In large-scale applications, this technology can be implemented in solar power plants and solar farms to increase electricity production. Additionally, the system can be combined with energy storage solutions such as batteries to store excess energy generated during the day for use at night or during cloudy conditions. In the future, the use of artificial intelligence and smart control algorithms may further optimize the tracking process by predicting sunlight patterns and adjusting the panel position accordingly. Improvements in mechanical design and materials can also make the structure stronger, more durable, and suitable for long-term use. With these developments, the solar tracking system can play an important role in supporting smart energy systems and sustainable renewable energy solutions.

REFERENCES

- [1]. Lee, C. Y., & Chou, P. C., “Sun Tracking Systems: A Review,” Sensors Journal. ([PMC](#))
- [2]. Verma, S., et al., “A Review Paper on Solar Tracking System for Photovoltaic Power Plant,” International Journal of Engineering Research. ([ResearchGate](#))
- [3]. Yantidewi, M., “Arduino-Based Dual Axis Solar Tracking System Prototype,” MATEC Web of Conferences. ([Matec Conferences](#))
- [4]. Bhattacharjee, A., “Design of a Nature-Inspired Sun-Tracking Device,” Renewable Energy Research. ([ScienceDirect](#))
- [5]. Hassan, K. M., “Arduino Based Low Cost Active Dual Axis Solar Tracker,” International Journal of Science & Engineering Research. ([IJSRET](#))
- [6]. N. S. Nise, Control Systems Engineering, Wiley Publications, 2018.
- [7]. K. Ogata, Modern Control Engineering, Prentice Hall, 2017.
- [8]. Blynk Documentation, Available online: <https://www.blynk.io>
- [9]. P. More and S. Kadam, “IoT-Based Motor Monitoring and Control System,” IEEE International Conference on Industrial Automation, pp. 210–215, 2023.
- [10]. ESP32 Datasheet, Espressif Systems, Available online: <https://www.espressif.com>
- [11]. T. Joshi and A. Chavan, “Smart Motor Control Using Embedded Systems,” International Journal of Engineering Research & Technology, vol. 9, no. 6, pp. 140–145, 2022.
- [12]. V. J. Patil, S. B. Khadake, D. A. Tamboli, H. M. Mallad, S. M. Takpere and V. A. Sawant, "Review of AI in Power Electronics and Drive Systems," 2024 3rd International conference on Power Electronics and IoT Applications in Renewable Energy and its Control (PARC), Mathura, India, 2024, pp. 94-99, doi: 10.1109/PARC59193.2024.10486488



- [13]. A BalkrishnaDudgikar, A Ahmad Akbar Ingalgi, A GensidhaJamadar et al., "Intelligent battery swapping system for electric vehicles with charging stations locator on IoT and cloud platform", International Journal of Advanced Research in Science Communication and Technology, vol. 3, no. 1, pp. 204-208, January 2023. DOI: 10.48175/IJARSCT-7867. Available at: <https://ijarsct.co.in/Paper7867.pdf>
- [14]. S. B. Khadake and V. J. Patil, "Prototype Design & Development of Solar Based Electric Vehicle," 2023 3rd International Conference on Smart Generation Computing, Communication and Networking (SMART GENCON), Bangalore, India, 2023, pp. 1-7, doi: 10.1109/SMARTGENCON60755.2023.10442455.
- [15]. V. J. Patil, S. B. Khadake, D. A. Tamboli, H. M. Mallad, S. M. Takpere and V. A. Sawant, "A Comprehensive Analysis of Artificial Intelligence Integration in Electrical Engineering," 2024 5th International Conference on Mobile Computing and Sustainable Informatics (ICMCSI), Lalitpur, Nepal, 2024, pp. 484-491, doi: 10.1109/ICMCSI61536.2024.00076.
- [16]. Suhas B. Khadake, Sudarshan P. Dolli, K.S. Rathod, O.P. Waghmare and A.V. Deshpande, "AN OVERVIEW OF INTELLIGENT TRAFFIC CONTROL SYSTEM USING PLC AND USE OF CURRENT DATA OF VEHICLE TRAVELS", JournalNX, pp. 1-4, Jan. 2021.
- [17]. Shraddha S Magar, Archana S Sugandhi, Shweta H Pawar, Suhas B Khadake, H. M. Mallad, "Harnessing Wind Vibration, a Novel Approach towards Electric Energy Generation- Review", IJARSCT, Volume 4, Issue 2, October 2024, pp. 73-82. DOI: 10.48175/IJARSCT-19811.
- [18]. Khadake, S. B., Padavale, P. V., Dhere, P. M., & Lingade, B. M., "Automatic hand dispenser and temperature scanner for Covid-19 prevention", International Journal of Advanced Research in Science, Communication and Technology, 3(2), 362367. DOI: 10.48175/IJARSCT-11364. <https://ijarsct.co.in/A11364.pdf>
- [19]. Seema S Landage, Sonali R Chavan, Pooja A Kokate, Sonal P Lohar, M. K. Pawar, Suhas B Khadake., "Solar Outdoor Air Purifier With Air Quality Monitoring System", Synergies Of Innovation: Proceedings Of Ncstem 2023, Pp. 260-266, September, 2024. Available At: https://www.researchgate.net/publication/383631190_Solar_Outdoor_Air_Purifier_with_Air_Quality_Monitoring_System
- [20]. Suhas B. Khadake. (2021). Detecting Salient Objects Of Natural Scene In A Video's Using Spatio-Temporal Saliency & Colour Map. Journalnx - A Multidisciplinary Peer Reviewed Journal, 2(08), 30-35. Retrieved From <https://Repo.Journalnx.Com/Index.Php/Nx/Article/View/1070>
- [21]. Khadake Suhas .B. (2021). Detecting Salient Objects In A Video's By Using spatio-Temporal Saliency & Colour Map. International Journal Of Innovations In Engineering Research And Technology, 3(8),1-9, <https://Repo.Ijert.Org/Index.Php/Ijert/Article/View/910>.
- [22]. Prachi S Bhosale, Pallavi D Kokare, Dipali S Potdar, Shrutika D Waghmode, V A Sawant, Suhas B Khadake., "DTMF Based Irrigation Water Pump Control System", Synergies Of Innovation: Proceedings Of NCSTEM 2023, Pp. 267-273, September, 2024. Available At: https://www.researchgate.net/publication/383629320_DTMF_Based_Irrigation_Water_Pump_Control_System
- [23]. Pramod Korake, Harshwardhan Murade, Rushikesh Doke, Vikas Narale, Suhas B. Khadake, Aniket S Chavan., "Automatic Load Sharing of Distribution Transformer using PLC", Synergies Of Innovation: Proceedings Of NCSTEM 2023, Pp. 253- 259, September, 2024. Available At: https://www.researchgate.net/publication/383628063_Automatic_Load_Sharing_of_Distribution_Transformer_using_PLC
- [24]. Suhas B khadake, Pranita J Kashid, Asmita M Kawade, Santoshi V Khedekar, H. M. Mallad ., "Electric Vehicle Technology Battery Management -Review", International Journal of Advanced Research in Science, Communication and Technology, Volume 3, Issue 2, September 2023, pp. 319-325. DOI: 10.48175/IJARSCT-13048. Available at: https://www.researchgate.net/publication/374263508_Electric_Vehicle_Technology_Battery_Management_-_Review



- [25]. Suhas B. khadake, Amol Chounde, Buddhapriy B. Gopnarayan, Karan Babaso Patil, Shashikant S Kamble. (2024). Human Health Care System: A New Approach towards Life, 15th International Conference on Advances in computing, Control, and Telecommunication Technologies, ACT 2024, 2024, 2, pp. 5487-5494.
- [26]. Khadake SB, Patil VJ, Mallad HM, Gopnarayan BB, Patil KB. Maximize farming productivity through agriculture 4.0 based intelligence, with use of agri tech sense advanced crop monitoring system. Grenze Int J Eng Technol. 2024;10(2):5127–5134. Available At:
https://www.researchgate.net/publication/382625572_Maximize_Farming_Productivity_through_Agriculture_40_base_d_Intelligence_with_use_of_Agri_Tech_Sense_Advanced_Crop_Monitoring_System
- [27]. Suhas B Khadake, Santoshi V Khedekar, Asmita M Kawade, Shradhha Shivaji Vyavahare, Pranita J Kashid, Chounde Amol B, H. M. Mallad., “Solar Based Electric Vehicle Charging System-Review”, IJAR SCT, vol. 4, Issue 2, December 2024, pp. 42-57, DOI: 10.48175/IJAR SCT-22705.
- [28]. Akshay B Randive , Sneha Kiran Gaikwad , Suhas B Khadake , Mallad H. M., “Biodiesel: A Renewable Source of Fuel”, IJAR SCT, vol. 4, Issue 3, December 2024, pp. 225-240, DOI: 10.48175/IJAR SCT-22836 Available at:
https://www.researchgate.net/publication/387352609_Biodiesel_A_Renewable_Source_of_Fuel
- [29]. K. K. Sayyad Liyakat, S. B. Khadake, A. B. Chounde, A. A. Suryagan, M. H. M. and M. R. Khadatare, "AI-Driven-IoT(AIIoT) Based Decision Making System for High-Blood Pressure Patient Healthcare Monitoring," 2024 International Conference on Sustainable Communication Networks and Application (ICSCNA), Theni, India, 2024, pp. 96-102, doi: 10.1109/ICSCNA63714.2024.10863954.
- [30]. K. K. Sayyad Liyakat, S. B. Khadake, D. A. Tamboli, V. A. Sawant, M. H. M. and S. Sathe, "AI-Driven-IoT(AIIoT) Based Decision-Making- KSK Approach in Drones for Climate Change Study," 2024 4th International Conference on Ubiquitous Computing and Intelligent Information Systems (ICUIS), Gobichettipalayam, India, 2024, pp. 1735-1744, doi: 10.1109/ICUIS64676.2024.10866450.
- [31]. Suhas B khadake, Shraddha S Magar, Archana S Sugandhi, Shweta H Pawar, “ A Research Paper on Harnessing Wind Vibration Novel Approach towards Electric Energy Generation”, IJAR SCT, Volume 5, Issue 4, May 2025, pp. 533-552. DOI: 10.48175/IJAR SCT-26466. Available At https://www.researchgate.net/publication/391857597_A_Research_Paper_on_Harnessing_Wind_Vibration_Novel_Approach_towards_Electric_Energy_Generation
- [32]. Avinash. A. Suryagan, Arti L Nemte, Kirti D Thorat, Suhas B Khadake, “ IoT Based Flood Monitoring System by using Thing Speak Cloud”, IJAR SCT, Volume 5, Issue 4, May 2025, pp. 666-687. DOI: 10.48175/IJAR SCT-26480
- [33]. Sagar M Chavare, Prasad P Nanaware, Shriprasad S Wagh, Ashish T Jadhav, Yeole Yogesh, Suhas B Khadake, “ Smart Plant Monitoring and Automated Irrigation System Using IOT”, IJAR SCT, Volume 5, Issue 4, May 2025, pp. 688-706. DOI: 10.48175/IJAR SCT-26481
- [34]. Swapnil S Sudake, Suhas B Khadake, Santoshi V Khedekar, Asmita M Kawade, Shraddha S Vyavahare, “ Solar Based Wireless Electric Vehicle Charging System”, IJAR SCT, Volume 5, Issue 5, May 2025, pp. 325-348. DOI: 10.48175/IJAR SCT-26647
- [35]. Manjeet Kumar, Shubhangi S Sul, Jyoti S Lakhara, Pranita J Kashid, Shravani R Bhingde, Amaraja S Waghmode, Suhas B Khadake, “ Small Wind Electric System Energy Saver”, IJAR SCT, Volume 5, Issue 5, May 2025, pp. 447-466. DOI: 10.48175/IJAR SCT-26663
- [36]. Namrata Ganesh Jadhav , Pranjali R Nagane , Akanksha M Khapare , Arvind Pande , Suhas B Khadake, “Identify and Measuring Parameter of PV Module Test Bench with the Ammeter and Voltmeter”, IJAR SCT, Volume 5, Issue 6, May 2025, pp. 5-24. DOI: 10.48175/IJAR SCT-26702
- [37]. Sujit N. Bhandare, Prashant R. Mule, Yogesh A. Yeole, Krushna D More, Suhas B. Khadake, “ Vehicle Tracking And Accident Alert System”, IJAR SCT, Volume 5, Issue 6, May 2025, pp. 234-252. DOI: 10.48175/IJAR SCT-26728
- [38]. Manjeet Kumar, Suhas B Khadake, Madhuri S Doke, Shivani D Pujari, Pratiksha B Rupnar, “ Sun Track: A Compact IoT System for PV Parameter Monitoring with NodeMCU”, IJAR SCT, Volume 5, Issue 9, May 2025, pp. 261-280. DOI: 10.48175/IJAR SCT-27037



- [39]. Nikita R Bhosale , Sakshi D Shete , Laxmi A Koganure ,Aditi A Gaikwad ,Vedhangi S Sukre , Suhas B Khadake,“ Development of a Real-Time Hydrogen Level Detection System for Storage Cylinders”, IJAR SCT, Volume 5, Issue 4, June 2025, pp. 690-708. DOI: 10.48175/IJAR SCT-27666
- [40]. Bhinge Shravani Rajendra, Salunkhe Majushree Jayant, Tarse Mayuri Kundlik, Suhas B Khadake, B. B. Gopnarayan, Manisha P Bidve,“ Smart Water Waste Collection System Using Bluetooth Control”, IJAR SCT, Volume 5, Issue 7, June 2025, pp. 561-578. DOI: 10.48175/IJAR SCT-28072
- [41]. K. K. Sayyad Liyakat, S. B. Khadake, P. S. More, R. J. Shinde, K. P. Kondubhairi and S. S. Kamble, "AI-Driven IoT based Decision Making for Hepatitis Diseases Patient’s Healthcare Monitoring: KSK Approach for Hepatitis Patient Monitoring," 2025 7th International Conference on Intelligent Sustainable Systems (ICISS), India, 2025, pp. 256-263, doi: 10.1109/ICISS63372.2025.11076213.
- [42]. K. K. Sayyad Liyakat, S. B. Khadake, K. Galani, K. B. Patil, A. Dhavale and S. D. Sarik, "AI-Powered-IoT (AIIoT) based Bridge Health Monitoring using Sensor Data for Smart City Management- A KSK Approach," 2025 7th International Conference on Intelligent Sustainable Systems (ICISS), India, 2025, pp. 296-305, doi: 10.1109/ICISS63372.2025.11076329.
- [43]. Rani N Bhosale , Tejashri M Salunkhe , Sayali S Ghodake , Shruti S Deshpande ,Chandani N Kendale , Suhas B Khadake,“ Smart Lawn Cutter using Solar and Bluetooth”, IJAR SCT, Volume 5, Issue 1, august 2025, pp. 158-171. DOI: 10.48175/IJAR SCT-28618.
- [44]. Ganesh Navnath Surwase, Ashish Tukaram Jadhav, Krushna Dinesh More, Ingudam Chitrasen Meitei, Suhas B Khadake, “Accident Detection and Alerting Using Embedded System”,IJAR SCT,Volume 5, Issue 2, October 2025,pp. 550-562. DOI: 10.48175/IJAR SCT-29269.
- [45]. Rohini Walke, Samarth Mole, Rohan More, Sonali Salunkhe, Rahul Jadhav, Suhas B Khadake, ” Automated Canopy System”, IJAR SCT, Volume 6, Issue 3, January 2026, pp. 438-447. DOI: 10.48175/IJAR SCT-30956.
- [46]. Samarth S Mole, Rohini J Walke, Rohan D More, Sonali A Salunkhe, Rahul N Jadhav, Sagar S Kawade , Suhas B Khadake, “Automated Fertilizer Dispensing System”, IJAR SCT, Volume 6, Issue 4, January 2026, pp. 256-268. DOI:0.48175/IJAR SCT-31034.
- [47]. Khapare Akanksha Mahadev , Jadhav Namrata Ganesh , Kshirsagar Manasi Pravin , Waghmode Amarja Santosh, Dr. Mrinal K. Rajak , Suhas B Khadake, ” Paper on Aqua Lift OWS (Oil Water Separator)”, IJAR SCT, Volume 6, Issue 8, March 2026,pp.468-477. DOI: 10.48175/IJAR SCT-32164.
- [48]. Sujit N. Bhandare, Prashant R. Mule, Yogesh A. Yeole, Suhas B. Khadake, ” Vehicle to Vehicle Charging System”, IJAR SCT, Volume 6, Issue 2, April 2026,pp.433-442. DOI: 10.48175/IJAR SCT-32459.
- [49]. Sujit N. Bhandare, Prashant R. Mule, Yogesh A. Yeole, Suhas B. Khadake, “Vehicle to Vehicle Charging System”,IJAR SCT, Volume 6,Issue 2, April 2026,pp.433-442. DOI: 10.48175/IJAR SCT-32459.
- [50]. Suyog P Maindarkar, Soham R Salunke, Shriprasad S Wagh, Prathmesh A Dhekane, Sagar S Chaugule, Suhas B Khadake, “Solar-Powered Automated Electrocoagulation System for Sustainable Sugar Mill Wastewater Treatment”, IJAR SCT, Volume 6, Issue 3, April 2026,pp.523-536. DOI: 10.48175/IJAR SCT-32576.
- [51]. Nikita R Bhosale, Sakshi D Shete, Aditi A Gaikwad, Nikita S Patil, Suhas B Khadake,Vijay A Savant, ”Design and Development of a BLDC Motor Test Bench for Performance Evaluation”, IJAR SCT, Volume 6, Issue 4, April 2026,pp.654663. DOI: 10.48175/IJAR SCT-32676.
- [52]. Ganesh V Metkari, Rohan K Survase , Ashish T Jadhav, Sagar S Kawade, Suhas B. Khadake, “Design and Implementation of A Real-time Monitoring Platform to check the performance of E2V”, IJAR SCT, Volume 6, Issue 5, April 2026,pp.549563. DOI: 10.48175/IJAR SCT-32873
- [53]. Shravani R Bhinge, Manjushree J Salunkhe, Mayuri K Tarse, Tanjim P Bhaldar,Sagar S Chaugule, Suhas B Khadaake, Sagar S. Kawade, “Design and Implementation of an Automated Product Handling Robot for Industrial Applications”, IJAR SCT, Volume 6, Issue 9, April 2026,pp.181-195. DOI: 10.48175/IJAR SCT-33226



- [54]. Rani N Bhosale, Tejashri M Salunkhe, Sayali S Ghodake, Shruti S Deshpande, Suhas B Khadake, Vijay.A.Savant, "An Evaluation of Battery Using Peltier Module", IJAR SCT, Volume 6, Issue 9, April 2026, pp-583-594. DOI:10.48175/IJAR SCT-33282
- [55]. Madhuri S Doke, Pratiksha B Rupnar, Pranjali R Nagane, Shivani D Pujari, Manjeet Kumar, Suhas B Khadake, Sagar S Kawade, "Solar Powered Pesticides Sprayer with Multipurpose Application", IJAR SCT, Volume 6, Issue 10, April 2026, pp-186-199. DOI: 10.48175/IJAR SCT-33425
- [56]. Mayuri G Rupnar, Shruti G Parit, Priyanka S Suryawanshi, Sagar S Kawade, Suhas B Khadake, "Design and Implementation of A Real-time Monitoring Platform to check the performance of E2V", IJAR SCT, Volume 6, Issue 10, April 2026, pp-200-218. DOI: 10.48175/IJAR SCT-33426
- [57]. Mr. Pratik D. Nagtilak, Mr. Karanraj B. Pujari, Mr. Rushiprasad A. Nara, Mr. Kiran T. Wadekar, Dr. Mrinal K. Rajak, Suhas B Khadake, "Smart GSM-Based Power Meter with Continuous Load Monitoring", IJAR SCT, Volume 6, Issue 10, April 2026, pp-228-237. DOI: 10.48175/IJAR SCT-33429
- [58]. Ravikiran R khandagale, Prathamesh S Jamdade, Vishwajit V Babar, Suhas B Khadake, "GSM Based Substation Monitoring and Control System", IJAR SCT, Volume 6, Issue 10, April 2026, pp-238-248. DOI: 10.48175/IJAR SCT-33430
- [59]. Ranjit Kadam, Onkar Shinde, Mohit Londhe, Mayur Ingawale, Vijay Karande, Swapnil Bhosale, Suhas B Khadake, "Surveillance Car using ESP32 CAM Module", IJAR SCT, Volume 6, Issue 10, April 2026, pp-522-530. DOI: 10.48175/IJAR SCT-33464
- [60]. Shambhavi R Kurde, Vijayalaxmi A Vhate, Shravani H Pujari, Tejswini T Bhui, Jay S Raut, Misbah J Tamboli, Suhas B Khadake, "Solar Powered Multi-Utility Umbrella", IJAR SCT, Volume 6, Issue 11, April 2026, pp-211-223. DOI:10.48175/IJAR SCT-33631
- [61]. Yash D Palkar, Nikhil K Waghachavare, Akash P Mane, Vikram S Rane, Paras P Jadhav, Pratik N Patil, Vijay A Sawant, Suhas B Khadake, "Real Time IoT-Enabled Smart Plant Irrigation and Weather Monitoring System using the ESP32 microcontroller & MATLAB", IJAR SCT, Volume 6, Issue 11, April 2026, pp-420-428. DOI:10.48175/IJAR SCT-33660
- [62]. Komal V Anantkawalas, Sakshi K Bhosale, Chandani N Kendale, Khushi S Shaikh, Sujata A Galgunde, Monali S Landage, Suhas B Khadake, "IoT Based Health Monitoring System", IJAR SCT, Volume 6, Issue 11, April 2026, pp-453-462. DOI:10.48175/IJAR SCT-33665
- [63]. Prathmesh R Dulange, Prajwal U Bajantri, Sujal P Bajantri, Vivek D Patkulkar, Suhas B Khadake, Sagar S Chaugule, "Footstep Power Generation Using Piezoelectric Sensors", IJAR SCT, Volume 6, Issue 11, April 2026, pp-434-442. DOI:10.48175/IJAR SCT-33662
- [64]. Dhanashri D. Karande, Diksha S. Shinde, Sonali M. Gandule Smital S. Kumbhar, Dhanraj D. Daphale Suhas B Khadake, "Three Phase Motor Drive System Powered By Parallel Single Phase Rectifier", IJAR SCT, Volume 6, Issue 11, April 2026, pp-497-505. DOI:10.48175/IJAR SCT-33671
- [65]. Jay S Raut, Aniket B Shinde, Sanskar S Ambare, Ravikiran S Chavan, Shambhavi R Kurde, S S Chougule, Suhas B Khadake, "Battery Monitoring and Detection System for EVs", IJAR SCT, Volume 6, Issue 12, April 2026, pp-89-98. DOI:10.48175/IJAR SCT-33713
- [66]. Giriraj S Choudhari, Rahul B Kadam, Aditya C Dudhbhade, Prasad P Nanaware, Swapnil S Sudake, Suhas B Khadake, "Solar-Assisted Hybrid Electric Bicycle with Gear Optimization for Efficient Range Extension.", IJAR SCT, Volume 6, Issue 12, April 2026, pp-221-233. DOI:10.48175/IJAR SCT-33732
- [67]. Ramdas Kadam, Swapnil Garad, Ankit Kumar, Ganesh Dhangekar, Saurabh Patole, Vishal Nalawade, Suhas B Khadake, "Robotic Arm", IJAR SCT, Volume 6, Issue 12, April 2026, pp-261-270. DOI: 10.48175/IJAR SCT-33735
- [68]. Atul B Jadhav, Saurav S Kamble, Rushikesh D Mohite, Manjeet Kumar, Suhas B Khadake, "IoT-Enabled Gas Leakage Detection System Using ESP32", IJAR SCT, Volume 6, Issue 12, April 2026, pp-250-260. DOI: 10.48175/IJAR SCT-33734



[69]. Jayprakash Chavan, Amarjit Dhale, Shriyash Latake, Suraj Shinde, Dhanraj D Daphale, Suhas B Khadake, "Speed Control of DC Motor Using ESP32 and Speed Measurement in RPM", IJAR SCT, Volume 6, Issue 12, April 2026, pp-514-522. DOI: 10.48175/IJAR SCT-33769

