

Trinetra – An AI-Powered Crowd Density Monitoring and Early Warning System for Public Safety

Prof Hemant Shinde, Sakshi Tambe, Anushka Gadhave, Durgeshwari Madavi

MIT School of Computing

MIT ADT University, Loni, Kalbhori, Pune

Abstract: *Real-time crowd monitoring and threat detection are severely hampered by the growing complexity of urban security and the administration of major events like the Kumbh Mela. The massive amounts of real-time data produced in these environments are frequently too much for traditional surveillance systems to handle and analyses, which limits their ability to stop or lessen security crises. In order to overcome these constraints, this research suggests creating an AI-powered crowd monitoring system that quickly analyses video feeds and sends out real-time notifications. The system can detect anomalous crowd behaviors, recognize possible dangers, and provide real-time situational awareness by utilizing sophisticated computer vision and machine learning techniques. This AI-powered system improves public safety by increasing the speed and accuracy of threat identification, assisting authorities in better crowd management and proactive response to possible security threats. Because of its scalability and adaptability, the system is a reliable instrument for large-scale events and urban security, guaranteeing a safer atmosphere for all attendees. Due to growing crowds and an increased likelihood of mishaps, handling urban security and major events like the Kumbh Mela has become increasingly more difficult. Despite being widely used, traditional surveillance systems struggle to handle the massive amount of real-time data produced by contemporary surveillance networks. These systems frequently lack the capacity for real-time analysis, which makes it challenging to quickly identify and address possible dangers. To address these limitations, there is a need for an advanced AI-powered crowd surveillance system capable of delivering real-time monitoring, anomaly detection, and proactive threat alerts.*

Keywords: *AI-driven monitoring of crowds, threat detection, real-time analysis, urban security, large-scale events, Kumbh Mela Public safety, anomaly detection, and video feed analysis*

I. INTRODUCTION

Public safety and crowd control are particularly difficult for large-scale gatherings like the Kumbh Mela. Millions of people frequently attend these events, thus careful planning and ongoing attention to detail are necessary to avoid potentially dangerous circumstances. While somewhat successful, traditional crowd control and monitoring techniques are severely limited in their ability to manage the massive amounts of data that surveillance devices provide in real time. Critical situations like crowding, security breaches, or possible stampedes are frequently difficult for these traditional systems to quickly identify and react to. This is where putting in place a sophisticated AI-powered surveillance system is crucial. Authorities can significantly enhance their capacity to monitor crowds and analyse behavioral patterns by integrating artificial intelligence and machine learning algorithms with current infrastructure and detect threats in real time. This AI-driven system is capable of analyzing video feeds from multiple cameras simultaneously, scanning for abnormal crowd movements or behaviors, and issuing immediate alerts when potential risks are detected.



The technique has many benefits in situations like the Kumbh Mela, when the sheer size of the throng can create hazardous conditions. Security staff can take preventative measures before the situation worsens because to its ability to identify early indicators of crowding. Additionally, the AI algorithms are able to recognize trends that can indicate a possible stampede or spot people who might be involved in questionable activities that could endanger public safety. In addition to improving public safety, this also ensures more seamless crowd movement and reduces disturbances. This method can improve event attendees' entire experience in addition to its safety applications. Organizers can better manage the dispersal of people and prevent any one place from being overloaded by examining crowd movements. This proactive approach can prevent bottlenecks and alleviate pressure on emergency response teams, who may otherwise be overwhelmed during critical situations.

In the end, intelligent crowd management is at the forefront of public safety initiatives when AI-powered crowd surveillance technologies are integrated into events like the Kumbh Mela. High-density meetings can now be more secure thanks to this cutting-edge technology, which guarantees everyone's safety and wellbeing while enabling authorities to react quickly and efficiently to any new risks.

II. LITERATURE REVIEW

1. Ajay Zad, Jagannatha S, Manish Kumar, S Ajitha, Prakash B R(2023)." Virtual Mouse Using Face Gesture and NLP." IEEE North Karnataka Subsection Flagship International Conference(NKCon), pp. This paper presents a system for performing mouse operations on a computer system without the use of a physical mouse by exercising voice commands and face- stir gestures. The proposed system uses an internal webcam to descry facial gestures and an internal microphone to admit voice commands. By combining face gestures with natural language processing(NLP), the virtual mouse can execute abecedarian functionalities similar as" click,"" right- click,"" double- click,"" scroll-up,"" scroll-down,"" minimize," and" close." The cursor's mobility on the screen controlled through facial movements, allowing for navigation in colourful directions.
2. " Automatic Assistance System Grounded on Machine Learning for Effective Crowd Management."(Conference/ Journal Name), pp. This paper discusses an automatic backing system designed for effective crowd operation using machine literacy ways. The proposed system employs machine literacy algorithms to assay crowd dynamics and prognosticate implicit issues in real- time. By integrating colourful data sources, including videotape surveillance and detector inputs, the system can identify and manage crowd patterns, descry unusual geste, and give practicable perceptivity to enhance safety and control during large- scale events. The paper details the system's armature, machine literacy models used, and its effectiveness in real- world scripts.
- 4.." ML Based Automated backing System for Effective Crowd Control A Detailed disquisition." This paper presents a detailed disquisition into a machine literacy- grounded automated backing system designed for effective crowd control. The system leverages advanced machine literacy ways to assay crowd geste and manage large gatherings effectively. By integrating real-time data from surveillance cameras and detectors, the system can prognosticate and alleviate implicit crowd-related issues, similar as overcrowding and safety breaches. The paper provides an in- depth analysis of the system's armature, machine literacy algorithms employed, and its practical operations in colourful crowd control scripts.

III. METHODOLOGY

The first step in implementing an AI-powered crowd surveillance system for major events like the Kumbh Mela is to identify the problem and its magnitude. By using artificial intelligence to identify congestion, possible stampedes, and security threats in real time, the main goal is to improve crowd control and public safety. This system will concentrate on high-risk sites including gathering places, entry and departure points, and places like riverbanks and temples that are prone to traffic.

Data collection and infrastructure setup come next. This entails setting up a network of high-definition security cameras at key locations during the event. These cameras will continuously record video, which will be sent into the AI system



for analysis in real time. To better monitor crowd density and movement patterns, sensors including motion and heat detectors will be positioned in different locations in addition to camera feeds. To guarantee that the data from cameras and sensors can be smoothly sent to the central monitoring system for prompt processing, a strong and low-latency network infrastructure will be essential.

The AI algorithms are taught to examine sensor data and video feeds after the data collection infrastructure is established. Machine learning models are used to identify possible dangers, spot anomalous motions, and spot trends in crowd behavior. Real-time data is used to continuously update these models, making them more accurate as the event goes on. Additionally, the system is built to instantly notify security staff when threats are identified, enabling them to take preventative measures to efficiently control the crowd. Throughout the event, this proactive approach guarantees optimal crowd flow and public safety.

IV. OBJECTIVE

1. To develop an AI-powered system that can analyze live video feeds in real time and identify crowd behavior.
2. To incorporate big data analytics for effective surveillance data management, storage, and predictive analysis.
3. To put edge computing into practice for quick processing and quick reaction to new security events.
4. To improve public safety by giving security staff real-time alerts during major events like the Kumbh Mela

V. PROBLEM DEFINITIONS

Crowd control and public safety are major issues at large-scale events like the Kumbh Mela, which draw millions of people. It might be grueling to snappily identify and address pivotal events like crowding, rivers, or security breaches because traditional monitoring and crowd control ways are constantly unfit to handle the massive scale. The incapability to keep an eye on crowd geste in real time and anticipate possible troubles might affect in dangerous circumstances that jeopardize attendance' lives and overload security staff.

The main issue is the absence of a real- time, intelligent system that can coincidentally assay enormous volumes of data from several security cameras and detectors, identify unusual crowd movements, and notify authorities before the situation worsens. The incapability of current technologies to deliver timely perceptivity and precautionary conduct raises the threat of mishaps and ineffective crowd control. Another position of complication is added by the changeable nature of crowd geste . Although schedules and event lodestones can help directors anticipate some business flows, backups, fear attacks, and unanticipated surges can be at any time. When a dangerous script is discovered, it can formerly be too late to take preventative action because homemade surveillance systems warrant the prophetic capabilities needed to prevision these situations.

An intelligent, automated result is pivotal in this situation. The capacity of current surveillance systems to cover and estimate data in real- time over a vast network of cameras and detectors is confined, and they constantly calculate significantly on mortal oversight, which can be slow and prone to error in critical circumstances. also, traditional systems are reactive rather than visionary since they're unfit to anticipate crowd geste or issue early warnings. therefore, the issue is that the public safety and crowd control procedures in place are inadequate to manage major events like the Kumbh Mela. Security, safety, and the whole event experience are oppressively compromised as a result. A more advanced, real- time, AI- powered result is needed to insure the safety of attendees, optimize the inflow of the crowd, and enhance the capabilities of security labor force to act fleetly and efficiently in precluding and managing critical situations.

VI. FUNCTIONAL REQUIREMENTS

1. Real- Time Crowd Discovery The system should descry crowd viscosity in real- time using videotape feeds and detector data.
2. Crowd Enumeration and Tracking It must directly count individualities in the crowd and track their movement to cover viscosity and inflow.



3. Alert Generation The system should automatically induce cautions when overcrowding or abnormal actions are detected.
4. Facial Recognition Integration Enable facial recognition capabilities to identify individualities for security purposes if needed.
5. Behavioral Pattern Analysis dissect and prognosticate implicit parlous actions, similar as rapid-fire crowd movement that could indicate a rush.
6. stoner Interface for Security Personnel give a dashboard that allows security labor force to cover live crowd criteria and cautions.
7. Incident Logging Maintain a log of crowd events and incidents for unborn analysis and decision- timber.
8. Crowd Flow Management Assist in crowd distribution by suggesting optimal routes or entry/ exit points.
9. Integration with exigency Services Connect with exigency systems to grease quick responses, similar as directing paramedics in case of extremities.
10. Multiple Camera Feeds Processing Handle data from multiple camera sources contemporaneously to cover large areas effectively.

VII. FLOWCHART




Fig 1.1 Flowchart for AI based Crowd Density and Monitoring

The Trinetra system workflow is shown in the flowchart, which also shows how the AI-based crowd detection and alert system works in real time to provide early warning and ongoing monitoring.

1. Begin

System initialization is the first step in the process, during which all sensors, modules, and connections are configured to start monitoring data in real time.



2. Initialization of the Sensor

The system initializes the cameras or sensors used for crowd monitoring in this step. These gadgets are set up to gather visual and environmental data, including movement, activity levels, and crowd density.

3. Information Gathering

Data from the monitored environment is continuously collected by the initialized sensors. The number of persons found, motion patterns, and environmental measurements that aid in assessing crowd situations are all included in this data.

4. Examine the threshold

The collected data is examined and contrasted with a predetermined threshold value that denotes the safe upper limit of activity or crowd density.

The system loops back to resume regular monitoring if the data values do not surpass the threshold (False).

An alarm sequence is initiated if the readings surpass the threshold (True), indicating congestion or an unusual circumstance.

5. Text

To guarantee prompt response and preventive action, an automated SMS warning is generated and forwarded to the relevant authorities or security personnel when the threshold is crossed.

6. Send an email

In addition to the SMS, authorized users or monitoring stations receive an email notice with comprehensive details about the detected incident, including time, position, and sensor data.

7. Log Information

A log database contains all readings, alarms, and system responses. Analyzing crowd trends, locating high-risk areas, and enhancing model performance through retraining are all made possible by this logged data.

8. Loop of Monitoring

The system goes back to its continuous monitoring mode after logging the data. This loop guarantees continuous monitoring and preparedness to identify any additional irregularities.

9. Close

Only when the system is manually halted or turned off does the process end.

VIII. FUTURE WORK

Although Trinetra exhibits efficient real-time crowd surveillance and early warning capabilities, there are a number of avenues for further development and investigation:

1. Connectivity to IoT and Edge Devices

Future iterations can process data locally by utilizing edge computing and IoT-enabled smart cameras. This would lower latency, facilitate quicker decision-making, and increase the system's scalability for big public spaces like stadiums, train stations, and festivals.

2. Integration of Multiple Cameras and Drones

Drone surveillance or multi-camera systems can increase coverage, boost accuracy in crowded areas, and offer aerial insights for improved emergency management and crowd movement prediction



IX. OUTPUT

```

Frame 674 counts:
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 0 0]]
[[0 1 4 3 1]]
▲ Frame 674: Zone (4,1) - OVERCROWDED - Predicted: 1
▲ Frame 674: Zone (4,2) - OVERCROWDED - Predicted: 4
▲ Frame 674: Zone (4,3) - OVERCROWDED - Predicted: 2
▲ Frame 674: Zone (4,4) - OVERCROWDED - Predicted: 1
Frame 675 counts:
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 0 0]]
[[0 1 4 3 1]]
▲ Frame 675: Zone (4,1) - OVERCROWDED - Predicted: 1
▲ Frame 675: Zone (4,2) - OVERCROWDED - Predicted: 4
▲ Frame 675: Zone (4,3) - OVERCROWDED - Predicted: 2
▲ Frame 675: Zone (4,4) - OVERCROWDED - Predicted: 1
Frame 676 counts:
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 0 0]]
[[0 2 4 2 1]]
▲ Frame 676: Zone (4,1) - OVERCROWDED - Predicted: 1
▲ Frame 676: Zone (4,2) - OVERCROWDED - Predicted: 4
▲ Frame 676: Zone (4,3) - OVERCROWDED - Predicted: 2
▲ Frame 676: Zone (4,4) - OVERCROWDED - Predicted: 1
Frame 677 counts:
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 0 0]]
[[0 0 2 1]]
▲ Frame 677: Zone (4,1) - PREDICTED OVERCROWD - Predicted: 1
▲ Frame 677: Zone (4,2) - OVERCROWDED - Predicted: 4
▲ Frame 677: Zone (4,3) - OVERCROWDED - Predicted: 2
▲ Frame 677: Zone (4,4) - OVERCROWDED - Predicted: 1

```

Fig 2 Frame Counts



Fig 3 Crowd Alert Warning

Live Crowd Alerts

Frame	Zone Box	Zone Cell	Count	Alert
0	11	3	3	2 OVERCROWD
1	18	3	3	3 OVERCROWD
2	19	3	3	3 OVERCROWD
3	36	3	2	2 OVERCROWD
4	177	4	2	2 OVERCROWD
5	178	4	2	2 OVERCROWD
6	179	4	2	3 OVERCROWD
7	180	4	2	3 OVERCROWD

Fig 4 Dashboard Alert System



Trinetra Crowd Monitoring Dashboard



Fig 4 Dashboard Alert System

X. CONCLUSION

In conclusion, crowd control and public safety have advanced significantly with the deployment of an AI-powered surveillance system for major events like the Kumbh Mela. This system seeks to overcome the drawbacks of conventional techniques and improve the capacity to track, evaluate, and react to crowd dynamics in real-time by addressing both functional and non-functional criteria. The system guarantees prompt action and efficient risk management with its real-time data collection, predictive analytics, and fast alarm creation capabilities. Scalability, dependability, performance, security, usability, maintainability, interoperability, data privacy, and cost-effectiveness are all given top priority in its design, making it a strong option for handling the challenges of large gatherings. Ultimately, this advanced technology will not only improve safety and security for attendees but also contribute to a more organized and efficient event experience, paving the way for future innovations in crowd management.

XI. ACKNOWLEDGEMENT

We would want to sincerely thank our mentor and guide for their important advice, unceasing support, and wise recommendations during the creation of my project, "Trinetra: An AI-powered Crowd Density Monitoring and Early Warning System for public safety." We also want to express my gratitude to the Department of Computer Science and Engineering for giving us the tools and technical assistance we needed to complete our project. Sincere gratitude is extended to our friends and peers for their unwavering support and helpful criticism during the many phases of implementation and testing. Lastly, We would want to express our gratitude to our families for their unwavering support, tolerance, and faith in us, all of which have been a continual source of inspiration and strength during this endeavor

XII. CONCLUSION

In conclusion, crowd control and public safety have advanced significantly with the deployment of an AI-powered surveillance system for major events like the Kumbh Mela. This system seeks to overcome the drawbacks of conventional techniques and improve the capacity to track, evaluate, and react to crowd dynamics in real-time by addressing both functional and non-functional criteria. The system guarantees prompt action and efficient risk management with its real-time data collection, predictive analytics, and fast alarm creation capabilities. Scalability, dependability, performance, security, usability, maintainability, interoperability, data privacy, and cost-effectiveness



are all given top priority in its design, making it a strong option for handling the challenges of large gatherings. Ultimately, this advanced technology will not only improve safety and security for attendees but also contribute to a more organized and efficient event experience, paving the way for future innovations in crowd management

REFERENCES

- [1]. Ujwala Bhangale, Suchitra Patil, Vaibhav Vishwanath, Parth Thakker, Amey Bansode and Devesh. Navandhar, "Near Real-time Crowd Counting using Deep Learning Approach", *Procedia Computer Science*, vol. 171, pp. 770-779, 2020. Yuhong Li
- [2]. Xiaofan Zhang and Deming. Chen, CSRNet: Dilated Convolutional Neural Networks for Understanding the Highly Congested Scenes, pp. 1091-1100, 2018.
- [3]. Lokesh Boominathan, Srinivas Kruthiventi and R.. Babu, CrowdNet: A Deep Convolutional Network for Dense Crowd Counting, pp. 640-644, 2016.
- [4]. Zhang, L., Lin, Z., & Zhang, L. (2016). "Beyond Crowd Counting: Uncovering the Hidden Structures in Crowd Images." *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 739-748.
- [5]. Idrees, H., Cheng, M.-M., & Maji, S. (2018). "Detecting Objects in Dense Crowds Using a Multi-Scale Approach." *Proceedings of the European Conference on Computer Vision (ECCV)*, pp. 275-290.
- [6]. Kumar, S., & R. N. (2020). "Real-Time Crowd Monitoring Using Deep Learning Techniques: Challenges and Solutions." *Journal of Computer Vision and Image Understanding*, vol. 196, pp. 102-116.
- [7]. Wang, X., & Zhang, Y. (2019). "Crowd Analysis and Safety: A Comprehensive Review of Techniques and Applications." *ACM Computing Surveys*, vol. 52, no. 5, pp. 1-38.
- [8]. Rashtchian, C., & Liang, X. (2017). "Multi-Scale and Real-Time Crowd Detection Using CNNs." *Proceedings of the IEEE International Conference on Computer Vision (ICCV)*, pp. 1178-1187

