

Herbal Moisturizers: A Comprehensive Review of Botanical Bioactive, Formulations, and Clinical Efficacy

**Dongare Sarthak Gorakshnath¹, Lambe Ranjit Rajesh², Rode Chetana Kishor³,
Sabale K. S⁴, Deshmukh. D B⁵**

Mrs. Saraswati Wani College of D Pharmacy, Ganegaon, Rahuri, Ahliyanagar^{1,2,3}
Guide- Mrs. Saraswati Wani College of D Pharmacy, Ganegaon, Rahuri, Ahliyanagar^{4,5}

Abstract: *Maintaining skin hydration is essential for overall dermatological health and cosmetic science. Although synthetic moisturizers have long dominated the market, consumer demand is steadily shifting toward natural, sustainable, and plant-derived alternatives. Herbal moisturizers harness a rich variety of botanical bioactives—such as polyphenols, polysaccharides, essential fatty acids, and terpenoids—to mend the skin barrier, minimize transepidermal water loss (TEWL), and offer powerful antioxidant protection. This review explores the structure of the skin barrier, how herbal moisturizers work through occlusives, humectants, and emollients, top scientifically backed botanical ingredients, formulation hurdles, stability testing, and the regulatory guidelines shaping these natural products. (1,2).*

Keywords: Herbal moisturizer, Natural Skincare, Skin Hydration, Moisture Retention and Natural Humectants & Emollients.

I. INTRODUCTION

Our skin acts as the primary boundary connecting our internal biology to the outside world. Beyond aesthetics, it serves as a vital shield against physical injury, UV radiation, harmful chemicals, and microbes. A key part of this defense is keeping the outermost layer of skin—the stratum corneum—properly hydrated.

Recently, the cosmetic and dermatology sectors have seen a major shift as modern consumers increasingly look for clean, green, and sustainably sourced ingredients. This has sparked renewed interest in researching and developing herbal moisturizers. Unlike traditional synthetic options that often depend on petroleum-based mineral oils and artificial polymers, herbal formulations tap into the synergistic benefits of plant secondary metabolites. This review offers a detailed, scientifically grounded look at herbal moisturizers, bridging traditional herbal knowledge with modern skin science. (3,4,5,6)

II. ANATOMY AND PHYSIOLOGY OF THE SKIN BARRIER

To appreciate how herbal moisturizers work, we first need to look at the layout of the epidermal barrier. The top layer of the epidermis, known as the stratum corneum (SC), is often visualized using a classic 'brick and mortar' framework: The Bricks (Corneocytes): These are fully matured, nucleus-free skin cells packed with keratin filaments and filaggrin-derived molecules that hold onto water.

The Mortar (Intercellular Lipid Lamellae): This is a tightly structured lipid network made up of ceramides (50%), cholesterol (25%), and free fatty acids (15%). (7,8,9)



2.1 Natural Moisturizing Factors (NMF)

NMF is composed of amino acids, pyrrolidone carboxylic acid (PCA), lactic acid, urea, and various mineral ions. It naturally pulls moisture from the air and locks it inside the cellular spaces, keeping the skin flexible and activating the enzymes needed for normal skin shedding (desquamation). (10,11,12)

2.2 Transepidermal Water Loss (TEWL)

When environmental stressors—like harsh soaps, dry air, or UV exposure—or genetic skin conditions (such as atopic dermatitis or psoriasis) disrupt the lipid matrix, the 'mortar' breaks down. This causes a spike in Transepidermal Water Loss (TEWL), leading to classic signs of dry skin (xerosis) like itching, flaking, redness, and tiny cracks. (13,14)

III. CLASSIFICATION AND MECHANISMS OF HERBAL MOISTURIZERS

Herbal moisturizers help fix barrier damage using three main overlapping methods: acting as occlusives, humectants, and emollients. Effective formulas usually combine these three elements carefully to deliver optimal therapeutic results. (15,16)

Mechanism Class	Primary Function	Common Botanical Sources
Occlusives	Form a protective, water-repellent layer on the skin to physically lock in moisture and block TEWL.	Shea butter, Cocoa butter, Jojoba oil, Carnuba wax
Humectants	Actively draw water molecules from the deeper skin layers and the surrounding air right into the stratum corneum.	Aloe vera gel, Honey, Glycerin, Hyaluronic acid
Emollients	Fill in the microscopic spaces between shedding skin cells to soften and smooth out skin texture. (17)	Almond oil, Rosehip seed oil, Argan oil, Squalane

IV. KEY BOTANICAL BIOACTIVES AND THEIR DERMATOLOGICAL PROFILES

4.1 Aloe Barbadensis Miller (Aloe Vera)

Aloe vera gel is roughly 99% water, while the remaining 1% contains a rich mix of active compounds. Its key component, acemannan, works as a strong humectant by forming a soothing, hydrating film over the skin. Additionally, Aloe vera encourages skin fibroblasts to produce collagen and elastin fibers, boosting elasticity and speeding up skin healing. (18,19,20)

4.2 Butyrospermum Parkii (Shea Butter)

Sourced from the nuts of the African shea tree, shea butter is packed with stearic acid, oleic acid, and beneficial triterpene alcohols. These fatty acids blend effortlessly into the skin's lipid layers, repairing structural damage and acting as a wonderful emollient shield. (21,22)

4.3 Simmondsia Chinensis (Jojoba Oil)

Jojoba oil is technically a liquid wax ester that mimics human skin sebum better than almost any other plant oil. It easily slips into hair follicles to help balance natural oil production while leaving the skin feeling light and non-greasy. (23,24)



V. PHYTOCHEMICAL SCREENING AND BIOACTIVE CLASSES

5.1 Polyphenols and Flavonoids

Found in high amounts in green tea (*Camellia sinensis*), polyphenols are exceptional at neutralizing free radicals. They help suppress matrix metalloproteinases (MMPs), which stops premature skin aging and protects the skin's natural moisture reserves. (25,26)

5.2 Polysaccharides

Plant-derived polysaccharides create a breathable, flexible network on the skin's surface that holds onto water, cutting down on sudden water loss without clogging pores. (27)

5.3 Essential Fatty Acids (EFAs)

Plant oils supply essential omega-3 and omega-6 fatty acids straight to the skin. Specifically, linoleic acid acts as a vital building block for creating Ceramide 1, which forms the backbone of a healthy skin barrier. (28)

VI. FORMULATION SCIENCE OF HERBAL CREAMS AND LOTIONS

Most herbal moisturizers are designed as Oil-in-Water (O/W) emulsions because they absorb quickly and feel lightweight. However, for extremely dry or damaged skin, Water-in-Oil (W/O) emulsions are often chosen because they provide deeper, longer-lasting protection against moisture loss. (29)

VII. STABILITY TESTING AND QUALITY CONTROL

To ensure these products last on store shelves, manufacturers conduct accelerated stability tests by keeping formulas at high temperatures (40°C to 50°C) alongside varying humidity levels. Regular checks on viscosity, pH levels, and centrifuge testing help guarantee that the product remains safe and effective over time. (30,31,32)

VIII. CLINICAL EVALUATION AND EFFICACY PARAMETERS

To measure how well a moisturizer works, scientists use specialized tools. Corneometry checks skin hydration by measuring surface electrical capacitance, while a Tewameter tracks water vapor gradients to precisely calculate how fast the skin barrier recovers. (33,34)

IX. REGULATORY ASPECTS AND SUSTAINABILITY

Legal requirements for herbal skincare vary around the world. In the United States, products are generally classified as cosmetics unless they make medical or therapeutic claims, which would shift them into the over-the-counter drug category. In the European Union (under EC No 1223/2009), strict safety reports must be completed and approved before any product can be sold. (35,36)

X. CONCLUSION AND FUTURE DIRECTIONS

Herbal moisturizers bring together time-tested botanical wisdom and modern dermatological science in a wonderful way. Looking ahead, future innovations will likely focus on nanotechnology and advanced delivery systems—like liposomes—to help delicate plant polyphenols penetrate deeper into the skin layers. (37,38)

REFERENCES

- [1] Rawat, S., & Singh, P. (2022). Phytochemical screening and dermatological applications of herbal bioactives. *Journal of Cosmetic Dermatology*, 21(4), 1422-1430.
- [2] Mukherjee, P. K., et al. (2019). Bioactive compounds from herbs for skin care formulations. *Phytomedicine*, 64, 153029.
- [3] Elias, P. M. (2015). Skin barrier function: Skin depth anatomy and physiology. *Dermatology Research and Practice*, 2015, 1-11.



- [4] Madison, K. C. (2003). Barrier function of the skin: 'La Raison d'Être' of the epidermis. *Journal of Investigative Dermatology*, 121(2), 231-241.
- [5] Amberg, N., & Fogarassy, C. (2019). Green consumer behavior in the cosmetics market. *Sustainability*, 11(5), 1373.
- [6] Ribeiro, A. S., et al. (2015). Main benefits and applicability of plant extracts in skin care products. *Cosmetics*, 2(2), 48-65.
- [7] Michaels, A. S., et al. (1975). Drug permeation through human skin: Theory and in vitro experimental measurement. *AIChE Journal*, 21(5), 985-996.
- [8] Rawlings, A. V., & Harding, C. R. (2004). Moisturization and skin barrier function. *Dermatologic Therapy*, 17(s1), 43-48.
- [9] van Smeden, J., et al. (2014). The important role of stratum corneum lipids for cutaneous barrier function. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*, 1841(3), 295-313.
- [10] Harding, C. R., et al. (2000). Natural moisturizing factors (NMF) in the stratum corneum: Their role in skin hydration. *International Journal of Cosmetic Science*, 22(1), 21-33.
- [11] Fowler, J. (2012). Understanding the role of natural moisturizing factors in skin hydration. *Practical Dermatology*, 4(2), 36-40.
- [12] Watkinson, A., et al. (2001). Water as a modulator of stratum corneum desquamation. *Journal of Investigative Dermatology*, 116(3), 413-421.
- [13] Proksch, E., et al. (2008). The skin barrier in healthy and diseased skin. *American Journal of Clinical Dermatology*, 9(1), 1-15.
- [14] Ghadially, R., et al. (1995). The aged epidermal permeability barrier: Structural, functional, and lipid biochemical abnormalities. *Journal of Clinical Investigation*, 95(5), 2281-2290.
- [15] Lodén, M. (2003). Role of topical emollients and moisturizers in the treatment of dry skin barrier disorders. *American Journal of Clinical Dermatology*, 4(11), 771-788.
- [16] Kraft, J. N., & Lynde, C. W. (2005). Moisturizers: What they are and a practical approach to product selection. *Skin Therapy Letter*, 10(5), 1-8.
- [17] Sethi, A., et al. (2016). Moisturizers: The slippery road. *Indian Journal of Dermatology*, 61(3), 279-287.
- [18] Surjushe, A., et al. (2008). Aloe vera: A short review. *Indian Journal of Dermatology*, 53(4), 163-166.
- [19] West, D. P., & Zhu, Y. F. (2003). Evaluation of aloe vera gel moisturization efficacy on skin. *American Journal of Infection Control*, 31(8), 509-513.
- [20] Chithra, P., et al. (1998). Influence of Aloe vera on collagen characteristics in healing dermal wounds in rats. *Molecular and Cellular Biochemistry*, 181(1), 71-76.
- [21] Maranz, S., et al. (2004). Variability in the fatty acid composition of shea butter. *Phytochemistry*, 65(10), 1469-1475.
- [22] Israel, M. O. (2014). Effects of topical shea butter on skin barrier properties. *American Journal of Life Sciences*, 2(5), 303-307.
- [23] Pazyar, N., et al. (2013). Jojoba oil in dermatology: A review. *Giornale Italiano di Dermatologia e Venereologia*, 148(6), 687-691.
- [24] Meyer, J., et al. (2008). Evaluation of the sebosuppressive activity of jojoba liquid wax. *International Journal of Cosmetic Science*, 30(2), 115-123.
- [25] Katiyar, S. K., et al. (2001). Green tea polyphenol treatment to human skin prevents UV-induced oxidative stress. *Journal of Investigative Dermatology*, 116(6), 874-881.
- [26] Nichols, J. A., & Katiyar, S. K. (2010). Skin photoprotection by natural polyphenols: Anti-inflammatory and antioxidant mechanisms. *Archives of Dermatological Research*, 302(2), 71-83.
- [27] Schmid, D., et al. (2011). Plant polysaccharides as high-performance moisturizing agents. *EuroCosmetics*, 19(4), 22-26.



- [28] Hansen, H. S., & Jensen, B. (1985). Essential fatty acids, fluid balance, and skin integrity. *Acta Medica Scandinavica*, 217(S694), 177-184.
- [29] Parente, M. E., et al. (2015). Formulation and evaluation of oil-in-water emulsions containing natural oils. *Journal of Cosmetic Science*, 66(3), 155-167.
- [30] Varvaresou, A., et al. (2009). Self-preserving cosmetics: Strategy and metrics. *International Journal of Cosmetic Science*, 31(3), 163-175.
- [31] Bajaj, S., et al. (2012). Stability testing of cosmetic products: An overview. *International Journal of Cosmetic Sciences and Research*, 2(1), 12-21.
- [32] Brummer, R., & Godersky, S. (1999). Rheological properties of cosmetic formulations and stability forecasting. *International Journal of Cosmetic Science*, 21(3), 155-171.
- [33] Fluhr, J. W., et al. (2003). Capacitance and conductance measurements for skin hydration assessment. *Skin Research and Technology*, 9(2), 129-138.
- [34] Rogiers, V. (2001). EEMCO guidance for the assessment of transepidermal water loss in cosmetic science. *Skin Pharmacology and Applied Skin Physiology*, 14(2), 117-128.
- [35] Romanowski, P. (2017). Cosmetic regulation frameworks in the United States. *Cosmetic Science Review*, 42(1), 55-62.
- [36] European Parliament. (2009). Regulation (EC) No 1223/2009 of the European Parliament and of the Council on cosmetic products. *Official Journal of the European Union*, L 342, 59-209.
- [37] Kapoor, S., & Saraf, S. (2010). Assessment of viscoelasticity and hydration effect of herbal moisturizers. *Pharmacognosy Magazine*, 6(24), 298-304.
- [38] Patra, J. K., et al. (2018). Nano-encapsulation of plant bioactives for advanced skin delivery systems. *Journal of Nanobiotechnology*, 16(1), 71.

