

Opinion Mining for Product Reviews Using Artificial Intelligence

Prof. Shafique Shaikh¹, Sanika Kothawade², Shreya Deore³, Harshal Patil⁴, Nikhil Pitrubhakta⁵

Project Guide, Dept. of Information Technology¹

Students, Dept. of Information Technology²⁻⁵

Sandip Institute of Technology and Research Centre (SITRC), Nashik, Maharashtra, India

sanikakothawade.112023394@sitrc.org, shreyadeore.112023361@sitrc.org

harshalpatil.112023447@sitrc.org, nikhilpitrubhakta.112023520@sitrc.org

Abstract: *The rapid growth of e-commerce platforms has resulted in a large volume of customer-generated product reviews. These reviews contain valuable information about customer opinions, satisfaction levels, product quality, and specific product features. However, manually analysing a large number of reviews is time-consuming and difficult. Opinion mining, also known as sentiment analysis, uses Artificial Intelligence and Natural Language Processing techniques to automatically identify and classify opinions expressed in textual reviews. This paper presents a conceptual AI-based framework for analysing product reviews and identifying their sentiment polarity as positive, negative, or neutral. The proposed approach combines contextual language representation using Bidirectional Encoder Representations from Transformers (BERT) with aspect-based sentiment analysis inspired by Aspect-specific Graph Convolutional Networks (ASGCN). The system performs review preprocessing, contextual feature extraction, aspect identification, sentiment classification, and generation of an overall opinion summary. The reviewed literature also includes hybrid BERT-CNN architectures, user/context-aware graph modelling, and multimodal learning approaches, which provide additional directions for improving opinion analysis. The proposed framework aims to provide more detailed and meaningful information than simple positive or negative classification by identifying the product aspects responsible for customer opinions. Such a system can assist customers in decision-making and help businesses understand product strengths, weaknesses, and areas requiring improvement.*

Keywords: Opinion Mining, Sentiment Analysis, Product Reviews, Artificial Intelligence, Natural Language Processing, BERT, Aspect-Based Sentiment Analysis, Graph Convolutional Network

I. INTRODUCTION

Online product reviews play an important role in helping customers make purchasing decisions and enabling businesses to understand customer satisfaction. With the rapid growth of e-commerce platforms, a large volume of customer reviews is generated. These reviews contain valuable opinions about product quality, price, design, performance, durability, and features. However, analysing a large number of reviews manually is time-consuming. Opinion mining using Artificial Intelligence (AI) and Natural Language Processing provides an automated approach to identifying and classifying customer opinions from textual reviews.

Despite its importance, manual and traditional review analysis faces several fundamental challenges:

Large Volume of Reviews: E-commerce platforms generate thousands of reviews for individual products. Manually examining this information requires considerable time and effort, making it difficult to identify overall customer opinions efficiently.

Contextual Ambiguity and Negation: The meaning of words can change depending on the context. For example, "The camera is good, but the battery is not reliable" expresses different sentiments toward two product features. Traditional methods may fail to interpret such contextual relationships accurately.

Copyright to IJARSCT

www.ijarsct.co.in



DOI: 10.48175/IJARSCT-40420



159

Aspect-Level Sentiment Identification: A single review may express positive and negative opinions about different product features. Simple sentiment classification may assign one overall label without identifying which aspects customers appreciate or criticize.

Sarcasm and Informal Language: Customers frequently use slang, abbreviations, spelling variations, and sarcastic expressions in online reviews. These variations make it difficult for conventional approaches to correctly determine the intended sentiment.

Domain-Specific Vocabulary: Words and expressions may have different meanings across product categories. For example, terms used to describe mobile phones may differ from those used for clothing or electronic appliances, affecting the generalization of sentiment analysis models.

Recent advances in Artificial Intelligence, particularly Deep Learning and Natural Language Processing, offer promising solutions to overcome these limitations. Transformer-based models such as Bidirectional Encoder Representations from Transformers (BERT) generate contextual representations of text, while Aspect-specific Graph Convolutional Networks (ASGCN) use syntactic relationships to identify sentiment associated with specific aspects. These techniques provide a foundation for developing an intelligent opinion mining system that automatically analyses product reviews, classifies sentiment, identifies important product features, and summarizes customer opinions.

This paper presents a conceptual framework titled “Opinion Mining for Product Reviews Using Artificial Intelligence.” The proposed framework combines contextual text representation and aspect-based sentiment analysis to classify opinions as positive, negative, or neutral. The system aims to help customers compare products and enable businesses to identify strengths, weaknesses, and areas requiring improvement.

The paper is structured as follows: Section II presents the literature review and discusses existing approaches and their limitations. Section III describes the proposed methodology and workflow. Section IV presents the system architecture and mathematical formulation. Section V discusses the evaluation metrics and system requirements. Section VI concludes the paper and presents possible future directions.

II. LITERATURE SURVEY

Pang et al. [1] proposed machine learning techniques for sentiment classification using product and movie reviews. Hu and Liu [2] developed a method to identify product features and summarize customer opinions. Devlin et al. [3] introduced BERT, which improves text understanding by capturing contextual information. Zhang et al. [4] proposed an aspect-based sentiment classification model using graph convolutional networks to identify sentiment related to specific aspects.

Existing methods face challenges in handling negation, mixed opinions, and informal language in reviews. Dou et al. [5] explored user preference-aware fake news detection, demonstrating the application of text analysis in classification tasks. However, accurately classifying product reviews remains challenging. This project aims to develop an AI-based opinion mining system that classifies product reviews and presents sentiment insights to support better decision-making

III. PROPOSED FRAMEWORK AND METHODOLOGY

The proposed system operates through two distinct execution phases: a Build Phase, which includes dataset collection, text preprocessing, feature extraction, model training, and performance evaluation; and a Run Phase, which accepts product reviews, predicts their sentiment, and presents the analytical results through a user-friendly interface.

Proposed System Workflow

The overall system pipeline follows a structured, modular workflow:

Product Review Acquisition: Collecting product reviews and corresponding sentiment labels.

Text Preprocessing: Cleaning the reviews by removing unnecessary symbols, handling missing values, converting text to lowercase, and eliminating irrelevant words.



Feature Extraction: Converting processed textual reviews into numerical representations using Term Frequency–Inverse Document Frequency (TF-IDF).

Sentiment Classification: Applying a supervised machine learning classifier, such as Logistic Regression, to categorize reviews as positive, negative, or neutral, depending on the dataset labels.

Opinion Analysis and Reporting: Displaying predicted sentiment distribution.




Fig. 1. Overall block diagram of the proposed AI-Based Opinion-Mining Framework.

Text Preprocessing and Feature Extraction

Product reviews frequently contain inconsistent capitalization, punctuation, spelling variations, irrelevant symbols, and informal expressions. Therefore, preprocessing is performed to improve the consistency of textual input before classification.

The following steps are applied:

1. Data Cleaning: Removing duplicate records, handling missing review text, and eliminating irrelevant characters where appropriate.
2. Lowercase Conversion: Converting text to lowercase to reduce differences between words such as “Excellent” and “excellent.”
3. Tokenization: Dividing each review into individual words or tokens for further processing.
4. Stop-Word Removal: Removing common words that contribute little to classification.

TABLE I: REPRESENTATIVE WORKS IN OPINION MINING AND SENTIMENT ANALYSIS

Work (Year)	Methodology	Dataset / Focus	Key Contribution	Limitation
Pang et al. (2002)	Naïve Bayes, Maximum Entropy, SVM	Movie reviews	Demonstrated machine learning techniques for sentiment classification	Performance depends on text representation and domain-specific language.
Hu and Liu (2004)	Feature-based opinion mining	Customer product reviews	Identified product features	Implicit opinions and context-dependent sentiment can be difficult to identify.
Devlin et al. (2019)	BERT (Transformer model)	General language	Improved contextual text representation	Requires more computational resources and task-specific fine-tuning.



Zhang et al. (2019)	ASGCN	Aspect-based sentiment	Uses syntactic relationships	Relies on syntactic information and a more complex model architecture.
Dou et al. (2021)	ASGCN	Social media and fake news	Combined textual information	Focuses on fake news detection rather than product review sentiment.

C. Machine Learning Architecture

The core classification engine uses a supervised machine learning model to identify sentiment from numerical representations of product reviews. Logistic Regression is a suitable baseline because it is computationally efficient and commonly used for text classification. The architecture consists of the following:

1. Input Layer: Receives the preprocessed product review.
2. TF-IDF Vectorization: Converts the text into a sparse numerical feature vector.
3. Classification Layer: Uses Logistic Regression to learn the relationship between textual features and sentiment labels.
4. Probability Estimation: Estimates the probability associated with each supported sentiment category.
5. Output Layer: Assigns the predicted sentiment class and forwards the result for analysis.

$$P(y = c | x) = \frac{e^{w_c^T x + b_c}}{\sum_{j=1}^C e^{w_j^T x + b_j}}$$

where (w_c) represents the learned weight vector for class (c), (b_c) is its bias, and (C) denotes the total number of sentiment classes. The model predicts the sentiment class with the highest estimated probability. The machine learning architecture of the proposed opinion mining system consists of three main components: feature extraction, model training, and sentiment prediction. Initially, the preprocessed product reviews are converted into numerical representations using Term Frequency–Inverse Document Frequency (TF-IDF). These numerical features help the model identify important words and expressions that contribute to the overall sentiment of a review. The extracted feature vectors are then provided to a supervised machine learning classifier for training and prediction.

Logistic Regression is considered a suitable baseline classifier for this system because it is efficient, interpretable, and effective for many text classification tasks. During training, the model learns the relationship between the extracted text features and their corresponding sentiment labels. It estimates the probability of a review belonging to each sentiment category based on the learned parameters. The model then assigns the category with the highest predicted probability as the final sentiment. Depending on the dataset, the system can classify reviews as positive, negative, or neutral.

To evaluate the reliability of the architecture, the dataset is divided into training and testing sets. The training set is used to learn the model parameters, while the testing set evaluates its performance on previously unseen reviews. The TF-IDF vectorizer must be fitted only on the training data to prevent information leakage. Performance can be measured using accuracy, precision, recall, F1-score, and a confusion matrix. The final model should be selected according to its measured performance and computational requirements.

D. Sentiment Classification and Loss Function

The proposed system uses a supervised machine learning classifier to categorize product reviews as positive, negative, or neutral. Logistic Regression estimates the probability of each sentiment class using the extracted TF-IDF features and assigns the class with the highest probability as the predicted sentiment. During training, the model minimizes the loss between the predicted and actual sentiment labels, helping improve classification accuracy. The trained model can then analyze customer reviews and generate meaningful sentiment insights.



E. Alignment with Sustainable Development Goals

The proposed framework supports the practical application of artificial intelligence and data-driven decision-making in digital commerce. Its potential alignment with the United Nations Sustainable Development Goals includes:

SDG 8 – Decent Work and Economic Growth: Automates part of the review-analysis process, potentially reducing the manual effort required by businesses to understand customer feedback.

SDG 9 – Industry, Innovation and Infrastructure: Promotes the application of AI, natural language processing, and machine learning to develop intelligent review-analysis tools.

SDG 12 – Responsible Consumption and Production: Helps consumers interpret available customer feedback and make more informed purchasing decisions, while enabling businesses to identify recurring product-related concerns.

IV. SYSTEM REQUIREMENTS AND PERFORMANCE METRICS

A. Hardware and Software Requirements

The development and execution of the proposed opinion-mining system require an appropriate software environment and computing resources.

Processor: Intel Core i3 or above, or an equivalent AMD processor.

Memory and Storage: Minimum 4 GB RAM, with 8 GB RAM recommended, and sufficient storage for the dataset, trained model, and project files.

Programming Language: Python 3.x.

Libraries and Tools: Pandas, NumPy, Scikit-learn, NLTK or spaCy, Matplotlib, and Seaborn.

Development Environment: Visual Studio Code, Jupyter Notebook, or another Python-compatible environment.

User Interface: Streamlit or Flask may be used to provide an interface for entering reviews and viewing predictions.

V. CONCLUSION

Opinion mining using artificial intelligence provides an effective way to analyze customer opinions expressed in product reviews. The proposed system uses text preprocessing, feature extraction, and machine learning techniques to classify reviews according to their sentiment. The results can be presented through visualizations that help identify customer satisfaction, dissatisfaction, and overall opinion trends. This approach can reduce manual effort and help businesses understand customer feedback more efficiently. The system can be further improved by incorporating advanced deep learning models, aspect-based sentiment analysis, and larger datasets to enhance classification performance and handle complex opinions.

REFERENCES

- (1) B. Pang, L. Lee, and S. Vaithyanathan, "Thumbs up? Sentiment Classification Using Machine Learning Techniques," Proceedings of EMNLP, pp. 79–86, 2002. [<https://aclanthology.org/W02-1011/>](https://aclanthology.org/W02-1011/?utm_source=chatgpt.com)
- (2) M. Hu and B. Liu, "Mining and Summarizing Customer Reviews," Proceedings of the Tenth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pp. 168–177, 2004. [<https://www.microsoft.com/en-us/research/publication/mining-and-summarizing-customer-reviews/>](https://www.microsoft.com/en-us/research/publication/mining-and-summarizing-customer-reviews/?utm_source=chatgpt.com)
- (3) J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," Proceedings of NAACL-HLT, pp. 4171–4186, 2019. [<https://aclanthology.org/N19-1423/>](https://aclanthology.org/N19-1423/?utm_source=chatgpt.com)
- (4) C. Zhang, Q. Li, and D. Song, "Aspect-based Sentiment Classification with Aspect-specific Graph Convolutional Networks," 2019. <https://arxiv.org/abs/1909.03477>

